




The Kärcher Tact² systems are ever popular as specialist systems and as all-rounders thanks to their high level of mobility and excellent performance, their solid construction and their wide range of practical design features. The NT 75/2 Tact² Me is supplied with the entire antistatic package as standard. The system tackles even large amounts of fine dust.




1 Easy to transport

- Adjustable push handle and large wheels make transport easy even on uneven surfaces.




2 Intelligent accessory storage

- For example, the floor nozzle can be quickly fixed any way round.



3 Wear-resistant side channel blower

- The divided flat fold filter is cleaned by air blasts and can be removed from the clean side.
- Fine dusts cannot block the filter. A constant high air stream is maintained.



4 Secure and close to hand

- Tools can be stored in the on-board practical storage area, including small parts and bottles.



NT 75/2 Tact² Me

- Wear-resistant side channel blower
- Anti-static system
- On-board storage on the casing head

Technical data

Order No.		1.667-288.0
EAN code		4039784727267
Air quantity	l/s	2 x 74
Vacuum	mbar / kPa	254 / 25.4
Container capacity	l	75
Max. power rating	W	2760
Standard nominal width		40
Cord length	m	10
Sound level	dB(A)	73
Container material		Stainless steel
Quantity of motors		2
Frequency	Hz	50–60
Voltage	V	220–240
Weight	kg	27.5
Dimensions (L x W x H)	mm	630 x 545 x 920

Equipment

Suction hose	m	4
Suction pipes, metal, 2 x 0.5 m		■
Filter bag		Paper
Wet and dry floor nozzle	mm	360
Crevice nozzle		■
Drain hose (oil-resistant)		■
Auto shutdown when max. level is reached		■
Anti-static system		■
Eco filter system		■

■ Included in delivery.

Accessories for NT 75/2 Tact² Me

1.667-288.0

KÄRCHER



		Order No.	Quantity	ID	Length	Width	Price	Description	
Flat pleated filter, paper									
Flat pleated filter	1	6.907-276.0	1 piece(s)					Flat pleated filter dust class M, nano-coated paper. Suitable for fine dust and dry dirt pick up.	■
Paper filter bags (two-ply)									
Paper filter bags	2	6.904-285.0	5 piece(s)					5 3-ply, tear-resistant paper filter bags. BIA-(U, S, G, C) dust class M. For all NT 48/1, NT 65/2 Eco + Me and NT 72/2 Eco Tc models.	■
Plastic bend									
Plastic bend	3	5.032-427.0	1 piece(s)	DN 40				Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.	■
	4	5.031-718.0	1 piece(s)	DN 35				Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	□
	5	5.031-939.0	1 piece(s)	DN 35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	□
Floor nozzles									
Multi-purpose nozzle, wet/dry, plastic, ID 40, 360 mm	6	6.906-554.0	1 piece(s)	DN 40		360 mm		All-purpose plastic nozzle (DN 40) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.	■
Multi-purpose nozzle, wet/dry	7	6.903-018.0	1 piece(s)	DN 40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
	8	6.906-383.0	1 piece(s)	DN 40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	□
	9	6.906-384.0	1 piece(s)	DN 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
	10	6.906-513.0	1 piece(s)	DN 35		360 mm		All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.	□
Crevice nozzles									
Crevice tool	11	6.903-033.0	1 piece(s)	DN 40	290 mm			Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	■
	12	6.900-385.0	1 piece(s)	DN 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	□
	13	6.900-922.0	1 piece(s)	DN 35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	□
	14	6.905-817.0	1 piece(s)	DN 40	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	□
Suction pipes, metal									
Suction tube	15	6.900-275.0	1 piece(s)	DN 40	0.5 m			Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.	■
Suction pipe, metal, DN 35	16	6.900-514.0	1 piece(s)	DN 35	0.5 m			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	□

■ Included in delivery. □ Available accessories.

Accessories for NT 75/2 Tact² Me

1.667-288.0

KÄRCHER


		Order No.	Quantity	ID	Length	Width	Price	Description	
Suction hoses (clip system)									
Suction hose	17	6.906-546.0	1 piece(s)	40	4 m			Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	■
	18	6.906-279.0	1 piece(s)	40	10 m			10 m standard suction hose without bend and adapter. With bayonet at vacuum end and C 40 clip connection at accessory end.	□
	19	6.906-321.0	1 piece(s)	40	4 m			4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	□
	20	6.906-714.0	1 piece(s)	40	4 m			With bayonet and clip connection.	□
	21	6.906-635.0	1 piece(s)	40	16 m				□
	22	6.906-877.0	1 piece(s)	40	10 m			Suction hose with bayonet coupling, electrically conductive.	□
Flat pleated filter, PES									
Flat pleated filter, PES	23	6.907-277.0	1 piece(s)					Flat pleated filter dust class M, rotproof PES fleece. Suitable for frequent wet pick up.	□
Fabric filter									
Membrane filter	24	6.904-282.0	1 piece(s)					Polyester needle fleece membrane/fabric filter - BIA-C -, washable up to 40°C, metal fibres for earthing. Suitable for virtually all industrial two-motor NT vacuum cleaners.	□
HEPA, dust class H filter									
HEPA flat pleated filter	25	6.904-364.0	1 piece(s)					HEPA surface filter - dust class H (H 14) - with glass-fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.	□
Plastic sacks for dust-free disposal									
Plastic sack for dust-free disposal	26	6.900-698.0	10 piece(s)					PE plastic sack.	□
Wet filter bag									
Wet filter bag	27	6.904-252.0	5 piece(s)					Approved for dust class L, general cleaning, wet and dry, tear-resistant.	□
Bends, stainless steel									
Bend, stainless steel, ID 35	28	6.903-141.0	1 piece(s)	DN 35				Stainless steel and crooked, ID 35	□
Bend, stainless steel, ID 40	29	6.902-079.0	1 piece(s)	DN 40				Stainless steel and crooked, ID 40	□
Bends, metal									
Bend, ID 35, metal	30	6.900-519.0	1 piece(s)	DN 35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el.).	□
Bend, ID 40, metal	31	6.900-276.0	1 piece(s)	DN 40				Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0; C 40-DN 40, plastic, el.).	□
All-purpose brushes									
All-purpose brush	32	6.903-863.0	1 piece(s)	DN 35	120 mm			Natural bristles (ox hair), bristle element 120 x 45 mm.	□
Car cleaning nozzles									
Car vacuuming nozzle, ID 40, 90 mm	33	6.900-952.0	1 piece(s)	DN 40		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	□
Rubber suction tools, nose 45°									
Rubber suction tool, nose 45°	34	6.902-104.0	1 piece(s)	DN 35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	□
	35	6.902-105.0	1 piece(s)	DN 40	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	□
Radiator brushes									
Radiator brush	36	6.903-034.0	1 piece(s)	DN 35				Radiator brush is suitable for crevice tool 6.900-385.0 or 6.905-240.0.	□

■ Included in delivery. □ Available accessories.

Accessories for NT 75/2 Tact² Me

1.667-288.0

KÄRCHER


		Order No.	Quantity	ID	Length	Width	Price	Description	
Pipe dusting nozzles									
Pipe dusting nozzle, ID 35	37	6.903-035.0	1 piece(s)	DN 35				Plastic, pipe diameter 100 mm	☐
Pipe dusting nozzle	38	6.903-036.0	1 piece(s)	DN 35				Plastic, pipe diameter 200 mm	☐
Suction pipes, stainless steel									
Suction tube, ID 40	39	6.902-081.0	1 piece(s)	DN 40	0.5 m			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	☐
	40	6.906-531.0	1 piece(s)	DN 40	1 m			Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	☐
Suction tube, ID 35	41	6.902-154.0	1 piece(s)	DN 35	0.5 m				☐
Repair kits									
Repair kit, C 40	42	2.639-873.0	4 piece(s)	DN 40				Repair set (C40) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.	☐
Repair kit, DN 61	43	2.862-038.0	4 piece(s)	DN 61				Suction hose repair kit. Optional for all NT 65/2 and 72/2, NT 993 I, NT 802 I.	☐
Suction hoses complete									
Suction hose, ID 61, 4 m, complete	44	4.440-264.0	1 piece(s)	DN 61	4 m			4-m standard suction hose with DN 61 bayonet connector at the device end and DN 61 tapered connector at the accessory end.	☐
Suction hose, complete	45	4.440-328.0	1 piece(s)	DN 61	3 m			Industrial hose, PVC/elastomer with steel spiral, smooth inside	☐
Suction hose, complete, ID 61, 10 m	46	4.440-467.0	1 piece(s)	DN 61	10 m			10-m standard suction hose with DN 61 bayonet connector at the device end and DN 61 tapered connector at the accessory end.	☐
Suction hose, complete, ID 61, 4 m, oil-resistant	47	4.440-613.0	1 piece(s)	DN 61	4 m			Oil-resistant.	☐
Suction hose, complete, ID 61, 10 m, oil-resistant	48	4.440-614.0	1 piece(s)	DN 61	10 m				☐
Suction hose, complete, ID 40, 4 m, electrically conductive	49	4.440-616.0	1 piece(s)	DN 61	4 m			Electrically conductive.	☐
Suction hose, complete	50	4.440-263.0	1 piece(s)	DN 40	4 m			Electrically non-conductive 4.0m standard suction hose with bayonet at vacuum end and DN 40 cone at accessory end.	☐
	51	4.440-303.0	1 piece(s)	DN 40	4 m			Oil-resistant	☐
	52	4.440-463.0	1 piece(s)	DN 40	10 m			Electrically non-conductive 10.0m standard suction hose with bayonet at vacuum end and DN 40 cone at accessory end.	☐
	53	4.440-466.0	1 piece(s)	DN 40	10 m			Electrically conductive, 10.0m, ID 40	☐
Suction hose, complete, ID 40, 10 m, oil-resistant	54	4.440-612.0	1 piece(s)	DN 40	10 m			Oil-resistant.	☐
Complete suction hoses (clip system)									
Suction hose, complete, clip system, C-ID 40	55	4.440-678.0	1 piece(s)	DN 40	4 m			4 m electrically non-conductive suction hose with bend, bayonet at vacuum end and C 40 clip connection at accessory end. Without module.	☐
Suction hose, complete (clip system), C ID 40 + PFC module, electrically conductive	56	4.440-728.0	1 piece(s)	DN 40	4 m			With bend and module (4.060-533.0), electrically conductive.	☐
Connecting sleeves									
Adapter, ID 32/35, with internal thread	57	6.902-077.0	1 piece(s)	DN 32				Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	☐
Adapter, ID 40, with internal thread	58	6.900-286.0	1 piece(s)	DN 40				Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors.	☐

■ Included in delivery. □ Available accessories.

Accessories for NT 75/2 Tact² Me

1.667-288.0

KÄRCHER



		Order No.	Quantity	ID	Length	Width	Price	Description	
Connecting sleeve, ID 61, with female thread	59	6.902-078.0	1 piece(s)	DN 61				For connecting 2 suction hoses, thread on both sides	☐
Extension hoses (clip system)									
Extension hose, C 40	60	6.906-344.0	1 piece(s)	DN 40	2.5 m			2.5 m electrically non-conductive standard extension hose for all C-40 hoses with clip system.	☐
Other accessories NT									
Pre-separator, 80 l	61	3.864-010.0	1 piece(s)					Complete container (80 litre) and lid (ID 61). For coarse dirt and fluids (without suction hose).	☐
Drum separator	62	3.864-012.0	1 piece(s)					Metal, from DN 61 to 61, only for liquids.	☐
Pre-separator cover	63	4.063-132.0	1 piece(s)					For 6.902-051.0/4.070-111.0 and NT 802 l container	☐
Spacer for 200 l drum	64	6.902-051.0	1 piece(s)					Ring adapter for EURO steel drum (200 l) with lid but in connection with additional lid (separator) 4.063-132.0.	☐
Y-adapter kit									
Y-adapter kit	65	2.637-217.0	1 piece(s)	DN 35				Plastic distributor - suitable for NT vacuum cleaners.	☐
Connection adapter C ID (clip to cone), electrically conductive									
C-ID 35 adapter	66	5.407-112.0	1 piece(s)	DN 35				C 35 hose connector for DN 35 accessory, electrically conductive.	☐
C 40 adapter	67	5.407-109.0	1 piece(s)	DN 40				Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.	☐
C-ID 40 adapter	68	5.407-111.0	1 piece(s)	DN 40				C 40 hose connector for DN 40 accessory, electrically conductive.	☐
Connection adapter for electric power tools, clip-on, electrically conductive									
Connection adapter for power tools, C 35, electrically conductive	69	5.453-042.0	1 piece(s)	DN 35				3-way plastic adapter. For DN 26 to DN 36. For connecting power tools to an industrial C or C-DN 35 suction hose. Suitable for NT vacuum cleaners.	☐
	70	5.453-048.0	1 piece(s)	DN 35				Inside Ø 25.4 mm, outside Ø 34.6 mm/ 38 mm, electrically conductive. Only NT vacuums.	☐
	71	5.453-049.0	1 piece(s)	DN 35				Inner Ø 28.6 mm, outer Ø 37.3 mm/ 38.8 mm, el. Only NT-vacuums.	☐
	72	5.453-050.0	1 piece(s)	DN 35				Inside Ø 27 mm, outside Ø 36.5 mm/38.8 mm, electrically conductive. Only NT vacuums.	☐
	73	5.453-051.0	1 piece(s)	DN 35				Inner Ø 32 mm, outer Ø 39 mm, el. Only NT-vacuums.	☐
	74	5.453-052.0	1 piece(s)	DN 35				Inner Ø 28 mm, outer Ø 34 mm/ 38.8 mm, el. Only NT-vacuums.	☐
Adapter for electric power tools, screwable									
Power tool adapter, threaded, ID 35	75	5.453-016.0	1 piece(s)	DN 35				3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.	☐
	76	5.453-026.0	1 piece(s)	DN 35				Inside Ø 28.6 mm, outside Ø 37.3/38.8 mm.	☐
	77	6.902-059.0	1 piece(s)	DN 35				Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm.External diameter: 39 mm.	☐
	78	6.902-095.0	1 piece(s)	DN 35				2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mmSuitable for NT vacuum cleaners.	☐
Expansion pieces (pipe -> nozzle)									
Adapter	79	5.453-019.0	1 piece(s)	DN 40				From DN 40 to DN 61: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners.	☐

■ Included in delivery. □ Available accessories.

Accessories for NT 75/2 Tact² Me

1.667-288.0

KÄRCHER



		Order No.	Quantity	ID	Length	Width	Price	Description	
Reducing sleeves									
Reducer	80	5.407-108.0	1 piece(s)	DN 40				Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.	☐
	81	5.407-113.0	1 piece(s)	DN 40				Reducer (C 40 to C 35) for connecting accessories with C-35 clip connection to suction hoses with C 40 clip system.	☐
Reducers (pipe -> nozzle)									
Reducer	82	6.902-017.0	1 piece(s)	DN 40				Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.	☐
Reducer from ID 35 to ID 32	83	6.902-072.0	1 piece(s)	DN 35				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	☐
Reduction/expansion adapter kit									
Set of reducers / adapter sleeves	84	2.860-117.0	1 piece(s)					DN 40/35, DN 35/32 (tube -> nozzle), plastic.	☐
Target-group-specific accessory kits for vacuum cleaners									
Wet and dry vacuuming kit, DN 40, electrically conductive	85	2.638-147.0		DN 40				Wet and dry vacuum cleaner kit, electrically conductive, DN 40.	☐
UBS non-conductive media									
UBS non-conductive media	86	2.642-602.0	1 piece(s)					For switching off when vacuuming non-conductive fluids such as oils and greases	☐

■ Included in delivery. □ Available accessories.

Accessories for NT 75/2 Tact² Me

1.667-288.0



		Order No.	Length	Colour	Quantity	Price	Description	
Miscellaneous								
Extension cable	1	6.647-022.0	20 m		1 piece(s)		Extension cable, 20 m, 3x1.5 mm ² . With splash-proof earthing pin plug, strain relief and anti-kink sleeve.	☐

■ Included in delivery. ☐ Available accessories.

Accessories for NT 75/2 Tact² Me

1.667-288.0

KÄRCHER


		Order No.	Quantity	ID	Length / width	Price	Description	
Floor nozzles								
Floor nozzle, wet/dry	1	4.130-413.0	1 piece(s)	DN 61	500 mm		Aluminium, oil-proof, 500 mm, with hight-adjustable rollers, strips (6.903-067.0) and rubber lips (6.906-168.1)	☐
Other nozzles								
Rubber suction nozzle, 45°	2	6.902-106.0	1 piece(s)	DN 61	220 mm		Angled 45°, for suction of machines, oil-resistant	☐
Metal scratcher and scraper nozzle	3	6.903-360.0	1 piece(s)	DN 61	104 mm		Scratcher and scraper tool DN 61, sheet metal, 117 mm	☐
Aluminium surface nozzle	4	4.130-415.0	1 piece(s)	DN 61	200 mm		Flat surface nozzle cpl. DN 51, 200 mm, aluminium with brush and stainless steel bumper	☐
Crevice tools								
Grout nozzle, synthetic	5	6.900-222.0	1 piece(s)	DN 61	370 × 64 mm		Grout nozzle, plastic, 370 mm	☐
Grout nozzle, stainless steel	6	6.900-926.0	1 piece(s)	DN 61	370 × 90 mm		Grout nozzle, stainless steel, 400 mm	☐
Suction container								
Chip sieve	7	5.731-645.0	1 piece(s)				Plastic, perforates with internal thread. Protection of the drain hose from rough splinters, chips etc.	☐

■ Included in delivery. □ Available accessories.

Accessories for NT 75/2 Tact² Me 1.667-288.0



		Order No.					Price	Description	
Suction hoses									
	1	2.639-905.0						Repair kit for all C-40 and ID 40 hoses	☐
	2	6.389-839.0						(without connectors)	☐

■ Included in delivery. □ Available accessories.

Authorized Distributor



Cleaning solutions for every need

NT 75/2 Tact² Me, 1.667-288.0, 2015-08-16

A : 712 Ansal Chamber II, 6 , Bhikaji Cama Place, New Delhi -110066
T : 9311677446/9350735062 **W** : www.delta-solutions.in **E** : contact@delta-solutions.in