



SmartFoam CFC

General Purpose Chlorinated Foam Cleaner

SmartFoam CFC is a concentrated liquid alkaline foam detergent-sanitizer with active chlorine. It is free of silicate and can be used in all areas of the food and beverages industry to remove organic soil contaminants from all kinds of surfaces.

SmartFoam CFC is recommended for daily cleaning applications where heavy proteinaceous and fatty soiling are found in combination, such as Abattoirs, Poultry processors and Sea Food industry. It effectively removes protein and fat as well as any other persistent, organic deposits and is used for the cleaning of machines, containers, tiled walls and floors.

Key Benefits

- Prevention from protein film buildup
- Stable thick foam
- Effectively removes heavy fat and protein deposits
- Easy to rinse
- Economical

Technical Data

Appearance	Light Yellow Liquid
pH 10% Solution	12.50 ± 1
Odor	Characteristic
Specific Gravity	1.106 ± 0.1
Pack Size	30kg Drum

Application Method

Use product at concentrations between 0.3-5% v/v depending on the type and degree of soiling.

Product should be rinsed thoroughly after use, in order to remove all residues of surfaces in contact with foodstuffs. For more details, please contact your local Buzil Rossari representative.



SmartFoam CFC

General Purpose Chlorinated Foam Cleaner

Material Compatibility

This product can be used as recommended on stainless steel (mainly found in processed food industries), ceramic tiles and most plastic materials.

Chemical attack will occur after contact with soft metals such as aluminum and non-ferrous metals. Not suitable for galvanized materials. Always rinse surfaces thoroughly after use (within 1 hour).

Storage & Handling

All safety information on the handling and use of this product is provided in the Safety Data Sheet which can be consulted and / or obtained from our representatives

Keep this product in the original packaging or, where possible, in a tank of bulk reception, protected from extreme temperatures.

Declaration: Technical figures given in this data sheet are typical values based on internal laboratory measurements, following appropriate International Standard Methods, and should not be taken as a warranty or representation. It is the end user's responsibility to make sure that the product matches its requirements.

For more information on this product, please contact your local Buzil Rossari representative.

Buzil Rossari Private Limited

402, OMEGA, Hiranandani Business Park, Powai, Mumbai – 400 076, Maharashtra, INDIA.

Tel.: +91-22-25701619 / 67411126, Mail: marketing@buzil-rossari.com, Web: www.buzil-rossari.com



SmartFoam CFC

General Purpose Chlorinated Foam Cleaner

Food Grade Quality Certificate

Application in food & beverage processing facilities

Here we confirm that, SmartFoam CFC if used according to the instructions in the product information sheet is suitable for the open plant cleaning in Beverage, Brewing, Dairy & Food Processing facilities and not to adulterate the product in any manner during the use.

Essential condition is a thorough rinsing with clear portable water of surfaces intended to get in direct contact with foodstuff.

The remaining residuals that may contaminate or adulterate food contacting cleaned surfaces are expected to be negligible, following a potable water rinse. Therefore, the potential ingestion of residues resulting from the approved use of these types of products does not represent a significant health hazard after our assessment of the products as suitable for use under the intended conditions.



Thanking you,

Yours faithfully,

For Rossari Biotech Ltd.

Please note that this is not a regulatory assessment and should not be construed as an endorsement of regulatory compliance.

MATERIAL SAFETY DATA SHEET

according to REGULATION (EU) No 453/2010, annex I

SmartFoam CFC

Date of issue: 08.06.2018

Page 1 of 7

1. Identification of the mixture and of the company / undertaking

1.1. Product identifier

SmartFoam CFC

1.2. Relevant identified uses of the mixture and uses advised against

Professional cleaning/maintenance product for food & beverage industries.

1.3. Details of the supplier of the safety data sheet

Manufacturer:

Manufactured under licence from buzil
ROSSARI BIOTECH LIMITED
Plot No. 10 & 11, Survey No.90/1/10 & 90/1/11/1,
Kumbharwadi, Village Naroli
Silvassa-396235
Dadra and Nagar Haveli (UT)
India

e-mail info@rossarimail.com

www.buzil-rossari.com & www.rossari.com

1.4. Emergency telephone number

+91-22-61233800/61233887

MATERIAL SAFETY DATA SHEET

according to REGULATION (EU) No 453/2010, annex I

SmartFoam CFC

Date of issue: 08.06.2018

Page 2 of 7

2. Hazards identification

2.1. Classification of the mixture

R 35 - Causes severe burns.

Classification system : The classification complies with current EC regulations on dangerous substances and preparations.

2.2. Label elements (acc. to 1999/45/EC)



Classification system : The classification complies with current EC regulations on dangerous substances and preparations.

2.3. Other hazards

The product does not contain substances which are classified as persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) according to 1907/2006/EG annex XII.

Foam formation after vomiting bears risk of suffocation.

3. Composition / information on ingredients

Chemical characterization

Description :

Hazardous ingredients :

CAS : 1310-58-3 potassium hydroxide C, Xn; R22-35 5-15%

EINECS : 215-181-3

CAS : 7681-52-9 sodium hypochlorite C; R31-34-50 < 5%

EINECS : 231-668-3

CAS : 70592-80-2 amines, C10-16 alklydimethyl-, N-oxide Xi; R38-41-50 < 5%

EINECS : 274-687-2

CAS : 85711-69-9 sulfonic acids, C113-17-sec-alkane,sodium salts Xi; R 38-41 < 5%

EINECS : 288-330-3

MATERIAL SAFETY DATA SHEET

according to REGULATION (EU) No 453/2010, annex I

SmartFoam CFC

Date of issue: 08.06.2018

Page 3 of 7

Ingredients according to EC Detergents Regulation 648/2004

phosphates, anionic surfactants, non-ionic surfactants, chlorine-based bleaching agents < 5%

Additional information : The full text of the relevant risk phrases is given in section 16.

4. First aid measures

General information : Remove contaminated clothing & wash before re -use.

Inhalation : In case of unconsciousness bring patient into stable side position for transport.

Skin contact : Wash skin immediately and thoroughly with water. Remove contaminated clothing & wash before re -use. Obtain medical attention if symptoms develop

Eye contact : Wash immediately with copious amounts of water and obtain medical attention.

Ingestion : Remove material from mouth. Drink one or two glasses of water or milk. Obtain medical attention without delay.

5. Firefighting measures

Suitable extinguishing media CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol resistant foam.

Protective equipment: Put on breathing apparatus

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on breathing device. Wear suitable protective clothing, gloves and eye/face protection.

6.2. Environmental precautions:

Inform responsible authorities in case product reaches water or sewage system. Dilute with plenty of water

6.3. Methods and materials for containment and cleaning up

Absorb with liquid-binding material or similar inert material. Dispose of the collected material according to the regulations.

6.4. Reference to other sections

Follow advices and protective measures mentioned in section 7 and 8.

MATERIAL SAFETY DATA SHEET

according to REGULATION (EU) No 453/2010, annex I

SmartFoam CFC

Date of issue: 08.06.2018

Page 4 of 7

7. Handling and storage

Handling (see also sections 8 and 15)

Information for safe handling : Use common rulew for working with chemicals.

Information about protection against explosions and fires : No special measures required.

Storage :

Requirements for storage rooms and containers : According to local legislation.

Storage in one common storage facility : Donot store with acids. According to local legislation.

Further information about storage conditions : None

8. Exposure controls / personal protection

Additional information about design of technical systems : No further data, see section 7.

Components with limit values that require monitoring at the workplace :

1310-58-3 potassium hydroxide (5-15%)

WEL (Great Britain) Short-term value : 2 mg/m³

Additional information : The lists that were valid during the compilation were used as basis.

Personal protective equipment :

General protective and hygienic measures :

Keep away from foodstuffs, beverages and food. Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work. Avoid contact with eyes and skin.

Breathing equipment : Personal protection is not normally required.

Protection of hands : Chemical resistant protective gloves made of butyl or nitrile rubber (EN 374, category II). In consultation with the supplier of protective gloves a different type of similar quality may be chosen.

Eye protection : Tightly fitting safety glasses.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance: Clear to pale yellow liquid

Odour: Chlorine like

pH-value(10%): 12.50 ± 1

Melting point / melting range: ND

Boiling point / boiling range: ND

Density (25 °C): 1.1gm/cm³

MATERIAL SAFETY DATA SHEET

according to REGULATION (EU) No 453/2010, annex I

SmartFoam CFC

Date of issue: 08.06.2018

Page 5 of 7

Solubility in / miscibility with water: Miscible in water

Viscosity (25 °C): ND

Specific gravity: 1.106 ± 0.1

10. Stability and reactivity

Thermal decomposition / conditions to be avoided : No decomposition if used according to specifications.

Dangerous reactions : Reacts with acids releasing chlorine.

Hazardous decomposition products : Chlorine.

11. Toxicological information

Information on toxicological effects

Acute toxicity :

LD50 (oral) : Based on the toxicological classification the LD50 (oral) is estimated to be 200 - 2000 mg/kg. This value is of no practical significance due to the corrosive nature of the product.

Primary irritant effect:

skin contact : Causes severe burns.

eye contact : Causes severe or permanent damage.

inhalation : Severe irritant, may cause pulmonary oedema and may cause bronchospasm in chlorine sensitive individuals.

ingestion : Causes severe burns. Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Additional toxicological information: EC classification : Corrosive.

12. Ecological information

Classification : Very toxic to aquatic organisms. The classification of the product is due to the component(s) listed in Section 2 with an environmental classification (R50 - R53)

Ecotoxicological effects :

Aquatic toxicity : Based on the environmental classification the toxicity for aquatic organisms (as defined in 67/548/EEC, Annex V) is estimated to be ≤ 1 ml/l.

MATERIAL SAFETY DATA SHEET

according to REGULATION (EU) No 453/2010, annex I

SmartFoam CFC

Date of issue: 08.06.2018

Page 6 of 7

General notes : Must not reach sewage water or drainage ditch undiluted or unneutralized. When used for its intended purpose this product should not cause adverse effects in the environment.

The information in this section refers to the undiluted product.

13. Disposal considerations

Product :

Recommendation : Dispose of observing official regulations.

European waste catalogue :

20 01 15 alkalines

Uncleaned packagings :

Recommendation : Dispose of observing official regulations.

Recommended cleaning agent : Water, if necessary with cleaning agent.

14. Transport information

Land transport ADR/RID (cross-border)

ADR/RID-GGVSE Class : 8

Kemler No. 80

UN Number : 1719

Item Number/ sub-group : II

Label : 8

Packaging Group : II

Proper Shipping Name : 1719 CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM HYDROXIDE, HYPOCHLORITE)

Maritime transport IMDG:

IMDG class: 8

UN Number : 1719

Item Number/ sub-group : II

Label : 8

Packaging Group : II

MATERIAL SAFETY DATA SHEET

according to REGULATION (EU) No 453/2010, annex I

SmartFoam CFC

Date of issue: 08.06.2018

Page 7 of 7

Proper Shipping Name : 1719 CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM HYDROXIDE, HYPOCHLORITE)

Air transport ICAO and IATA-DGR

IMDG class: 8

UN Number : 1719

Item Number/ sub-group : II

Label : 8

Packaging Group : II

Proper Shipping Name : 1719 CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM HYDROXIDE, HYPOCHLORITE)

15. Regulatory information

Classification according to EC guidelines : The product has been classified and labeled in accordance with current EC Directives.

Symbol and hazard designation of product:



16. Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee or any specific product features and does not establish a legally binding contract.



Analytical Test Procedure/Method

Product	SmartFoam CFC	Issued On	01/05/2018
Application	Foam cleaning & sanitation of open plant applications	Next Review On	01/05/2023

Principle

User concentration of SmartFoam CFC sample is estimated by measuring quantity of standard Sodium Thiosulphate consumed by the acidified sample.

Reagents & Apparatus

0.1N Sodium Thiosulphate, Glacial Acetic Acid, Potassium Iodide, Freshly prepared starch solution
Conical Flask (250ml), Burette (25/50ml), Beaker (250ml)

Method

- Take 100ml of the user solution whose concentration is to be determined
- Add 10ml Glacial Acetic Acid and mix it properly
- Add 1gm of Potassium Iodide to solution and mix well again
- Titrate against 0.1N Sodium Thiosulphate till pale yellow. Add 0.5ml starch indicator to get blue color and continue titration with titration with 0.1N Sodium Thiosulphate till solution gets colorless.

Calculation

User concentration of SmartFoam CFC % = Burette reading X 0.236

Validated & Approved By,

For Rossari Biotech Ltd.



Manjiri Paranjape

Senior GM – R&D

ROSSARI BIOTECH LIMITED

CIN : U24100MH2009PLC194818

PLOT NO.10 & 11, SURVEY NO. 90/1/10 & 90/1/11/1

SILVASSA - 396235

DADRA & NAGAR HAVELI

INDIA

Tel: 0260-6693000,

E-Mail: info@rossarimail.com



TEST REPORT

Product : ROSS SMARTFOAM CFC				Customer Name : Kaira District Co-operative Milk Producers Union Limited, AMUL - VIRAR Dairy	
Batch No : BR180692				Manufacturing Date : 06-Sep-2018 Expiry Date: 05-Sep-2019	
Bill No : SINVTGJ-1200003507				Analysis Date : 06-Sep-2018	
Rev.No. : 0				Rev.Date :	
S.No	Parameters	Test Method	Standard Specifications		Results
1.	Physical Form		Clear to light yellow liquid (Colour change does not affect the product quality)		Light yellow liquid
2.	pH	10 % Solution	12.50 ± 1		11.90
3.	Solid Content	110 °C, 2 Hrs	20.00% ± 2		21.90%
4.	Miscibility		Miscible in water		Miscible in water
5.	Specific Gravity		1.106 ± 0.1		1.104
6.	Odour		Characteristic		Characteristic

Note:- This is a computer-generated print. Hence no signature is required.