Advanced Functions Test

For this test, you should use the built-in functions to be able to write the requested functions in one line.

Problem 1

Use map to create a function which finds the length of each word in the phrase (broken by spaces) and return the values in a list.

The function will have an input of a string, and output a list of integers.

In [1]:
```
def word_lengths(phrase):

    pass
```

In [4]:
```
word_lengths('How long are the words in this phrase')
```

Out[4]: [3, 4, 3, 3, 5, 2, 4, 6]

Problem 2

Use reduce to take a list of digits and return the number that they correspond to. *Do not convert the integers to strings!*

In [2]:
```
def digits_to_num(digits):

    pass
```

In [8]:
```
digits_to_num([3,4,3,2,1])
```

Out[8]: 34321

Problem 3

Use filter to return the words from a list of words which start with a target letter.

In [3]:
```
def filter_words(word_list, letter):

    pass
```

In [10]:
```
l = ['hello','are','cat','dog','ham','hi','go','to','heart']
filter_words(l,'h')
```

Out[10]:
```
['hello', 'ham', 'hi', 'heart']
```

Problem 4

Use zip and list comprehension to return a list of the same length where each value is the two strings from L1 and L2 concatenated together with connector between them. Look at the example output below:

In [4]:
```
def concatenate(L1, L2, connector):

    pass
```

In [14]:
```
concatenate(['A','B'],['a','b'],'-')
```

Out[14]:
```
['A-a', 'B-b']
```

Problem 5

Use enumerate and other skills to return a dictionary which has the values of the list as keys and the index as the value. You may assume that a value will only appear once in the given list.

In [5]:
```
def d_list(L):

    pass
```

In [20]:
```
d_list(['a','b','c'])
```

Out[20]:
```
{'a': 0, 'b': 1, 'c': 2}
```

Problem 6

Use enumerate and other skills from above to return the count of the number of items in the list whose value equals its index.

In [6]:
```
def count_match_index(L):

    pass
```

In [24]:
```
count_match_index([0,2,2,1,5,5,6,10])
```

Out[24]:
```
4
```

Great Job!