

Set 1: Monthly Sales Data


Experiment 1: Monthly Sales Line Chart

```
month <- c("January","February","March","April","May")
```

```
sales <- c(15000,18000,22000,20000,23000)
```

```
plot(sales,  
     type = "o",  
     col = "blue",  
     xaxt = "n",  
     xlab = "Month",  
     ylab = "Sales ($)",  
     main = "Monthly Sales Line Chart")
```

```
axis(1, at = 1:5, labels = month)
```




Experiment 2: Bar Chart – Top Selling Products

```
Month <- c("January", "February", "March", "April", "May")
```

```
Sales <- c(15000, 18000, 22000, 20000, 23000)
```

```
barplot(Sales,  
        names.arg = Month,  
        col = "skyblue",  
        xlab = "Month",
```

```
ylab = "Sales ($)",
main = "Monthly Sales Bar Chart")
```



3. Scatter Plot (Advertising Budget vs Monthly Sales)

```
Month <- c("January", "February", "March", "April", "May")
```

```
Sales <- c(15000, 18000, 22000, 20000, 23000)
```

```
Advertising_Budget <- c(2000, 2500, 3000, 2800, 3500)
```

```
plot(Advertising_Budget,
```

```
  Sales,
```

```
  pch = 19,
```


```
  col = "red",
```

```
  xlab = "Advertising Budget ($)",
```

```
  ylab = "Monthly Sales ($)",
```

```
  main = "Advertising Budget vs Monthly Sales")
```

```
abline(lm(Sales ~ Advertising_Budget), col = "blue", lwd = 2)
```



4. Interactive Dashboard (Flexdashboard)

```
Month <- c("January", "February", "March", "April", "May")
```

```
Sales <- c(15000, 18000, 22000, 20000, 23000)
```

```
par(mfrow = c(1,2))
```

```
plot(Sales,
```

```
  type = "o",
```

```
  col = "blue",
```

```
  xaxt = "n",
```

```
  xlab = "Month",
```

```
  ylab = "Sales ($)",
```

```
  main = "Monthly Sales Line Chart")
```

```
axis(1, at = 1:5, labels = Month)
```

```
barplot(Sales,
```

```
  names.arg = Month,
```

```
  col = "skyblue",
```

```
  xlab = "Month",
```

```
  ylab = "Sales ($)",
```

```
  main = "Monthly Sales Bar Chart")
```

