





```
FileOutputStream fos = new FileOutputStream("emp.txt")
PrintStream out = new PrintStream(fos);
out.println(e.id + ","+e.name+","+e.salary)
```

OOP
Major-Abstraction,Encapsulation,Modularity,Hirerachy
Minor-Polymorphism,Persistance, Concurrency

Functional Programming

Character Streams
A-Z,

Charter Sets
ASCII -> 1 byte -> 256
UTF -> 2,3,4 bytes

Charcter Encoding
ASCII -> A:65
UTF-8 ->
UTF-16 -> 2 bytes
UTF-32 -> 4 bytes

```
Test t1 = new Test(); // GC
t1 = null;
```

```
Test t1 = new Test();// GC
t1 = new Test();
```

```
void m1(){
Test t = new Test();//GC
}
```

In C,CPP

The purpose of enum is to provide String identifier for constant interger values

```
enum Months{

}
```

In Java

The purpose of enum is to provide String identifier for any type of constant value

```
enum Weeks{

}
```

```
enum ArithmeticOperations{
    EXIT,ADD,SUB,MUL
}
```

```
enum AccountType{
    SAV,DMAT,CURR
}
```

```
enum Account {
    SAVING, DMAT, CURRENT
}
```

// Defined in .java file

```
final class Account extends Enum{ // created internally
```

```
    public static final Account SAVING; // a1
```

```
    public static final Account DMAT; // a2
```

```
    public static final Account CURRENT; // a3
```

```
Account a1 = new Account();
```

```
Account a2 = new Account();
```

```
Account a3 = new Account();
```

```
    private static final Account[] $VALUES(arr);
```

```
Account[] arr = {a1,a2,a3};
```

```
static {
    SAVING = new Account();
    DMAT = new Account();
    CURRENT = new Account();
    $VALUES(arr) = {SAVING,DMAT,CURRENT};
}
```

```
private Account(){
    super(name,ordinal)
    // super("SAVING",0)
    // super("DMAT",1)
    // super("CURRENT",2)
}
```


// getter method to return the value of private field

```
public static Account[] values(){
    return $VALUES(arr);
}
```

```
name(),ordinal(),toString()
}
```

Reflection

- It is a very powerful technique in java to deal with the meta-data of the classes
-



Creating own javap tool that works in ide