

AzureDeployment-Steps

Step 1: Create an Azure Account


Create a new Azure account using a Microsoft email ID. Select the **Azure Free Subscription**, which provides free credits and limited free services for learning and development.

Step 2: Sign in to Azure Portal

Sign in to the Azure Portal using the registered Azure account to manage all cloud resources.

Step 3: Create Azure sql Database

On Azure=>Explorer Services=>Sql Database



Create a new Azure SQL Database by providing the database name, selecting the subscription, and assigning it to the created resource group. follow the below screenshots


Step-1 : **Create or Select SQL Server**

This screenshots shows the SQL Server configuration page.

Create a new SQL Server by providing:

- Server name
- Admin username
- Password
- Region (same as resource group)

This server hosts the Azure SQL Database.



Step-2

Create Your Azure Free Account

Create SQL Database Server - Mic

+

https://portal.azure.com/#view/SqlAzureExtension/SharedCreateServer/isNewServer~/true/subscriptionId/7f9e9684-c6a0-4a8e-b163-9...

Microsoft AzureSearch resources, services, and docs (G+/)Copilot

Home > Explore services > Create SQL Database >

Create SQL Database Server

Microsoft

Server details

Enter required settings for this server, including providing a name and location. This server will be created in the same subscription and resource group as your database.

Server name *sptserver✓.database.windows.net

Location *(Asia Pacific) Central India✓

Authentication

Azure Active Directory (Azure AD) is now Microsoft Entra ID. [Learn more](#)

Select your preferred authentication methods for accessing this server. We recommend using only Microsoft Entra authentication [Learn more](#) using an existing Microsoft Entra user, group, or application as Microsoft Entra admin [Learn more](#)

OKFeedback

Search

ENG IN

19:02 04-01-2026

Create Your Azure Free Account

Create SQL Database Server - Mic

+

https://portal.azure.com/#view/SqlAzureExtension/SharedCreateServer/isNewServer~/true/subscriptionId/7f9e9684-c6a0-4a8e-b163-9...

Microsoft AzureSearch resources, services, and docs (G+/)Copilot

Home > Explore services > Create SQL Database >

Create SQL Database Server

Microsoft

Azure Active Directory (Azure AD) is now Microsoft Entra ID. [Learn more](#)

Select your preferred authentication methods for accessing this server. We recommend using only Microsoft Entra authentication [Learn more](#) using an existing Microsoft Entra user, group, or application as Microsoft Entra admin [Learn more](#)

Authentication method

☐ Use Microsoft Entra-only authentication

☐ Use both SQL and Microsoft Entra authentication

☒ Use SQL authentication

Server admin login *sptadmin✓

Password *.....✓

Confirm password *.....✓

OKFeedback

Search

ENG IN

19:02 04-01-2026

Create Your Azure Free Account

Create SQL Database - Microsoft

+

https://portal.azure.com/#view/SqlAzureExtension/CreateDatabaseBladeV3/applyFreeOffer~/true

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

priyarangole0218@gma...
DEFAULT DIRECTORY (PRIYARAN...

Home > Explore services >

Create SQL Database

Microsoft

Project details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * Azure subscription 1

Resource group * (New) RG-SQL

Create new

Database details

Enter required settings for this database, including picking a logical server and configuring the compute and storage resources

Database name * SPTDB

Server * (new) sptserver (Central India)

Review + create

Next: Networking >

Max storage selected (in GB) 0.00 x 41.6

First 32 GB storage free

First 100,000 vCore seconds free

Overage billing¹ Disabled

ESTIMATED STORAGE COST / MONTH 0.00 USD

COMPUTE COST / VCORE SECOND² 0.000000 USD

¹ There will be no charges for usage within the free limits. The database will be paused automatically when the free limits are reached.

² Serverless databases are billed in vCore seconds based on a combination of CPU and memory utilization. [Learn more about serverless billing](#)

Create Your Azure Free Account

Create SQL Database - Microsoft

+

https://portal.azure.com/#view/SqlAzureExtension/CreateDatabaseBladeV3/applyFreeOffer~/true

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

priyarangole0218@gma...
DEFAULT DIRECTORY (PRIYARAN...

Home > Explore services >

Create SQL Database

Microsoft

Database details

Enter required settings for this database, including picking a logical server and configuring the compute and storage resources

Database name * SPTDB

Server * (new) sptserver (Central India)

Create new

Compute + storage * General Purpose - Serverless

Standard-series (Gen5), 2 vCores, 32 GB storage, zone redundant disabled

[Configure database](#)

Behavior when free offer limit reached

Behavior when free offer limit reached. Auto-pause the database until next month

Review + create

Next: Networking >

² Serverless databases are billed in vCore seconds based on a combination of CPU and memory utilization. [Learn more about serverless billing](#)

Create Your Azure Free Account

Create SQL Database - Microsoft

+

https://portal.azure.com/#view/SqlAzureExtension/CreateDatabaseBladeV3/applyFreeOffer~/true

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

priyarangle0218@gmail...
DEFAULT DIRECTORY (PRIYARAN...

Chat

Home > Explore services >

Create SQL Database

Microsoft

Behavior when free offer limit reached

Behavior when free offer limit reached

☒ Auto-pause the database until next month

When free offer limit is reached, the database will not be accessible until the beginning of next calendar month when free amount is renewed. There will be no additional charges.

☐ Continue using database for additional charges

Database continues to be accessible after free offer limit is reached. Additional usage beyond the free offer amount for that month will be charged at general purpose serverless tier rates. The free amount will be renewed at the beginning of the next calendar month.

Backup storage redundancy

Choose how your PITR and LTR backups are replicated. Geo restore or ability to recover from regional outage is only available when geo-redundant storage is selected.

The default backup storage redundancy setting is taken from the setting of the source.

Review + create

Next : Networking >

Search

ENG IN

19:04 04-01-2026

Create Your Azure Free Account

Create SQL Database - Microsoft

+

https://portal.azure.com/#view/SqlAzureExtension/CreateDatabaseBladeV3/applyFreeOffer~/true

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

priyarangle0218@gmail...
DEFAULT DIRECTORY (PRIYARAN...

Chat

Home > Explore services >

Create SQL Database

Microsoft

Basics

Subscription

Azure subscription 1

Resource group

RG-SQL

Region

Central India

Database name

SPTDB

Server

(new) sptserver

Authentication method

SQL authentication

Server admin login

sptadmin

Compute + storage

General Purpose - Serverless: Standard-series (Gen5), 2 vCores, 32 GB storage, zone redundant disabled

Overage billing

Disabled

Networking

Allow Azure services and resources to access this server

No

ESTIMATED STORAGE COST / MONTH 0.00 USD

COMPUTE COST / VCORE SECOND ² 0.000000 USD

¹ There will be no charges for usage within the free limits. The database will be paused automatically when the free limits are reached.

² Serverless databases are billed in vCore seconds based on a combination of CPU and memory utilization. [Learn more about serverless billing](#)

Create

< Previous

Download a template for automation

Search

ENG IN

19:04 04-01-2026

Step 8: Configure Networking and Firewall Rules

This screenshots shows the networking settings for Azure SQL Server.

Enable **Allow Azure services and resources to access this server** and add the client IP address to allow database access from local development and Azure App Service.

The image displays two screenshots of the Azure portal's 'Create SQL Database' configuration page, specifically the 'Networking' and 'Firewall rules' sections.

Top Screenshot (Networking Tab):

- Network connectivity:** The 'Public endpoint' radio button is selected under 'Connectivity method'.
- Firewall rules:** The 'Setting: Allow Azure services and resources to access this server' is set to 'Yes'.
- Cost summary:** Shows 'General Purpose (GP_S_Gen5_2)' with a cost of 0.00 USD per GB. Max storage selected is 41.6 GB. Includes free storage and vCore seconds.

Bottom Screenshot (Firewall rules Tab):

- Firewall rules:** The 'Setting: Allow Azure services and resources to access this server' is set to 'Yes'.
- Allow Azure services and resources to access this server:** Set to 'Yes'.
- Add current client IP address:** Set to 'Yes'.
- Connection policy:** 'Default - Uses Redirect policy for all client connections originating inside of Azure (except Private Endpoint connections) and Proxy for all client connections originating outside Azure' is selected.
- Cost summary:** Shows 'ESTIMATED STORAGE COST / MONTH' as 0.00 USD and 'COMPUTE COST / VCORE SECOND' as 0.000000 USD.

Step 9: Review and Create Azure SQL Database

This screenshots shows the review screen before database creation.

Review all selected configurations and click **Create** to provision the Azure SQL Database.

The image displays two screenshots of the Azure portal's 'Create SQL Database' review screen. The top screenshot shows the 'Connection policy' section with three options: 'Default' (selected), 'Proxy', and 'Redirect'. The 'Encrypted connections' section is also visible. The bottom screenshot shows the 'Basics' section with configuration details and a cost summary.

Connection policy

Configure how clients communicate with your SQL database server. [Learn more](#)

Connection policy

- ☒ Default - Uses Redirect policy for all client connections originating inside of Azure (except Private Endpoint connections) and Proxy for all client connections originating outside Azure
- ☐ Proxy - All connections are proxied via the Azure SQL Database gateways
- ☐ Redirect - Clients establish connections directly to the node hosting the database

Encrypted connections

This server supports encrypted connections using Transport Layer Security (TLS). For information on TLS version and certificates, refer to connecting with TLS/SSL. [Learn more](#)

Minimum TLS version: TLS 1.2

[Review + create](#) [< Previous](#) [Next : Security >](#)

Basics

Microsoft does not provide rights for third-party offerings. For additional details see [Azure Marketplace Terms](#).

Subscription	Azure subscription 1
Resource group	RG-SQL
Region	Central India
Database name	SPTDB
Server	(new) sptserver
Authentication method	SQL authentication
Server admin login	sptadmin
Compute + storage	General Purpose - Serverless: Standard-series (Gen5), 2 vCores, 32 GB storage, zone redundant disabled
Overage billing	Disabled

[Create](#) [< Previous](#) [Download a template for automation](#)

Cost Summary

First 32 GB storage free	
First 100,000 vCore seconds free	
Overage billing ¹	Disabled
ESTIMATED STORAGE COST / MONTH	0.00 USD
COMPUTE COST / VCORE SECOND ²	0.000000 USD

¹ There will be no charges for usage within the free limits. The database will be paused automatically when the free limits are reached.

² Serverless databases are billed in vCore seconds based on a combination of CPU and memory utilization. [Learn more about serverless billing](#)

Create Your Azure Free Account

Create SQL Database - Microsoft

+

https://portal.azure.com/#view/SqlAzureExtension/CreateDatabaseBladeV3/applyFreeOffer~/true

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

priyarangole0218@gma...
DEFAULT DIRECTORY (PRIYARAN...

Chat

Home > Explore services >

Create SQL Database

Microsoft

Networking

Allow Azure services and resources to access this server	Yes
Add current client IP address	Yes
223.228.133.253	
Private endpoint	None
Minimum TLS version	1.2
Connection Policy	Default

Security

Identity	Not enabled
Transparent data encryption (Server level)	Service-managed key selected
Database level customer-managed key	Not configured
Database level user assigned managed identity	Not configured

Create

< Previous

Download a template for automation

Create Your Azure Free Account

Create SQL Database - Microsoft

+

https://portal.azure.com/#view/SqlAzureExtension/CreateDatabaseBladeV3/applyFreeOffer~/true

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

priyarangole0218@gma...
DEFAULT DIRECTORY (PRIYARAN...

Chat

Home > Explore services >

Create SQL Database

Microsoft

Connection Policy

Default

Security

Identity	Not enabled
Transparent data encryption (Server level)	Service-managed key selected
Database level customer-managed key	Not configured
Database level user assigned managed identity	Not configured
Advanced data security	Not now
Always Encrypted with secure enclaves	Not configured
Sql Ledger(Database)	Disabled
Digest Storage	Disabled

Additional settings

Create

< Previous

Download a template for automation

Microsoft Azure portal showing the deployment overview for a Microsoft SQL Database. The deployment is complete.

Deployment Summary:

- Deployment name: Microsoft.SQLDatabase.newDatabaseNewServer_da9e4a8a32294224b91ce
- Subscription: Azure subscription 1
- Resource group: RG-SQL
- Start time: 1/4/2026, 7:08:42 PM
- Correlation ID: 50590125-6d35-4b8a-9333-a3...

Deployment details:

Next steps:

- Go to resource

Cost management: Get notified to stay within your budget and prevent unexpected charges on your bill. [Set up cost alerts >](#)

Microsoft Defender for Cloud: Secure your apps and infrastructure. [Go to Microsoft Defender for Cloud >](#)

Free Microsoft tutorials: [Start learning today >](#)

Work with an expert

Microsoft Azure portal showing the deployment overview for a Microsoft SQL Database. The deployment is complete.

Deployment Summary:

- Deployment name: Microsoft.SQLDatabase.newDatabaseNewServer_da9e4a8a32294224b91ce
- Subscription: Azure subscription 1
- Resource group: RG-SQL
- Start time: 1/4/2026, 7:08:42 PM
- Correlation ID: 50590125-6d35-4b8a-9333-a3...

Deployment details:

Resource	Type	Status	Operations
sptserver/SPTDB	Microsoft.Sql/servers/databases	Created	Operate
sptserver/AllowAll	Microsoft.Sql/servers/firewallrules	OK	Operate
sptserver/Default	Microsoft.Sql/servers/connectionpools	OK	Operate
sptserver/ClientIp	Microsoft.Sql/servers/firewallrules	OK	Operate
sptserver	Microsoft.Sql/servers	Created	Operate

Cost management: Get notified to stay within your budget and prevent unexpected charges on your bill. [Set up cost alerts >](#)

Microsoft Defender for Cloud: Secure your apps and infrastructure. [Go to Microsoft Defender for Cloud >](#)


Free Microsoft tutorials: [Start learning today >](#)

Work with an expert

Step 10: Copy Azure SQL Connection String

This screenshot shows the **Connection Strings** section of the Azure SQL Database.

Copy the **ADO.NET connection string**, which will be used to connect the ASP.NET Core MVC application to the database.



Step 11: Update appsettings.json and appsettings.Development.json

This screenshot shows the ASP.NET Core MVC project configuration files.

Paste the copied Azure SQL connection string under the **ConnectionStrings** section using the key **DefaultConnection**.

```
"ConnectionStrings": {  
  "DefaultConnection": "Server=tcp:sptserver.database.windows.net,1433;Initial  
Catalog=SPTDB;User  
ID=sptadmin;Password=yourpassword;Encrypt=True;TrustServerCertificate=False;"  
}
```

Step 12: Configure DbContext in Program.cs

This screenshot shows the `Program.cs` file.

Register the `ApplicationDbContext` using dependency injection and configure it to use SQL Server with the `DefaultConnection` connection string.

```
builder.Services.AddDbContext<ApplicationDbContext>(options =>
options.UseSqlServer(
    builder.Configuration.GetConnectionString("DefaultConnection")
));
```

Step 13: Apply Entity Framework Core Migrations

This screenshot shows the Package Manager Console or terminal.

Run Entity Framework Core migration commands to create database tables in Azure SQL based on application models.

Step 14: Create Azure App Service (Web App)

This screenshots shows the **Create Web App** screen.

Create an Azure App Service by selecting:

- Runtime stack: .NET
- Operating System: Windows
- Pricing Plan: F1 (Free)

This service hosts the ASP.NET Core MVC application.

What's new in Microsoft Edge x New tab x azure portal login - Search x Home - Microsoft Azure x +

https://portal.azure.com/#home

Microsoft Azure Upgrade Search resources, services, and docs (G+/) Copilot priyarangole0218@gmail... DEFAULT DIRECTORY (PRIYARAN... Chat

Welcome back, Priyanka

₹17,996.25 in credit - Expires February 3, 2026 ⓘ

**Start with a template**

Deploy in minutes using pre-made templates.

**Create a resource**

Choose a service to create a resource in your subscription.

**Build an AI agent**

Create and manage AI apps and agents using the latest models.

**Import code from GitHub**

Connect your GitHub account and deploy existing repositories.

**Alerts and service issues**

Last updated: a few seconds ago

**No alerts set up**

Detect and respond to issues early, like errors or performance issues

**Service issues**

0

Active issues affecting Azure services reported by Microsoft

**Costs**

Last updated: a few seconds ago

15 days left to use your available credits
Your services will be paused when you run out of credits or your credits expire. Free services won't incur charges, and paid services will be covered by your available credits.

Costs incurred this month **₹0.00**

Available credits **₹17,996.25**

14:35 19-01-2026

What's new in Microsoft Edge x New tab x azure.portal.login - Search x Explore services - Microsoft Azure x +

https://portal.azure.com/#view/Microsoft_Azure_Resources/DeployServices.ReactView

Microsoft Azure Upgrade Search resources, services, and docs (G+/) Copilot priyarangole0218@gmail... DEFAULT DIRECTORY (PRIYARAN... Chat

Home >

Explore services

Popular services Free options available

From hosting and storage to functions and containers, choose the service that matches your workload and deployment needs.

**Virtual machines**

Build, deploy, and run your applications on resilient and scalable infrastructure.

**Storage accounts**

Store and access files, backups, and unstructured data reliably and securely.

**SQL databases**

Set up a scalable, secure relational database in minutes with built-in intelligence.

**Web App**

Easily host and manage websites and web applications without managing infrastructure.

**Container Apps**

Run your app in containers with automatic scaling and built-in microservices support.

**Function App**

Build serverless apps that run code on demand without worrying about servers.

Explore more

14:36 19-01-2026

Create Your Azure Free Account

Create Web App - Microsoft Azure

https://portal.azure.com/#create/Microsoft.WebSite

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

1

Settings

Help

Chat

priyarangole0218@gmail...
DEFAULT DIRECTORY (PRIYARAN...

Home >

Create Web App

Select a subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * Azure subscription 1

Resource Group * RG-SQL
[Create new](#)

Instance Details

Name free-webapp-123
-cye6brgte2agemck.centralindia-01.azurewebsites.net

☒ Secure unique default hostname on. [More about this update](#)

Publish * ☒ Code ☐ Container

Runtime stack * .NET 8 (LTS)

[Review + create](#) < Previous

Next : Database >

Create Your Azure Free Account

Create Web App - Microsoft Azure

https://portal.azure.com/#create/Microsoft.WebSite

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

1

Settings

Help

Chat

priyarangole0218@gmail...
DEFAULT DIRECTORY (PRIYARAN...

Home >

Create Web App

☒ Code ☐ Container

Runtime stack * .NET 8 (LTS)

Operating System * ☐ Linux ☒ Windows

Region * Central India

Not finding your App Service Plan? Try a different region or select your App Service Environment.

Pricing plans

App Service plan pricing tier determines the location, features, cost and compute resources associated with your app.
[Learn more](#)

Windows Plan (Central India) * (New) ASP-RGSQL-95b3
[Create new](#)

[Review + create](#) < Previous

Next : Database >

Create Your Azure Free Account

Create Web App - Microsoft Azure

https://portal.azure.com/#create/Microsoft.WebSite

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

2

Settings

Help

Chat

priyarangle0218@gmail...
DEFAULT DIRECTORY (PRIYARAN...

Home >

Create Web App

Learn more

Windows Plan (Central India) * ⓘ

(New) ASP-RGSQL-95b3

Create new

Pricing plan

Free F1 (Shared infrastructure)

Zone redundancy

An App Service plan can be deployed as a zone redundant service in the regions that support it. Your initial instance count will be set based on your zone redundancy configuration. To ensure you'll be able to enable zone redundancy at any point in the lifecycle of your app, enable zone redundancy now. You can decrease the instance count after the App Service plan is created. [Learn more](#)

Zone redundancy

☐ Enabled: Your App Service plan and the apps in it will be zone redundant. The minimum App Service plan instance count will be two.

☒ Disabled: Your App Service plan and the apps in it will not be zone redundant. The minimum App Service plan instance count will be one.

Review + create

< Previous

Next : Database >

Create Your Azure Free Account

Create Web App - Microsoft Azure

https://portal.azure.com/#create/Microsoft.WebSite

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

2

Settings

Help

Chat

priyarangle0218@gmail...
DEFAULT DIRECTORY (PRIYARAN...

Home >

Create Web App

Summary

 **Web App**
by Microsoft

Free sku
Estimated price - Free

 Basic authentication for this app is currently disabled and may impact deployments. Click to learn more.

Details

Subscription

7f9e9684-c6a0-4a8e-b163-944371bd3b80

Resource Group

RG-SQL

Name

free-webapp-123

Secure unique default hostname

Enabled

Create

< Previous

Next >

[Download a template for automation](#)

Create Your Azure Free Account XCreate Web App - Microsoft Azure X

https://portal.azure.com/#create/Microsoft.WebSite

Microsoft AzureSearch resources, services, and docs (G+/)Copilot

priyarangole0218@gma...
DEFAULT DIRECTORY (PRIYARAN...

Chat

Home >

Create Web App

Details

Subscription	7f9e9684-c6a0-4a8e-b163-944371bd3b80
Resource Group	RG-SQL
Name	free-webapp-123
Secure unique default hostname	Enabled
Publish	Code
Runtime stack	.NET 8 (LTS)

App Service Plan (New)

Name	ASP-RGSQL-95b3
Operating System	Windows
Region	Central India
SKU	Free
ACU	Shared infrastructure

Create< PreviousNext >Download a template for automation

Search

ENG
IN

20:01
04-01-2026

Microsoft Azure portal interface showing the "Create Web App" wizard. The browser address bar shows <https://portal.azure.com/#create/Microsoft.WebSite>. The page title is "Create Web App".

App Service Plan (New)

Name	ASP-RGSQL-95b3
Operating System	Windows
Region	Central India
SKU	Free
ACU	Shared infrastructure
Memory	1 GB memory

Monitor + secure

Application Insights	Not enabled
----------------------	-------------

Deployment

Basic authentication	Disabled
Continuous deployment	Not enabled / Set up after app creation

Buttons: [Create](#), [< Previous](#), [Next >](#), [Download a template for automation](#)

Microsoft Azure portal interface showing the "Microsoft.Web-WebApp-Portal-f7e4982b-a0b3 | Overview" page. The browser address bar shows <https://portal.azure.com/#view/HubsExtension/DeploymentDetailsBlade/~/overview/id/%2Fsubscriptions%2F7f7be9684-c6a0-4a8e-b16...>. The page title is "Microsoft.Web-WebApp-Portal-f7e4982b-a0b3 | Overview".

Overview

Your deployment is complete

Deployment name: Microsoft.Web-WebApp-Port... Start time: 1/4/2026, 8:01:42 PM
Subscription: [Azure subscription 1](#) Correlation ID: ddc269d4-73ce-4204-b847-3d63e...
Resource group: RG-SQL

Deployment details

Next steps

- [Manage deployments for your app.](#) Recommended
- [Protect your app with authentication.](#) Recommended

[Go to resource](#)

Give feedback

[Tell us about your experience with deployment](#)

Cost Management

Get notified to stay within your budget and prevent unexpected charges on your bill.
[Set up cost alerts >](#)

Microsoft Defender for Cloud

Secure your apps and infrastructure
[Go to Microsoft Defender for Cloud >](#)

Free Microsoft tutorials

[Start learning today](#)

Step 15: Configure App Service Connection String

This screenshots shows **App Service** → **Configuration** → **Connection Strings**.

Add a new connection string named **DefaultConnection** with type SQL Server and paste the Azure SQL connection string.

The first screenshot shows the 'free-webapp-123 | Environment variables' page in the Azure portal. The 'Connection strings' tab is selected and highlighted with a red box. The 'Add' button is also highlighted with a red box. The left sidebar shows the 'Environment variables' section highlighted with a red box.


The second screenshot shows the 'Add/Edit connection string' form. The 'Name' field is set to 'DefaultConnection'. The 'Value' field is masked with dots. The 'Type' dropdown is set to 'SQLServer'. The 'Deployment slot setting' checkbox is unchecked. The 'Apply' button is highlighted with a blue box.

Step 16: Download Publish Profile from Azure App Service

This screenshot shows the Azure App Service overview page.

Navigate to the created App Service and click **Get publish profile**.

Download the publish settings (**.PublishSettings**) file, which contains deployment credentials required for publishing from Visual Studio.



Step 17: Import Publish Profile in Visual Studio

Select **Publish** → **Import Profile** and browse to the downloaded **.PublishSettings** file.


Importing the profile automatically configures the deployment target and authentication.


Step 18: Build and Publish the Application



This screenshots shows the publish summary screen in Visual Studio.


Build the ASP.NET Core MVC application and publish it using the imported profile.

Visual Studio prepares the application output for deployment.










Step 20: Upload ZIP File to Azure App Service



Visual Studio interface showing the publish process for a web application.

Menu Bar: File, Edit, View, Git, Project, Build, Debug, Test, Analyze, Tools, Extensions, Window, Help.

Toolbar: Search, StudentPerformanceManagement, GitHub Copilot.

Activity Bar: Publish, Connected Services, Publish.

Toolbox: free-webapp-123 - Zip Deploy.pubxml, Azure App Service (Windows), Publish.

Output:

```
===== Build: 2 succeeded, 0 failed, 0 up-to-date, 0 skipped =====
===== Build completed at 15:19 and took 36.124 seconds =====
===== Publish: 1 succeeded, 0 failed, 0 skipped =====
===== Publish completed at 15:19 and took 36.124 seconds =====
Installation of Web App Site extension Microsoft.AspNetCore.AzureAppServices.SiteExtension is in progress...
Successfully installed Web App extension Microsoft.AspNetCore.AzureAppServices.SiteExtension
Restarting the Web App...
Successfully restarted Web App.
A call to warmup your site failed with response code: 'InternalServerError'.
```

Solution Explorer: Student-Performance-Management-System (2 of 2 projects)

- Connected Services
- Dependencies
- Analyzers
- Frameworks
- Packages
 - Microsoft.AspNetCore.Diagnostics.EntityFrameworkCore
 - Microsoft.AspNetCore.Identity.EntityFrameworkCore
 - Microsoft.EntityFrameworkCore.Design (8.0.2)
 - Microsoft.EntityFrameworkCore.SqlServer (8.0.2)
 - Microsoft.EntityFrameworkCore.Tools (8.0.2)
 - Microsoft.VisualStudio.Web.CodeGeneration

Status Bar: Publish succeeded

Taskbar: Windows Start, Search, Add to Source Control, Select Repository, 15:20, 06-01-2026.