



GIT in Action

Sunbeam Infotech


```
Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project  
$ git config --global user.name "Nilesh Ghule"
```


```
Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project  
$ git config --global user.email "nilesh@sunbeaminfo.com"
```

```
Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project  
$
```

one time global git config.

this user info will be used when committing your changes in repo.





Welcome to Sunbeam Infotech


```
MINGW64:/d/Nilesh/Internship/MERN/first-project

Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project (main)
$ git add index.html

Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project (main)
$ git commit -m "index file"
[main (root-commit) 0c45549] index file
 1 file changed, 11 insertions(+)
 create mode 100644 index.html

Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project (main)
$
```





Sunbeam Infotech

EduTech Company

...

```
Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project (main)
```

```
$ git status
On branch main
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    aboutus.html
```

```
nothing added to commit but untracked files present (use "git add" to track)
```

```
Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project (main)
```

```
$ git add aboutus.html
```

```
Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project (main)
```

```
$ git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   aboutus.html
```

```
Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project (main)
```


```
$ git commit -m "about page"
[main 5a8a4bc] about page
1 file changed, 13 insertions(+)
create mode 100644 aboutus.html
```


```
Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project (main)
```

```
$ git status
On branch main
nothing to commit, working tree clean
```

```
Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project (main)
```

```
$
```





```
<title>Internship</title>
```

```
</head>
```

```
<body>
```

```
<h2>Sunbeam Infotech</h2>
```

```
<h3>Training and Internship Programmes</h3>
```

```
<ol>
```

```
<li>MERN</li>
```

```
<li>GenAI</li>
```

```
<li>DS</li>
```

```
<li>Java</li>
```

```
<li>...</li>
```

```
</ol>
```

```
</body>
```

```
</html>
```

Sunbeam Infotech

Training and Internship Program

1. MERN
2. GenAI
3. DS
4. Java
5. ...

```
$ git status
On branch main
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        internship.html
        pgcourses.html
        "." --> current directory

nothing added to commit but untracked files present (use "git add" to track)


Sunbeam@lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project (main)
$ git add .
add all changes in current dir into staging area.


Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project (main)
$ git stats
git: 'stats' is not a git command. See 'git --help'.

The most similar command is
    status

Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project (main)
$ git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   internship.html
        new file:   pgcourses.html

Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project (main)
$ git commit -m "courses"
[main 15c6aa2] courses
2 files changed, 38 insertions(+)
create mode 100644 internship.html
```





Welcome to Sunbeam

- [About Us](#)
- [PG Courses](#)
- [Internship](#)

```
MINGW64/d/Nilesh/Internship/MERN/first-project
Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project (main)
$ git status
On branch main
Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        deleted:    contact.html
        modified:   index.html


no changes added to commit (use "git add" and/or "git commit -a")

Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project (main)
$ git add .

Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project (main)
$ git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        deleted:    contact.html
        modified:   index.html

Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project (main)
$ git commit -m "contact deleted & home page updated"
[main adf8b3a] contact deleted & home page updated
2 files changed, 11 insertions(+), 16 deletions(-)
delete mode 100644 contact.html

Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project (main)
$
```



Welcome to Sunbeam

- [About Us](#)
- [PG Courses](#)
- [Internship](#)

```
MINGW64/d/Nilesh/Internship/MERN/first-project
Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project (main)
$ git log
commit adf8b3a79d076c14b73aff7266430048812bfaaf (HEAD -> main)
Author: Nilesh Ghule <nilesh@sunbeaminfo.com>
Date: Mon Jan 12 12:38:10 2026 +0530

    contact deleted & home page updated

commit acad9e8ce411a61b7da642cfe168d1f53fcb291e
Author: Nilesh Ghule <nilesh@sunbeaminfo.com>
Date: Mon Jan 12 12:35:13 2026 +0530

    gitignore file

commit 15c6aa2914fb79e96f99d389da8ee24c17e510f4
Author: Nilesh Ghule <nilesh@sunbeaminfo.com>
Date: Mon Jan 12 12:26:04 2026 +0530


    courses

commit bf4868928553d2a9c7b1a68d9a0219e805a1ccc6
Author: Nilesh Ghule <nilesh@sunbeaminfo.com>
Date: Mon Jan 12 12:21:26 2026 +0530

    contact page

commit 5a8a4bcf36ed6dd14bc37951912dc31e674feb98
Author: Nilesh Ghule <nilesh@sunbeaminfo.com>
Date: Mon Jan 12 12:19:11 2026 +0530

    about page
```



nilesh-g

Top repositories

New

Find a repository...

Home

Ask anything

+ Add repositories, files, and spaces

GPT-5 mini

Task New

Create issue

Write code


Git

Pull requests

Feed


Filter

- nilesh-g Niles Ghule
- Set status
- Profile
- Repositories
- Stars
- Gists
- Organizations
- Enterprises
- Sponsors
- Settings
- Copilot settings
- Feature preview
- Appearance
- Accessibility
- Try Enterprise Free
- Sign out



<> Developer settings

☐ Make profile private and hide activity



- GitHub Apps
- OAuth Apps
- Personal access tokens**
 - Fine-grained tokens
 - Tokens (classic)**

Personal access tokens (classic)



No personal access token created

Need an API token for scripts or testing? Generate a personal access token for quick access to the GitHub API.

Generate new token

Generate new token

Fine-grained, repo-scoped

Generate new token (classic)

For general use

Personal access tokens (classic) function like ordinary OAuth access tokens. They can be used instead of a password for Git over HTTPS, or can be used to [authenticate to the API over Basic Authentication](#).



Confirm access



Signed in as @nilesh-g

When your phone is ready, click the button below.

Use GitHub Mobile

Having problems?

- [Use your passkey](#)
- [Use your password](#)

Tip: You are entering [sudo mode](#). After you've performed a sudo-protected action, you'll only be asked to re-authenticate again after a few hours of inactivity.

- GitHub Apps
- OAuth Apps
- Personal access tokens**
 - Fine-grained tokens
 - Tokens (classic)**

New personal access token (classic)

Personal access tokens (classic) function like ordinary OAuth access tokens. They can be used instead of a password for Git over HTTPS, or can be used to [authenticate to the API over Basic Authentication](#).

Note

Demo Token

What's this token for?

Expiration

30 days (Feb 11, 2026)


The token will expire on the selected date

Select scopes

Scopes define the access for personal tokens. [Read more about OAuth scopes](#).

☒ repo	Full control of private repositories
☒ repo:status	Access commit status
☒ repo_deployment	Access deployment status
☒ public_repo	Access public repositories
☒ repo:invite	Access repository invitations
☒ security_events	Read and write security events
☒ workflow	Update GitHub Action workflows
☒ write:packages	Upload packages to GitHub Package Registry
☒ read:packages	Download packages from GitHub Package Registry


Select all scopes



☒ manage_runners:enterprise	Manage enterprise runners and runner groups
☒ manage_billing:enterprise	Read and write enterprise billing data
☒ read:enterprise	Read enterprise profile data
☒ scim:enterprise	Provisioning of users and groups via SCIM
☒ audit_log	Full control of audit log
☒ read:audit_log	Read access of audit log
☒ codespace	Full control of codespaces
☒ codespace:secrets	Ability to create, read, update, and delete codespace secrets
☒ copilot	Full control of GitHub Copilot settings and seat assignments
☒ manage_billing:copilot	View and edit Copilot Business seat assignments
☒ write:network_configurations	Write org hosted compute network configurations
☒ read:network_configurations	Read org hosted compute network configurations
☒ project	Full control of projects
☒ read:project	Read access of projects
☒ admin:pgp_key	Full control of public user GPG keys
☒ write:pgp_key	Write public user GPG keys
☒ read:pgp_key	Read public user GPG keys
☒ admin:ssh_signing_key	Full control of public user SSH signing keys
☒ write:ssh_signing_key	Write public user SSH signing keys
☒ read:ssh_signing_key	Read public user SSH signing keys

Generate token

Cancel



Personal access tokens (classic)

Generate new token ▼

Tokens you have generated that can be used to access the [GitHub API](#).



Make sure to copy your personal access token now. You won't be able to see it again!



ghp_PIJCT1PYydE6DzrFwa0qEaTlC0kFP2Vy7i...




Delete


Personal access tokens (classic) function like ordinary OAuth access tokens. They can be used instead of a password for Git over HTTPS, or can be used to [authenticate to the API over Basic Authentication](#).




© 2026 GitHub, Inc. [Terms](#) [Privacy](#) [Security](#) [Status](#) [Community](#) [Docs](#) [Contact](#) [Manage cookies](#) [Do not share my personal information](#)

store it in your system.







Quick setup — if you've done this kind of thing before

 Set up in Desktop or **HTTPS** **SSH** `https://github.com/nilesh-g/first-project.git` 

Get started by [creating a new file](#) or [uploading an existing file](#). We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

...or create a new repository on the command line

```
echo "# first-project" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/nilesh-g/first-project.git
git push -u origin main
```




...or push an existing repository from the command line

```
git remote add origin https://github.com/nilesh-g/first-project.git
git branch -M main
git push -u origin main
```



 **ProTip!** Use the URL for this page when adding GitHub as a remote.





Quick setup — if you have a local repository

Set up in Desktop

Get started by [creating a new repository](#)

...or create a new repository

```
echo "# first-project" > README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/nilesh-g/first-project.git
git push -u origin main
```

...or push an existing repository from a local clone

```
git remote add origin https://github.com/nilesh-g/first-project.git
git branch -M main
git push -u origin main
```

MINGW64/d/Nilesh/Internship/MERN/first-project

```
Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project (main)
$ git remote add origin https://github.com/nilesh-g/first-project.git
```

```
Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project (main)
$
```

connect local repo to remote repo.

```
Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project (main)
$
```


```
Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project (main)
$ git branch -M main
```

```
Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project (main)
$
```

rename branch to "main"

```
Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project (main)
$
```

```
Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project (main)
$
```



MINGW64; d/Nilesh/Internship/MERN/first-project

Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project (main)
\$ git push -u origin main

for first time access to github account
for push/pull, enter your token.

Connect to GitHub

GitHub


Sign in

Browser/Device

Token

Sign in

Don't have an account? [Sign up](#)



Nilesh Ghule contact deleted & home page updated

.gitignore

aboutus.html

index.html

internship.html

pgcourses.html


README

MINGW64; d/Nilesh/Internship/MERN/first-project

```
Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project (main)
$ git push -u origin main
Enumerating objects: 19, done.
Counting objects: 100% (19/19), done.
Delta compression using up to 20 threads
Compressing objects: 100% (17/17), done.
Writing objects: 100% (19/19), 2.38 KiB | 1.19 MiB/s, done.
Total 19 (delta 6), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (6/6), done.
To https://github.com/nilesh-g/first-project.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
```

Sunbeam@Lenovo MINGW64 /d/Nilesh/Internship/MERN/first-project (main)

\$ |



Nilesh Ghule contact deleted & home page updated			adf8b3a · 16 minutes ago	6 Commits
.gitignore	gitignore file		19 minutes ago	
aboutus.html	about page		35 minutes ago	
index.html	contact deleted & home page updated		16 minutes ago	
internship.html	courses		28 minutes ago	
pgcourses.html	courses		28 minutes ago	

README

Add a README

Help people interested in this repository understand your project

About

No description, website, or topics provided.

Activity

0 stars

0 watching

0 forks

Releases

No releases published

[Create a new release](#)

Packages

No packages published

[Publish your first package](#)

Languages

Commits

main

All users

All time

Commits on Jan 12, 2026

contact deleted & home page updated Nilesh Ghule committed 18 minutes ago	adf8b3a		<>
gitignore file Nilesh Ghule committed 21 minutes ago	acad9e8		<>
courses Nilesh Ghule committed 30 minutes ago	15c6aa2		<>
contact page Nilesh Ghule committed 35 minutes ago	bf48689		<>
about page Nilesh Ghule committed 37 minutes ago	5a8a4bc		<>
index file Nilesh Ghule committed 40 minutes ago	0c45549		<>



Home

Industria

Sunbear

Git - Ins

Home

About

Error

Internsh

git add

Home

Your Re

github.com/nilesh-g?tab=repositories

← → ↺ 🔍 ⭐ 🏠 | 🧑🏿 📧

☰

 nilesh-g

📖 Overview

📁 Repositories

62

📁 Projects

📦 Packages

⭐ Stars

2

Find a repository...

Type

Language

Sort

📁 New

first-project

Public

☆ Star

HTML Updated 3 minutes ago

dream-llm-01

Public

☆ Star

Updated last week

learn-web

Public

☆ Star

Repo to learn web programming

HTML Updated 2 weeks ago

ai-chatbot-demo

Public

☆ Star

Python Updated 2 weeks ago



Nilesh Ghule

nilesh-g

Edit profile

38 followers · 1 following

Sunbeam Infotech

first-project

Public

☆ Star

HTML Updated 3 minutes ago

dream-llm-01

Public

☆ Star

Updated last week

learn-web

Public

☆ Star

Repo to learn web programming

HTML Updated 2 weeks ago

ai-chatbot-demo

Public


☆ Star

Python Updated 2 weeks ago

🪟 🔍 Search



ENG IN 🔊 🔌 🔋 🔔



Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).

Required fields are marked with an asterisk (*).

1 General

Owner *

 nilesh-g

Repository name *

/ second-project

✓ second-project is available.

Great repository names are short and memorable. How about [urban-happiness](#)?

Description

0 / 350 characters

2 Configuration

Choose visibility *

Choose who can see and commit to this repository

 Public

Add README

READMEs can be used as longer descriptions. [About READMEs](#)

Off ☐

Add .gitignore

.gitignore tells git which files not to track. [About ignoring files](#)


 Node


Add license


Licenses explain how others can use your code. [About licenses](#)


No license


Create repository

















to add team members in project.

Settings

second-project Public

main 1 Branch 0 Tags

Go to file

Add file

Code

Nilesh Ghule home page

1522b8f · 1 minute ago

2 Commits

.gitignore

Initial commit

7 minutes ago

index.html

home page

1 minute ago

README



Add a README

Help people interested in this repository understand your project.

Add a README

About

No description, website, or topics provided.

Activity

0 stars

0 watching

0 forks

Releases

No releases published

[Create a new release](#)

Packages

No packages published


[Publish your first package](#)


Languages


HTML 100.0%

Suggested workflows

Based on your tech stack









Thank You

Nilesh Ghule <nilesh@sunbeaminfo.com>