BrightPeak Ads

SAMPLE REPORT · FICTIONAL BUSINESS

FREE META ADS REVIEW

Your Facebook & Instagram ads, reviewed

Prepared for **Lakeview Family Dental**

DATE	BASED ON	PREPARED BY
October 2026	Public Ad Library + website	Prriyankarr, BrightPeak Ads

The short version

> Lakeview is doing the hard part already: running ads consistently. Three changes would likely get more booked appointments from the same budget. Add a Book Now button so interested people have an obvious next step, send clicks to a booking page instead of the Facebook page, and refresh an ad that has run for over eight months. None of these need a bigger budget.

What we looked at

Active ads	3 ads running on Facebook and Instagram
Oldest active ad	Running for 8+ months
Formats	2 single images, 1 short video
Call-to-action buttons	1 of 3 ads has a button (Learn More)
Where clicks go	Facebook page (2 ads), homepage (1 ad)
Website booking	Online booking exists, but it's three clicks deep

What we found and how to fix it

1 Two of three ads have no call-to-action button

HIGH PRIORITY

WHAT WE SAW The new-patient ad and the whitening ad show no button. People who are interested have to work out the next step themselves.

WHY IT MATTERS A clear button such as Book Now gives people one obvious action, and it tells Meta who to show the ad to: people likely to book, not just people likely to scroll past.

THE FIX **Add a Book Now button to both ads and point it at the online booking page.**

2 Clicks go to the Facebook page instead of booking

HIGH PRIORITY

WHAT WE SAW	Two ads send people to the practice's Facebook page. The website's booking form is three clicks from the homepage.
WHY IT MATTERS	Every extra step loses people, especially on a phone. Someone ready to book should land on the booking page in one tap.
THE FIX	**Link the ads straight to the booking page, or use a Meta instant form with the three questions the front desk needs.**

3 One ad has run for over eight months

MEDIUM PRIORITY

WHAT WE SAW	The same new-patient special image has been running since early in the year.
WHY IT MATTERS	Local audiences are small, so the same people see the same ad again and again. Over time fewer of them respond, and each booking costs more.
THE FIX	**Add two fresh versions, such as a real team photo and a short welcome video, and let Meta rotate them.**

4 The offer is buried in the caption

LOW PRIORITY

WHAT WE SAW	The $99 new-patient exam appears in the third line of the caption, below the fold on most phones.
WHY IT MATTERS	Most people only see the image and the first line. If the offer isn't there, many never see it.
THE FIX	**Lead with the offer in the first line and put it on the image too, kept short.**

Quick wins for this week

1. Add a Book Now button to every active ad.
2. Point all ads to the booking page, not the Facebook page or homepage.
3. Move the offer into the first line of the caption.
4. Make one new version of the oldest ad using a real photo of the team.

What this review can't see

> This review uses only what's public: your ads in Meta's Ad Library and your website. Without access to your ad account, it can't check:
>
> - Cost per lead or sale, and which ads actually bring in customers
> - Whether your Meta Pixel and Conversions API are tracking leads and purchases correctly
> - Audiences, budgets, bidding and how your campaigns are structured

If you'd like help

Full Ad Account Audit

$150

With view access to your ad account: spend, results, tracking and setup, with a prioritized fix list. One-time.

Setup + Pixel & CAPI

$450

Campaign structure, Meta Pixel and Conversions API set up and tested, so every lead and sale is tracked. One-time.

Monthly Management

$950/mo

We run and improve your Meta ads every month, with a plain-English report. No long-term contract.

Questions about anything in this review?

Just reply to the email this came with, or write to **hello@brightpeakads.com**. Everything is handled over email or chat, at your pace.

brightpeakads.com · (678) 535-9335 · 5900 Spout Springs Rd, Unit 3C-1069, Flowery Branch, GA 30542