



舜驰气动

*PROFESSIONAL MANUFACTURER OF PNEUMATIC FITTINGS*



NINGBO SHUNCHI PNEUMATIC ELEMENT CO.,LTD

## Enterprise Introduction

Ningbo Shunchi pneumatic Element co., Ltd is specialized in manufacturing pneumatic fittings. We are making fittings with both inch and metric measurement system. Combined with advanced equipments and strict management, We offer customers perfect pneumatic products with high standard and quality. We adhere to managing idea of development by quality, the principle of customers first, Credit first and the best service after sale , Our Products are welcomed deeply by vast customers. We have a technical team with skilled workers who are able to master the whole course of exploiting and design the new product, include exploiting and manufacturing any special pneumatic fittings upon customer's requests and OEM is welcomed. Our factory follows competitive price and good quality, has been providing various pneumatic fittings to many countries. Such as United States,U.K.,Japan,Germany,Italy, Spain,Poland,Turkey,Thailand,Indonesia,Malaysia etc.

Our factory is located at the side of Hangzhou Gulf and beside the State Highway NO.329 with beautiful scenery and convenient traffic, We are looking forward to enjoying prosperity with friends all over the world.

## 公司简介

舜驰气动是一家专业生产气动快速接头的厂家，并提供英制管系列接头。以先进的设备和严格的管理体制，以“顾客至上，信誉第一”为宗旨和良好的售后服务，为广大客户提供高标准，高质量的气动产品。工厂由一支经验丰富的技术人员，能自行设计，制作模具，开发新品，以赶超进口同类产品为目标，不断进取，并以良好的信誉，赢得广大客户的信赖。

本厂位于美丽的杭州湾畔，紧靠329国道，风景秀丽，交通便利，竭诚欢迎新老客户光顾。




# ONE TOUCH TUBE FITTINGS

## Features

- Convenient One touch fittings provide instant tubing connections
  - Elliptical release ring facilitates pneumatic installations in confined spaces
  - Light manual pressure on the elliptical release ring is all that is required to instantly disconnect each tube-no special tools required.
  - Nickel-plated brass threaded bodies ensures anti-corrosion and anti-contamination.
  - All NPT & R(BSPT) thread are pre-coated with Teflon sealant and require no additional sealing.
  - Most all models available in inch and metric size.

## **Construction**



## **Specifications**

Fluid Type	Air ( No other types of gases or liquids )	
Working Pressure Range	0~150PSI	0~9.9kgf/cm <sup>2</sup> (0~990KPa)
Negative Pressure	-29.5 in Hg	-750mm Hg(10 Torr)
Working Temperature	32~140°F	0~60°C
Recommended tube material	Nylon Or Polyurethane	

## ***Products code system***

**PC** — **06** — **02**  
① ② ③

- ① Model type
- ② Tube outer dia

	METRIC SIZES												
Code	03	04	05	06	07	08	09	10	11	12	14	15	16
Dia.	3mm	4mm	5mm	6mm	7mm	8mm	9mm	10mm	11mm	12mm	14mm	15mm	16mm

	INCH SIZE						
Code	1/8	5/32	3/16	1/4	5/16	3/8	1/2
Dia.	1/8inch	5/32inch	3/16inch	1/4inch	5/16inch	3/8inch	1/2inch

### ③ Thread Size

	METRIC Szie								
Code	M5	M6	M8	M10	M12	M12A	M14	M16	M20
Dia.	M5X0.8	M6X1	M8X1	M10X1	M12X1.25	M12X1.5	M14X1.5	M16X1.5	M20X1.5

	55° Taper Pipe Thread (BSPT)					G-Thread(BSPP)			
Code	01	02	03	04	06	G01	G02	G03	G04
Dia.	R1/8	R1/4	R3/8	R1/2	R3/4	G1/8	G1/4	G3/8	G1/2

	American Standard Taper Pipe Thread (NPT)						
Code	U10	N00	N01	N02	N03	N04	N06
Dia.	10-32UNF	NPT1/16	NPT1/8	NPT1/4	NPT3/8	NPT1/2	NPT3/4

# ONE TOUCH TUBE FITTINGS

## MALE STRAIGHT



Tube(Metric) - Thread(R)	Tube(Inch) - Thread(R)	Tube(Inch) - Thread(NPT)
PC04-M5	PC08-04	PC1/8-01
PC04-M6	PC10-01	PC1/8-02
PC04-01	PC10-02	PC5/32-01
PC04-02	PC10-03	PC5/32-02
PC04-03	PC10-04	PC3/16-01
PC06-M5	PC12-01	PC3/16-02
PC06-M6	PC12-02	PC3/16-03
PC06-01	PC12-03	PC1/4-01
PC06-02	PC12-04	PC1/4-02
PC06-03	PC14-03	PC1/4-03
PC08-01	PC14-04	PC5/16-01
PC08-02	PC16-03	PC5/16-02
PC08-03	PC16-04	PC5/16-03

## ROUND MALE STRAIGHT



Tube(Metric) - Thread(R)	Tube(Inch) - Thread(R)	Tube(Inch) - Thread(NPT)
POC04-M5	POC08-04	POC1/8-01
POC04-M6	POC10-01	POC1/8-02
POC04-01	POC10-02	POC5/32-01
POC04-02	POC10-03	POC5/32-02
POC04-03	POC10-04	POC3/16-01
POC06-M5	POC12-01	POC3/16-02
POC06-M6	POC12-02	POC3/16-03
POC06-01	POC12-03	POC1/4-01
POC06-02	POC12-04	POC1/4-02
POC06-03	POC14-03	POC1/4-03
POC08-01	POC14-04	POC5/16-01
POC08-02	POC16-03	POC5/16-02
POC08-03	POC16-04	POC5/16-03

## FEMALE STRAIGHT



Tube(Metric) - Thread(R)	Tube(Inch) - Thread(R)	Tube(Inch) - Thread(NPT)
PCF04-01	PCF10-04	PCF1/8-01
PCF04-02	PCF12-01	PCF1/8-02
PCF04-03	PCF12-02	PCF5/32-01
PCF06-01	PCF12-03	PCF5/32-02
PCF06-02	PCF12-04	PCF3/16-01
PCF06-03	PCF14-03	PCF3/16-02
PCF08-01	PCF14-04	PCF3/16-03
PCF08-02	PCF16-03	PCF1/4-01
PCF08-03	PCF16-04	PCF1/4-02
PCF08-04		PCF1/4-03
PCF10-01		PCF5/16-01
PCF10-02		PCF5/16-02
PCF10-03		PCF5/16-03

## MALE ELBOW



Tube(Metric) - Thread(R)	Tube(Inch) - Thread(R)	Tube(Inch) - Thread(NPT)
PL04-M5	PL08-04	PL1/8-01
PL04-M6	PL10-01	PL1/8-02
PL04-01	PL10-02	PL5/32-01
PL04-02	PL10-03	PL5/32-02
PL04-03	PL10-04	PL3/16-01
PL06-M5	PL12-01	PL3/16-02
PL06-M6	PL12-02	PL3/16-03
PL06-01	PL12-03	PL1/4-01
PL06-02	PL12-04	PL1/4-02
PL06-03	PL14-03	PL1/4-03
PL08-01	PL14-04	PL5/16-01
PL08-02	PL16-03	PL5/16-02
PL08-03	PL16-04	PL5/16-03

## MALE ELBOW



Tube(Metric) - Thread(R)	Tube(Inch) - Thread(R)	Tube(Inch) - Thread(NPT)
PLB04-M5	PLB08-04	PLB1/8-01
PLB04-M6	PLB10-01	PLB1/8-02
PLB04-01	PLB10-02	PLB5/32-01
PLB04-02	PLB10-03	PLB5/32-02
PLB04-03	PLB10-04	PLB3/16-01
PLB06-M5	PLB12-01	PLB3/16-02
PLB06-M6	PLB12-02	PLB3/16-03
PLB06-01	PLB12-03	PLB1/4-01
PLB06-02	PLB12-04	PLB1/4-02
PLB06-03		PLB1/4-03
PLB08-01		PLB5/16-01
PLB08-02		PLB5/16-02
PLB08-03		PLB5/16-03

# ONE TOUCH TUBE FITTINGS



Tube(Metric) - Thread(R)	Tube(Inch) - Thread(R)	Tube(Inch) - Thread(NPT)
PLF04-01	PLF10-04	PLF1/8-N01
PLF04-02	PLF12-01	PLF1/8-N02
PLF04-03	PLF12-02	PLF3/8-01
PLF06-01	PLF12-03	PLF3/8-02
PLF06-02	PLF12-04	PLF3/8-03
PLF06-03	PLF14-03	PLF1/2-02
PLF08-01	PLF14-04	PLF1/2-03
PLF08-02	PLF16-03	PLF1/2-04
PLF08-03	PLF16-04	PLF1/4-02
PLF08-04		PLF1/4-03
PLF10-01		PLF5/16-01
PLF10-02		PLF5/16-02
PLF10-03		PLF5/16-03



Tube(Metric) - Thread(R)	Tube(Inch) - Thread(R)	Tube(Inch) - Thread(NPT)
PLH04-M5	PLH08-03	PLH1/8-U10
PLH04-M6	PLH08-04	PLH3/8-03
PLH04-01	PLH10-01	PLH1/8-U02
PLH04-02	PLH10-02	PLH5/32-U10
PLH04-03	PLH10-03	PLH1/2-03
PLH06-M5	PLH10-04	PLH1/4-02
PLH06-M6	PLH12-01	PLH1/4-U10
PLH06-01	PLH12-02	PLH1/4-U01
PLH06-02	PLH12-03	PLH1/4-N02
PLH06-03	PLH12-04	PLH1/4-N03
PLH08-01		PLH5/16-01
PLH08-02		PLH5/16-02



Tube(Metric) - Thread(R)	Tube(Inch) - Thread(R)	Tube(Inch) - Thread(NPT)
PLL04-M5	PLL08-04	PLL1/8-01
PLL04-M6	PLL10-01	PLL1/8-02
PLL04-01	PLL10-02	PLL5/32-01
PLL04-02	PLL10-03	PLL5/32-02
PLL04-03	PLL10-04	PLL3/16-01
PLL06-M5	PLL12-01	PLL3/16-02
PLL06-M6	PLL12-02	PLL3/16-03
PLL06-01	PLL12-03	PLL1/4-01
PLL06-02	PLL12-04	PLL1/4-02
PLL06-03	PLL14-03	PLL1/4-03
PLL08-01	PLL14-04	PLL5/16-01
PLL08-02	PLL16-03	PLL5/16-02
PLL08-03	PLL16-04	PLL5/16-03



Tube(Metric) - Thread(R)	Tube(Inch) - Thread(R)	Tube(Inch) - Thread(NPT)
PT04-M5	PT08-04	PT1/8-01
PT04-M6	PT10-01	PT1/8-02
PT04-01	PT10-02	PT5/32-01
PT04-02	PT10-03	PT5/32-02
PT04-03	PT10-04	PT3/16-01
PT06-M5	PT12-01	PT3/16-02
PT06-M6	PT12-02	PT3/16-03
PT06-01	PT12-03	PT1/4-01
PT06-02	PT12-04	PT1/4-02
PT06-03	PT14-03	PT1/4-03
PT08-01	PT14-04	PT5/16-01
PT08-02	PT16-03	PT5/16-02
PT08-03	PT16-04	PT5/16-03



Tube(Metric) - Thread(R)	Tube(Inch) - Thread(R)	Tube(Inch) - Thread(NPT)
PTF04-01	PTF10-04	PTF1/8-01
PTF04-02	PTF12-01	PTF1/8-02
PTF04-03	PTF12-02	PTF5/32-01
PTF06-01	PTF12-03	PTF5/32-02
PTF06-02	PTF12-04	PTF3/16-01
PTF06-03	PTF14-03	PTF3/16-02
PTF08-01	PTF14-04	PTF3/16-03
PTF08-02	PTF16-03	PTF1/2-03
PTF08-03	PTF16-04	PTF1/2-04
PTF08-04		PTF1/4-02
PTF08-05		PTF1/4-03
PTF10-01		PTF5/16-01
PTF10-02		PTF5/16-02
PTF10-03		PTF5/16-03

# ONE TOUCH TUBE FITTINGS

## **MALE RUN TEE**



Tube(Metric) - Thread(R)	Tube(Inch) - Thread(R)	Tube(Inch) - Thread(NPT)
PST04-M5	PST08-04	PST1/8-01
PST04-M6	PST10-01	PST1/8-02
PST04-01	PST10-02	PST5/32-01
PST04-02	PST10-03	PST5/32-02
PST04-03	PST10-04	PST3/16-01
PST06-M5	PST12-01	PST3/16-02
PST06-M6	PST12-02	PST3/16-03
PST06-01	PST12-03	PST1/4-01
PST06-02	PST12-04	PST1/4-02
PST06-03	PST14-03	PST1/4-03
PST08-01	PST14-04	PST5/16-01
PST08-02	PST16-03	PST5/16-02
PST08-03	PST16-04	PST5/16-03

**MALE Y**



Tube(Metric) - Thread(R)	Tube(Inch) - Thread(R)	Tube(Inch) - Thread(NPT)
PWT04-M5	PWT08-04	PWT1/8-01
PWT04-M6	PWT10-01	PWT1/8-02
PWT04-01	PWT10-02	PWT5/32-01
PWT04-02	PWT10-03	PWT5/32-02
PWT04-03	PWT10-04	PWT3/16-01
PWT06-M5	PWT12-01	PWT3/16-02
PWT06-M6	PWT12-02	PWT3/16-03
PWT06-01	PWT12-03	PWT1/4-01
PWT06-02	PWT12-04	PWT1/4-02
PWT06-03	PWT14-03	PWT1/4-03
PWT08-01	PWT14-04	PWT5/16-01
PWT08-02	PWT16-03	PWT5/16-02
PWT08-03	PWT16-04	PWT5/16-03

## **MALE BANJO**



Tube(Metric) - Thread(R)	Tube(Inch) - Thread(R)	Tube(Inch) - Thread(NPT)
PH04-M5	PH08-04	PH1/8-01
PH04-M6	PH10-01	PH1/8-02
PH04-01	PH10-02	PH5/32-01
PH04-02	PH10-03	PH5/32-02
PH04-03	PH10-04	PH3/16-01
PH06-M5	PH12-01	PH3/16-02
PH06-M6	PH12-02	PH3/16-03
PH06-01	PH12-03	PH1/4-01
PH06-02	PH12-04	PH1/4-02
PH06-03	PH14-03	PH1/4-03
PH08-01	PH14-04	PH5/16-01
PH08-02	PH16-03	PH5/16-02
PH08-03	PH16-04	PH5/16-03

## **FEMALE BANJO**



Tube(Metric) - Thread(R)	Tube(Inch) - Thread(R)	Tube(Inch) - Thread(NPT)
PHF04-01	PHF10-04	PHF1/8-01
PHF04-02	PHF12-01	PHF1/8-02
PHF04-03	PHF12-02	PHF5/32-01
PHF06-01	PHF12-03	PHF5/32-02
PHF06-02	PHF12-04	PHF3/16-01
PHF06-03	PHF14-03	PHF3/16-02
PHF08-01	PHF14-04	PHF3/16-03
PHF08-02	PHF16-03	PHF1/4-01
PHF08-03	PHF16-04	PHF1/4-02
PHF08-04		PHF1/4-03
PHF10-01		PHF5/16-01
PHF10-02		PHF5/16-02
PHF10-03		PHF5/16-03

**BULKHEAD FEMALE STRAIGHT**



Tube(Metric) - Thread(R)	Tube(Inch) - Thread(R)	Tube(Inch) - Thread(NPT)
PMF04-01	PMF 10-04	PMF1/8-01
PMF04-02	PMF 12-01	PMF1/8-02
PMF04-03	PMF 12-02	PMF5/32-01
PMF06-01	PMF 12-03	PMF5/32-02
PMF06-02	PMF 12-04	PMF3/16-01
PMF06-03	PMF 14-03	PMF3/16-02
PMF08-01	PMF 14-04	PMF3/16-03
PMF08-02	PMF 16-03	PMF1/4-01
PMF08-03	PMF 16-04	PMF1/4-02
PMF08-04		PMF1/4-03
PMF10-01		PMF5/16-01
PMF10-02		PMF5/16-02
PMF10-03		PMF5/16-03

# ONE TOUCH TUBE FITTINGS

**MALE TRIPLE UNION**


Tube(Metric) - Thread(R)	Tube(Inch) - Thread(R)	Tube(Inch) - Thread(NPT)
PKB04-M5	PKB06-03	PKB5/32-U10
PKB04-01	PKB08-01	PKB1/4-N02
PKB04-02	PKB08-02	PKB5/32-N01
PKB04-03	PKB08-03	PKB5/32-N02
PKB06-M5	PKB14-02	PKB5/16-N01
PKB06-01	PKB14-03	PKB5/16-N02
PKB06-02	PKB10-03	PKB3/8-N03
	PKB12-04	PKB3/8-N04

**MALE TRIPLE BRANCH REDUCER**


Tube(Metric) - Thread(R)	Tube(Inch) - Thread(R)	Tube(Inch) - Thread(NPT)
PKD 06-04-01	PKD1/4-5/32-01	PKD1/4-5/32-N01
PKD 08-04-02	PKD5/16-5/32-02	PKD5/16-5/32-N02
PKD 08-06-02	PKD5/16-1/4-02	PKD5/16-1/4-N02
PKD 10-08-03	PKD3/8-5/16-03	PKD3/8-5/16-N03
PKD 12-10-04		

**MALE TRIPLE**


Tube(Metric) - Thread(R)	Tube(Inch) - Thread(R)	Tube(Inch) - Thread(NPT)
PXT04-M5	PXT1/8-01	PXT1/8-U10
PXT04-01	PXT1/8-02	PXT1/8-N01
PXT04-02	PXT5/32-01	PXT1/8-N02
	PXT5/32-02	PXT5/32-U10
		PXT5/32-N01
		PXT5/32-N02

**UNION STRAIGHT**


Tube(Metric)	Tube(Inch)
PUC 04	PUC 1/8
PUC 05	PUC 5/32
PUC 06	PUC 3/16
PUC 08	PUC 1/4
PUC 10	PUC 5/16
PUC 12	PUC 3/8
PUC 14	PUC 1/2
PUC 16	

**UNION ELBOW**


Tube(Metric)	Tube(Inch)
PUL 04	PUL 1/8
PUL 05	PUL 5/32
PUL 06	PUL 3/16
PUL 08	PUL 1/4
PUL 10	PUL 5/16
PUL 12	PUL 3/8
PUL 14	PUL 1/2
PUL 16	

**UNION REDUCER**


Tube(Metric)	Tube(Inch)
PG06-04	PG1/4-5/32
PG08-04	PG3/16-5/32
PG08-06	PG5/16-1/4
PG10-06	PG3/8-1/4
PG10-08	PG3/8-5/16
PG12-08	PG1/2-3/8
PG12-10	
PG16-12	

**UNION Y**


Tube(Metric)	Tube(Inch)
PY 04	PY 1/8
PY 05	PY 5/32
PY 06	PY 3/16
PY 08	PY 1/4
PY 10	PY 5/16
PY 12	PY 3/8
PY 14	PY 1/2
PY 16	

**UNION TEE**


Tube(Metric)	Tube(Inch)
PPF 04	PPF 1/8
PPF 05	PPF 5/32
PPF 06	PPF 3/16
PPF 08	PPF 1/4
PPF 10	PPF 5/16
PPF 12	PPF 3/8
PPF 14	PPF 1/2
PPF 16	

**BULKHEAD UNION**


Tube(Metric)	Tube(Inch)
PMM 04	PMM 1/8
PMM 06	PMM 5/32
PMM 08	PMM 3/16
PMM 10	PMM 1/4
PMM 12	PMM 5/16
PMM 16	PMM 3/8
	PMM 1/2

**UNION TEE**


Tube(Metric)	Tube(Inch)
PUT 04	PUT 1/8
PUT 05	PUT 5/32
PUT 06	PUT 3/16
PUT 08	PUT 1/4
PUT 10	PUT 5/16
PUT 12	PUT 3/8
PUT 14	PUT 1/2
PUT 16	

**TRIPLE BRANCH UNION**


Tube(Metric)	Tube(Inch)
PK 04	PK 5/32
PK 06	PK 1/4
PK 08	PK 5/16
PK 10	PK 3/8
PK 12	

# ONE TOUCH TUBE FITTINGS



**UNION Y REDUCER**

**PW**  $\phi D_2$   $\phi D_1$

Tube(Metric)	Tube(Inch)
PW06-04	PW1/4-5/32
PW08-04	PW3/16-5/32
PW08-06	PW5/16-1/4
PW10-06	PW3/8-1/4
PW10-08	PW3/8-5/16
PW12-08	PW1/2-3/8
PW12-10	



**UNION TRIPLE BRANCH REDUCER**

**PKG**  $\phi D_1$   $\phi D_2$

Tube(Metric)	Tube(Inch)
PKG06-04	PKG1/4-5/32
PKG08-04	PKG5/16-5/32
PKG08-06	PKG5/16-1/4
PKG10-06	PKG3/8-1/4
PKG10-08	PKG3/8-5/16
PKG12-10	



**UNION REDUCER**

**PXG**  $\phi D_1$   $\phi D_2$

Tube(Metric)	Tube(Inch)
PXG06-04	PXG1/4-5/32
	PXG5/32-1/8



**PLUG-IN REDUCER**

**PGJ**  $\phi D_2$   $\phi D_1$

Tube(Metric)	Tube(Inch)
PGJ06-04	PGJ1/4-5/32
PGJ08-04	PGJ5/16-5/32
PGJ08-06	PGJ5/16-1/4
PGJ10-06	PGJ3/8-1/4
PGJ10-08	PGJ3/8-5/16
PGJ12-06	PGJ1/2-1/4
PGJ12-08	
PGJ12-10	



**PLUG-IN 45° ELBOW**

**PLHJ**  $\phi D$

Tube(Metric)	Tube(Inch)
PLHJ 04	PLHJ 1/8
PLHJ 06	PLHJ 5/32
PLHJ 08	PLHJ 1/4
PLHJ 10	PLHJ 5/16
PLHJ 12	PLHJ 3/8
	PLHJ 1/2



**PLUG-IN TRIPLE BRANCH UNION**

**PKJ**  $\phi D$

Tube(Metric)	Tube(Inch)
PKJ 04	PKJ 5/32
PKJ 06	PKJ 1/4
PKJ 08	PKJ 5/16
PKJ 10	PKJ 3/8
PKJ 12	



# Fittings with G thread(o-ring)



Tube(Metric)	Tube( Inch )
PYGJ06-04	PYGJ1/4-5/32
PYGJ08-04	PYGJ3/16-5/32
PYGJ08-06	PYGJ5/16-1/4
PYGJ10-06	PYGJ3/8-1/4
PYGJ10-08	PYGJ3/8-5/16
PYGJ12-08	PYGJ1/2-3/8
PYGJ12-10	



Tube(Metric)	Tube( Inch )
PLGJ06-04	PLGJ1/4-5/32
PLGJ08-04	PLGJ3/16-5/32
PLGJ08-06	PLGJ5/16-1/4
PLGJ10-06	PLGJ3/8-1/4
PLGJ10-08	PLGJ3/8-5/16
PLGJ12-08	PLGJ1/2-3/8
PLGJ12-10	
PLGJ16-12	

## Fittings with G thread(o-ring)



Tube(Metric) - Thread(G)	
PC04-G01	PC10-G02
PC04-G02	PC10-G03
PC04-G03	PC10-G04
PC06-G01	PC12-G02
PC06-G02	PC12-G03
PC06-G03	PC12-G04
PC08-G01	PC14-G03
PC08-G02	PC14-G04
PC08-G03	PC16-G03
PC08-G04	PC16-G04
PC10-G01	



Tube(Metric) - Thread(G)	
POC04-G01	POC10-G02
POC04-G02	POC10-G03
POC04-G03	POC10-G04
POC06-G01	POC12-G02
POC06-G02	POC12-G03
POC06-G03	POC12-G04
POC08-G01	POC14-G03
POC08-G02	POC14-G04
POC08-G03	POC16-G03
POC08-G04	POC16-G04
POC10-G01	



Tube(Metric) - Thread(G)	
PCF04-G01	PCF10-G02
PCF04-G02	PCF10-G03
PCF04-G03	PCF10-G04
PCF06-G01	PCF12-G02
PCF06-G02	PCF12-G03
PCF06-G03	PCF12-G04
PCF08-G01	PCF14-G03
PCF08-G02	PCF14-G04
PCF08-G03	PCF16-G03
PCF08-G04	PCF16-G04
PCF10-G01	



Tube(Metric) - Thread(G)	
PL04-G01	PL10-G02
PL04-G02	PL10-G03
PL04-G03	PL10-G04
PL06-G01	PL12-G02
PL06-G02	PL12-G03
PL06-G03	PL12-G04
PL08-G01	PL14-G03
PL08-G02	PL14-G04
PL08-G03	PL16-G03
PL08-G04	PL16-G04
PL10-G01	



Tube(Metric) - Thread(G)	
PLF04-G01	PLF10-G02
PLF04-G02	PLF10-G03
PLF04-G03	PLF10-G04
PLF06-G01	PLF12-G02
PLF06-G02	PLF12-G03
PLF06-G03	PLF12-G04
PLF08-G01	PLF14-G03
PLF08-G02	PLF14-G04
PLF08-G03	PLF16-G03
PLF08-G04	PLF16-G04
PLF10-G01	



Tube(Metric) - Thread(G)	
PLB04-G01	PLB10-G02
PLB04-G02	PLB10-G03
PLB04-G03	PLB10-G04
PLB06-G01	PLB12-G02
PLB06-G02	PLB12-G03
PLB06-G03	PLB12-G04
PLB08-G01	
PLB08-G02	
PLB08-G03	
PLB08-G04	
PLB10-G01	



Tube(Metric) - Thread(G)	
PLL04-G01	PLL10-G02
PLL04-G02	PLL10-G03
PLL04-G03	PLL10-G04
PLL06-G01	PLL12-G02
PLL06-G02	PLL12-G03
PLL06-G03	PLL12-G04
PLL08-G01	PLL14-G03
PLL08-G02	PLL14-G04
PLL08-G03	PLL16-G03
PLL08-G04	PLL16-G04
PLL10-G01	



Tube(Metric) - Thread(G)	
PLH04-G01	PLH10-G02
PLH04-G02	PLH10-G03
PLH04-G03	PLH10-G04
PLH06-G01	PLH12-G02
PLH06-G02	PLH12-G03
PLH06-G03	PLH12-G04
PLH08-G01	
PLH08-G02	
PLH08-G03	
PLH08-G04	
PLH10-G01	

# Fittings with G thread(o-ring)



Tube(Metric) - Thread(G)	
PTF04-G01	PTF10-G02
PTF04-G02	PTF10-G03
PTF04-G03	PTF10-G04
PTF06-G01	PTF12-G02
PTF06-G02	PTF12-G03
PTF08-G03	PTF12-G04
PTF08-G01	PTF14-G03
PTF08-G02	PTF14-G04
PTF08-G03	PTF16-G03
PTF08-G04	PTF16-G04
PTF10-G01	



Tube(Metric) - Thread(G)	
PT04-G01	PT10-G02
PT04-G02	PT10-G03
PT04-G03	PT10-G04
PT06-G01	PT12-G02
PT06-G02	PT12-G03
PT06-G03	PT12-G04
PT08-G01	PT14-G03
PT08-G02	PT14-G04
PT08-G03	PT16-G03
PT08-G04	PT16-G04
PT10-G01	



Tube(Metric) - Thread(G)	
PWT04-G01	PWT10-G02
PWT04-G02	PWT10-G03
PWT04-G03	PWT10-G04
PWT06-G01	PWT12-G02
PWT06-G02	PWT12-G03
PWT06-G03	PWT12-G04
PWT08-G01	PWT14-G03
PWT08-G02	PWT14-G04
PWT08-G03	PWT16-G03
PWT08-G04	PWT16-G04
PWT10-G01	



Tube(Metric) - Thread(G)	
PST04-G01	PST10-G02
PST04-G02	PST10-G03
PST04-G03	PST10-G04
PST06-G01	PST12-G02
PST06-G02	PST12-G03
PST06-G03	PST12-G04
PST08-G01	PST14-G03
PST08-G02	PST14-G04
PST08-G03	PST16-G03
PST08-G04	PST16-G04
PST10-G01	



Tube(Metric) - Thread(G)	
PHF04-G01	PHF08-G04
PHF04-G02	PHF10-G01
PHF04-G03	PHF10-G02
PHF06-G01	PHF10-G03
PHF06-G02	PHF10-G04
PHF06-G03	PHF12-G02
PHF08-G01	PHF12-G03
PHF08-G02	PHF12-G04
PHF08-G03	



Tube(Metric) - Thread(G)	
PH04-G01	PH10-G02
PH04-G02	PH10-G03
PH04-G03	PH10-G04
PH06-G01	PH12-G02
PH06-G02	PH12-G03
PH06-G03	PH12-G04
PH08-G01	
PH08-G02	
PH08-G03	
PH08-G04	
PH10-G01	



Tube(Metric) - Thread(G)	
PKB04-G01	PKB08-G01
PKB04-G02	PKB08-G02
PKB04-G03	PKB08-G03
PKB06-G01	PKB08-G04
PKB06-G02	PKB10-G03
PKB06-G03	PKB12-G04



Tube(Metric) - Thread(G)	
PKD 06-04-G01	
PKD 08-04-G02	
PKD 08-06-G02	
PKD 10-08-G03	
PKD 12-10-G04	



Tube(Metric) - Thread(G)	
PXT04-G01	
PXT04-G02	




Tube(Metric) - Thread(G)	
PMF04-G01	PMF10-G02
PMF04-G02	PMF10-G03
PMF04-G03	PMF10-G04
PMF06-G01	PMF12-G02
PMF06-G02	PMF12-G03
PMF06-G03	PMF12-G04
PMF08-G01	PMF14-G03
PMF08-G02	PMF14-G04
PMF08-G03	PMF16-G03
PMF08-G04	PMF16-G04
PMF10-G01	

# COMPACT ONE TOUCH TUBE FITTINGS

## Features

- The smallest pneumatic fittings.
- 40% less volume and a 20% smaller OD than the standard One Touch Design
- Compact one touch fittings are specially designed for pneumatic installations in equipment that is small and compact in size.

## Construction



## Specifications

Fluid Type	Air (No other type of gas or liquid)	
Working Pressure Range	0~150PSI	0~9.9kgf/cm <sup>2</sup> (0~990KPa)
Negative Pressure	-29.5 in Hg	-750mm Hg(10 Torr)
Working Temperature	32~140°F	0~60°C
Recommended tube material	Nylon Or Polyurethane	

## Products code system

- ① Model type      ③ Thread size  
 ② Tube outer dia    ④ Compact

**PC**      **06**      **02**      **C**

①      ②      ③      ④



Tube(Metric) - Thread(R)	Tube(Inch) - Thread(NPT)
PC 03-M3C	PC 1/8-U10C
PC 03-M5C	PC 1/8-N00C
PC 03-M6C	PC 1/8-N01C
PC 04-M3C	PC 5/32-U10C
PC 04-M5C	PC 5/32-N00C
PC 04-M6C	PC 5/32-N01C
PC 04-01C	PC 1/4-U10C
PC 04-G01C	PC 1/4-N00C
PC 06-M5C	PC 1/4-N01C
PC 06-M6C	
PC 06-01C	
PC 06-G01C	



Tube(Metric) - Thread(R)	Tube(Inch) - Thread(NPT)
POC 03-M3C	POC 1/8-U10C
POC 03-M5C	POC 1/8-N00C
POC 03-M6C	POC 1/8-N01C
POC 04-M3C	POC 5/32-U10C
POC 04-M5C	POC 5/32-N00C
POC 04-M6C	POC 5/32-N01C
POC 04-01C	POC 1/4-U10C
POC 04-G01C	POC 1/4-N00C
POC 06-M5C	POC 1/4-N01C
POC 06-M6C	
POC 06-01C	
POC 06-G01C	



Tube(Metric) - Thread(R)	Tube(Inch) - Thread(NPT)
PCF 03-M3C	PCF 1/8-U10C
PCF 03-M5C	PCF 1/8-N00C
PCF 03-M6C	PCF 1/8-N01C
PCF 04-M3C	PCF 5/32-U10C
PCF 04-M5C	PCF 5/32-N00C
PCF 04-M6C	PCF 5/32-N01C
PCF 04-01C	PCF 1/4-U10C
PCF 04-G01C	PCF 1/4-N00C
PCF 06-M5C	PCF 1/4-N01C
PCF 06-M6C	
PCF 06-01C	
PCF 06-G01C	



Tube(Metric) - Thread(R)	Tube(Inch) - Thread(NPT)
PL 03-M3C	PL 1/8-U10C
PL 03-M5C	PL 1/8-N00C
PL 03-M6C	PL 1/8-N01C
PL 04-M3C	PL 5/32-U10C
PL 04-M5C	PL 5/32-N00C
PL 04-M6C	PL 5/32-N01C
PL 04-01C	PL 1/4-U10C
PL 04-G01C	PL 1/4-N00C
PL 06-M5C	PL 1/4-N01C
PL 06-M6C	
PL 06-01C	
PL 06-G01C	



Tube(Metric) - Thread(R)	Tube(Inch) - Thread(NPT)
PLL 03-M3C	PLL 1/8-U10C
PLL 03-M5C	PLL 1/8-N00C
PLL 03-M6C	PLL 1/8-N01C
PLL 04-M3C	PLL 5/32-U10C
PLL 04-M5C	PLL 5/32-N00C
PLL 04-M6C	PLL 5/32-N01C
PLL 04-01C	PLL 1/4-U10C
PLL 04-G01C	PLL 1/4-N00C
PLL 06-M5C	PLL 1/4-N01C
PLL 06-M6C	
PLL 06-01C	
PLL 06-G01C	



Tube(Metric) - Thread(R)	Tube(Inch) - Thread(NPT)
PT 03-M3C	PT 1/8-U10C
PT 03-M5C	PT 1/8-N00C
PT 03-M6C	PT 1/8-N01C
PT 04-M3C	PT 5/32-U10C
PT 04-M5C	PT 5/32-N00C
PT 04-M6C	PT 5/32-N01C
PT 04-01C	PT 1/4-U10C
PT 04-G01C	PT 1/4-N00C
PT 06-M5C	PT 1/4-N01C
PT 06-M6C	
PT 06-01C	
PT 06-G01C	

# COMPACT ONE TOUCH TUBE FITTINGS



**UNION ELBOW**

**PUL-C**

Tube(Metric)	Tube( Inch )
PUL 03C	PUL 1/8C
PUL 04C	PUL 5/32C
PUL 06C	PUL 1/4C



**BULKHEAD UNION**

**PMM-C**

Tube(Metric)	Tube( Inch )
PMM 03C	PMM 1/8C
PMM 04C	PMM 5/32C
PMM 06C	PMM 1/4C



**BULKHEAD UNION ELBOW**

**PLM-C**

Tube(Metric)	Tube( Inch )
PLM 03C	PLM 1/8C
PLM 04C	PLM 5/32C
PLM 06C	PLM 1/4C



**ELBOW (COMPACT)**

**NSE-C**

Tube(Metric) - Thread(R)	Tube( Inch ) - Thread(NPT)
NSE 03-M5C	NSE 1/8-U10C
NSE 04-M5C	NSE 5/32-U10C
NSE 06-M5C	NSE 1/4-U10C




# SPEED CONTROLLERS


## Features

- Accurate regulation of air flow rate for precise motion control.
- All NPT & R(BSPT) thread are pre-coated with Teflon sealant


## Construction




## Products code system



- For NSE series, when you order control out, needn't add at the end of model  
For example:NSE08-02



- For NSE series, when you order control in , pls put B at the end of model.  
For example:NSE08-02B



- For NSE series, when you order control in & out , pls put D at the end of model.  
For example:NSE08-02D

### ELBOW

**NSE**

### Tube(Metric) - Thread(R)

NSE04-M5	NSE08-03
NSE04-M6	NSE08-04
NSE04-01	NSE10-01
NSE04-02	NSE10-02
NSE04-03	NSE10-03
NSE06-M5	NSE10-04
NSE06-M6	NSE12-01
NSE06-01	NSE12-02
NSE06-02	NSE12-03
NSE06-03	NSE12-04
NSE08-01	NSE16-03
NSE08-02	NSE16-04

### Tube(Inch) - Thread(R)

NSE1/8-01	NSE5/16-03
NSE1/8-02	NSE5/16-04
NSE5/32-01	NSE3/8-01
NSE5/32-02	NSE3/8-02
NSE3/16-01	NSE3/8-03
NSE3/16-02	NSE3/8-04
NSE3/16-03	NSE1/2-02
NSE1/4-01	NSE1/2-03
NSE1/4-02	NSE1/2-04
NSE1/4-03	
NSE5/16-01	
NSE5/16-02	

### Tube(Inch) - Thread(NPT)

NSE1/8-U10	NSE1/4-N02
NSE1/8-N01	NSE1/4-N03
NSE1/8-N02	NSE5/16-N01
NSE5/32-U10	NSE5/16-N02
NSE5/32-N01	NSE5/16-N03
NSE5/32-N02	NSE3/8-N01
NSE3/16-U10	NSE3/8-N02
NSE3/16-N01	NSE3/8-N03
NSE3/16-N02	NSE3/8-N04
NSE3/16-N03	NSE1/2-N02
NSE1/4-U10	NSE1/2-N03
NSE1/4-N01	NSE1/2-N04

### ELBOW

**NSEI**

### Tube(Metric) - Thread(R)

NSEI-04-M5	NSEI-08-03
NSEI-04-M6	NSEI-08-04
NSEI-04-01	NSEI-10-01
NSEI-04-02	NSEI-10-02
NSEI-06-M5	NSEI-10-03
NSEI-06-M6	NSEI-10-04
NSEI-06-01	NSEI-12-02
NSEI-06-02	NSEI-12-03
NSEI-06-03	NSEI-12-04
NSEI-06-04	
NSEI-08-01	NSEI-5/16-01
NSEI-08-02	NSEI-5/16-02

### Tube(Inch) - Thread(R)

NSEI-1/8-01	NSEI-5/16-03
NSEI-1/8-02	NSEI-5/16-04
NSEI-5/32-01	NSEI-3/8-01
NSEI-5/32-02	NSEI-3/8-02
NSEI-3/16-01	NSEI-3/8-03
NSEI-3/16-02	NSEI-3/8-04
NSEI-3/16-03	NSEI-1/2-02
NSEI-1/4-01	NSEI-1/2-03
NSEI-1/4-02	NSEI-1/2-04
NSEI-1/4-03	
NSEI-5/16-01	
NSEI-5/16-02	

### Tube(Inch) - Thread(NPT)

NSEI-1/8-U10	NSEI-1/4-N02
NSEI-1/8-N01	NSEI-1/4-N03
NSEI-1/8-N02	NSEI-5/16-N01
NSEI-5/32-U10	NSEI-5/16-N02
NSEI-5/32-N01	NSEI-5/16-N03
NSEI-5/32-N02	NSEI-3/8-N01
NSEI-3/16-U10	NSEI-3/8-N02
NSEI-3/16-N01	NSEI-3/8-N03
NSEI-3/16-N02	NSEI-3/8-N04
NSEI-3/16-N03	NSEI-1/2-N02
NSEI-1/4-U10	NSEI-1/2-N03
NSEI-1/4-N01	NSEI-1/2-N04

# SPEED CONTROLLERS

**ELBOW G-THREAD**
**NSE-G**
**Tube(Metric) - Thread(G)**

NSE04-G01	NSE10-G01
NSE04-G02	NSE10-G02
NSE04-G03	NSE10-G03
NSE06-G01	NSE10-G04
NSE06-G02	NSE12-G02
NSE06-G03	NSE12-G03
NSE08-G01	NSE12-G04
NSE08-G02	NSE16-G03
NSE08-G03	NSE16-G04
NSE08-G04	

**ELBOW G-THREAD**
**NSEI**
**Tube(Metric) - Thread(G)**

NSEI04-G01	NSEI10-G01
NSEI04-G02	NSEI10-G02
NSEI04-G03	NSEI10-G03
NSEI06-G01	NSEI10-G04
NSEI06-G02	NSEI12-G02
NSEI06-G03	NSEI12-G03
NSEI08-G01	NSEI12-G04
NSEI08-G02	NSEI16-G03
NSEI08-G03	NSEI16-G04
NSEI08-G04	

**TUBE-THREAD**
**NSFSF**
**Tube(Metric) - Thread(R)**

NSFSF04-01	NSFSF10-04
NSFSF06-01	NSFSF12-02
NSFSF06-02	NSFSF12-03
NSFSF08-01	NSFSF12-04
NSFSF08-02	
NSFSF08-03	
NSFSF10-02	
NSFSF10-03	

**Tube(Metric) - Thread(G)**

NSFSF04-G01	NSFSF10-G04
NSFSF06-G01	NSFSF12-G02
NSFSF06-G02	NSFSF12-G03
NSFSF08-G01	NSFSF12-G04
NSFSF08-G02	
NSFSF08-G03	
NSFSF10-G02	
NSFSF10-G03	

**Tube(Inch) - Thread(NPT)**

NSFSF1/8-N01	NSFSF3/8-N01
NSFSF5/32-N01	NSFSF3/8-N02
NSFSF3/16-N01	NSFSF3/8-N03
NSFSF1/4-N01	NSFSF3/8-N04
NSFSF1/4-N02	
NSFSF5/16-N01	NSFSF1/2-N01
NSFSF5/16-N02	NSFSF1/2-N02
NSFSF5/16-N03	NSFSF1/2-N03
NSFSF5/16-N04	NSFSF1/2-N04

**THREAD-THREAD**
**NSFSS**
**Thread(R) - Thread(R)**

NSFSS01-01	NSFSSG01-G01
NSFSS02-02	NSFSSG02-G02
NSFSS03-03	NSFSSG03-G03
NSFSS04-04	NSFSSG04-G04

**Thread(NPT) - Thread(NPT)**

NSFSSN01-N01	
NSFSSN02-N02	
NSFSSN03-N03	
NSFSSN04-N04	

**UNION STRAIGHT**
**NSF**
**Tube(Metric)**    **Tube(Inch)**

NSF 04	NSF 1/8
NSF 06	NSF 5/32
NSF 08	NSF 3/16
NSF 10	NSF 1/4
NSF 12	NSF 5/16
	NSF 3/8
	NSF 1/2

**Special specifications**




# VALVES

## Features

- Hand valves are designed to turn on and off the airflow.
- Two way and three way valves are available for all models.
- Three way directional control valve releases the residual internal pressure on the output side when manually closed.
- G-thread type also available
- All NPT & R(BSPT) threads are pre-coated with Teflon sealant.

## HAND VALVES

### Construction



**TUBE(Metric)**

**Tube(Inch)**

HVFF06-06	HVFF1/4-1/4
HVFF08-06	HVFF5/16-1/4
HVFF08-08	HVFF5/16-5/16
HVFF10-08	HVFF3/8-5/16
HVFF10-10	HVFF3/8-3/8
HVFF12-10	HVFF1/2-3/8
HVFF12-12	HVFF1/2-1/2



**Thread(R) - Thread(R)**

**Thread(NPT)-Thread(NPT)**

HVSS01-01	HVSSN01-N01
HVSS02-01	HVSSN02-N01
HVSS02-02	HVSSN02-N02
HVSS03-02	HVSSN03-N02
HVSS03-03	HVSSN03-N03
HVSS04-03	HVSSN04-N03
HVSS04-04	HVSSN04-N04



**Tube(Metric) - Thread(R)**

**Tube(Inch)-Thread(NPT)**

HVSF06-01	HVSF1/4-N01
HVSF06-02	HVSF1/4-N02
HVSF06-03	HVSF1/4-N03
HVSF08-01	HVSF5/16-N01
HVSF08-02	HVSF5/16-N02
HVSF08-03	HVSF5/16-N03
HVSF10-02	HVSF3/8-N02
HVSF10-03	HVSF3/8-N03
HVSF12-03	HVSF1/2-N03
HVSF12-04	HVSF1/2-N04



**Tube(Metric) - Thread(R)**



**Tube(Inch)-Thread(NPT)**

HVFS06-01	HVFS1/4-N01
HVFS06-02	HVFS1/4-N02
HVFS06-03	HVFS1/4-N03
HVFS08-01	HVFS5/16-N01
HVFS08-02	HVFS5/16-N02
HVFS08-03	HVFS5/16-N03
HVFS10-02	HVFS3/8-N02
HVFS10-03	HVFS3/8-N03
HVFS12-03	HVFS1/2-N03
HVFS12-04	HVFS1/2-N04

# VALVES

## CHECK VALVES

### Construction



### MALE STRAIGHT

**PCVC**



### Tube(Metric) - Thread(R) | Tube(Inch)-Thread(NPT)

PCVC04-M5	PCVC5/32-U10
PCVC04-M6	PCVC5/32-N01
PCVC04-01	PCVC1/4-U10
PCVC06-01	PCVC1/4-N01
PCVC06-02	PCVC1/4-N02
PCVC08-01	PCVC5/16-N01
PCVC08-02	PCVC5/16-N02

### UNION STRAIGHT

**PCVU**



### Tube(Metric) | Tube(Inch)

PCVU 04	PCVU 5/32
PCVU 06	PCVU 1/4
PCVU 08	PCVU 5/16
PCVU 10	PCVU 3/8
PCVU 12	PCVU 1/2

### MALE FEMALE

**PCVF**



### Tube(Metric) - Thread(R) | Tube(Inch)-Thread(NPT)

PCVF01-01	PCVFN01-N01
PCVF02-02	PCVFN02-N02
PCVF03-03	PCVFN03-N03
PCVF04-04	PCVFN04-N04

### FEMALE STRAIGHT

**PCFF**




### Tube(Metric) - Thread(R) | Tube(Inch)-Thread(NPT)

PCFF01-01	PCFFN01-N01
PCFF02-02	PCFFN02-N02
PCFF03-03	PCFFN03-N03
PCFF04-04	PCFFN04-N04

## STOP VALVES

### Construction



### MALE STRAIGHT

**SPC**



### Tube(Metric) - Thread(R) | Tube(Inch)-Thread(NPT)

SPC06-02	SPC3/16-N02
SPC08-02	SPC1/4-N02
SPC08-03	SPC5/16-N02
SPC10-02	SPC5/16-N03
SPC10-03	SPC3/8-N03
SPC10-04	SPC3/8-N04
SPC12-03	SPC1/2-N03
SPC12-04	SPC1/2-N04

### MALE STRAIGHT

**SPU**



### Tube(Metric) - Thread(R) | Tube(Inch)-Thread(NPT)

SPU-04	SPU-5/32
SPU-06	SPU-3/16
SPU-08	SPU-1/4
SPU-10	SPU-5/16
SPU-12	SPU-3/8
	SPU-1/2

# METAL COUPLER

SPE®

**SH FEMALE COUPLER**

**SH**



Model	Size
20SH	10mm
30SH	12mm
40SH	16mm

**PH MALE COUPLER**

**PH**



Model	Size
20PH	10mm
30PH	12mm
40PH	16mm

**SM FEMALE COUPLER**

**SM**



Model	Size
20SM	R1/4"
30SM	R3/8"
40SM	R1/2"

**PM MALE COUPLER**

**PM**



Model	Size
20PM	R1/4"
30PM	R3/8"
40PM	R1/2"

**SF FEMALE COUPLER**

**SF**



Model	Size
20SF	R1/4"
30SF	R3/8"
40SF	R1/2"

**PF MALE COUPLER**

**PF**



Model	Size
20PF	R1/4"
30PF	R3/8"
40PF	R1/2"

**SP FEMALE COUPLER**

**SP**



Model	Size
20SP	8mm
30SP	10mm
40SP	12mm

**PP MALE COUPLER**

**PP**



Model	Size
20PP	8mm
30PP	10mm
40PP	12mm

**TWO FORKS**

**MC-2**



**THREE FORKS**

**MC-3**



**ML-2**

Two-way straight-through



**ML-3**

Three-way straight-through



**ML-4**

Four-way straight-through



**ML-5**

Five-way straight-through



# TUBE CUTTER & AIR GUNS

## Tube Cutter

### Features

- The excellent blade can cut the tube quickly, safety and smoothly.

TC-01(2-16mm)



ZC-01(2-12mm)



ZC-02(2-20mm)



## Air Guns

### Features

- Strong blow, low consumption, energy saving. It is fit for the cleaning or any kinds of machines and equipments...

Medium Air Gun



ITEM NO: AG-100

Long Air Gun



ITEM NO: AG-300

Medium Air Gun



ITEM NO: BG-100

Metal Air Gun



ITEM NO: MG-100

Medium Air Gun



ITEM NO: CG-10

Medium Air Gun



ITEM NO: FG-100

Medium Air Gun



ITEM NO: EG-100

# SILENCERS

## Features

- This serial silencer is used to reduce the dynamic noise for the pneumatic components or device exhaust.
- They may be directly mounted in the port of components or device with compact size, easy installation and high noise reduction result.

### STANDARD SILENCER

**BSL**

Thread(R)	Thread(NPT)
BSL M5	BSL N01
BSL 01	BSL N02
BSL 02	BSL N03
BSL 03	BSL N04
BSL 04	BSL N06
BSL 06	BSL N10
BSL 10	BSL N12
BSL 12	BSL N14
BSL 14	BSL N20
BSL 20	

### FLAT SILENCER

**BSLM**

Thread(R)	Thread(NPT)
BSLM 01	BSLM N01
BSLM 02	BSLM N02
BSLM 03	BSLM N03
BSLM 04	BSLM N04
BSLM 06	BSLM N06
BSLM 10	BSLM N10

### D TYPE SERIES SILENCER

**BSLD**

Thread(R)	Thread(NPT)
BSLD 01	BSLD N01
BSLD 02	BSLD N02
BSLD 03	BSLD N03
BSLD 04	BSLD N04
BSLD 06	BSLD N06
BSLD 10	BSLD N10

### C TYPE EXHAUST SILENCER

**BESLC**

Thread(R)	Thread(NPT)
BESLC 01	BESLC N01
BESLC 02	BESLC N02
BESLC 03	BESLC N03
BESLC 04	BESLC N04
BESLC 06	BESLC N06
BESLC 10	BESLC N10

### B TYPE EXHAUST SILENCER

**BESL**

Thread(R)	Thread(NPT)
BESL 01	BESL N01
BESL 02	BESL N02
BESL 03	BESL N03
BESL 04	BESL N04
BESL 06	BESL N06
BESL 10	BESL N10

### PLASTIC SILENCER

**PSL**

Thread(R)
PSL 01
PSL 02
PSL 03
PSL 04



余姚市低塘镇舜驰气动元件厂  
NINGBO SHUNCHI PNEUMATIC ELEMENT CO.,LTD

地址：浙江余姚低塘镇329国道历山光明西路65号

邮编：315491

电话：0574-62243568

传真：0574-62245568

网址：[www.chinashunchi.com](http://www.chinashunchi.com)

邮箱：[spe@scqdyy.com](mailto:spe@scqdyy.com)

Add: Lishan,DiTang,YuYao,Zhejiang,China

Tel: +86-574-62243568

Fax: +86-574-62245568

[Http://www.chinashunchi.com](http://www.chinashunchi.com)

E-mail: [spe@scqdyy.com](mailto:spe@scqdyy.com)

诚招各地区代理商：