

```
n_list=[2.9,3000,'Hello',"Welcome to python list ", True]
print(n_list)
```

```
# Nested List Example1
n_list = ["Happy", [2, 0, 1, 5]]
# Nested indexing
print(n_list[0][3])
print(n_list[1][2])
```

```
# Nested List Example2
my_list = ["mouse", [8, 4, 6], ['a','b','c']]
print(my_list)
print(my_list[0])
# Nested indexing
print(my_list[1][1])
print(my_list[2][2])
# Negative indexing in lists
my_list = ['p','r','o','b','e']
print(my_list[-1])
print(my_list[-5])
odd = [1, 3, 5]
odd.append(7)
print(odd)
```

```
odd.extend([9, 11, 13])
print(odd)
odd = [1, 3, 5]
```

```
print(odd + [9, 7, 5])
```

```
print(["re"] * 3)
thislist = ["apple", "banana", "cherry"]
print(len(thislist))
thislist = ["apple", "banana", "cherry"]
thislist.remove("banana")
print(thislist)
thislist = ["orange", "mango", "kiwi", "pineapple", "banana"]
thislist.sort()
print(thislist)
Output:['banana', 'kiwi', 'mango', 'orange', 'pineapple']
```

```
thislist = [100, 50, 65, 82, 23]
thislist.sort()
print(thislist)
```

```
thislist = ["orange", "mango", "kiwi", "pineapple", "banana"]
thislist.sort(reverse = True)
print(thislist)
```

Output:['pineapple', 'orange', 'mango', 'kiwi', 'banana']

```
thislist = [100, 50, 65, 82, 23]
thislist.sort(reverse = True)
print(thislist)
fruits = ['apple', 'banana', 'cherry']
fruits.insert(1, "orange")
print(fruits)
thislist = ["apple", "banana", "cherry"]
thislist.pop(1)
print(thislist)
thislist = ["apple", "banana", "cherry"]
del thislist[0]
print(thislist)
```

```
[2.9, 3000, 'Hello', 'Welcome to python list ', True]
p
1
['mouse', [8, 4, 6], ['a', 'b', 'c']]
mouse
4
c
e
p
[1, 3, 5, 7]
[[1, 3, 5, 7, 9, 11, 13]]
[1, 3, 5, 9, 7, 5]
['re', 're', 're']
3
['apple', 'cherry']
['banana', 'kiwi', 'mango', 'orange', 'pineapple']
[23, 50, 65, 82, 100]
['pineapple', 'orange', 'mango', 'kiwi', 'banana']
[100, 82, 65, 50, 23]
['apple', 'orange', 'banana', 'cherry']
['apple', 'cherry']
['banana', 'cherry']
```