



# STUDENT REPORT

## DETAILS

Name

SUNDEEP KUMAR P

Roll Number

3BR23CA108

## EXPERIMENT

Title

CANDIES

Description

Let's consider a scenario where there are K candies to be distributed among N children, each uniquely numbered from 1 to N. The distribution commences with Child A, followed by a sequential allocation to the subsequent children in the order: A, A+1, A+2,..., N. The query at hand is to identify which child will be the last recipient of a candy. In more explicit terms, after Child x (where  $1 \leq x < N$ ) receives a candy, the subsequent candy is granted to Child x+1. Upon Child N receiving a candy, the distribution cycle restarts, and Child 1 becomes the next recipient. The primary objective is to ascertain the identity of the child who will receive the last candy in this cyclic distribution.

**Note:** Each child receives only 1 candy.

**Input Format:**

The first line of input contains 3 space separated integers N, K and A.

**Output Format:**

Print the friend who will be the final recipient of the candy.

**Constraints:**

$1 \leq N \leq K \leq 10^8$

Sample Input:

5 2 1

Sample Output:

2

**Source Code:**

```
def last_candy_recipient(N, K, A):  
    last_child = (A - 1 + K - 1) % N + 1  
    return last_child  
  
# Example usage:  
N, K, A = map(int, input().strip().split())  
print(last_candy_recipient(N, K, A))
```

## RESULT

3BR

A108

R23Cr

3BR  
3BR2

A108  
108

R23Cr  
3CA

3BR  
3BR2