
CONNECT A GITHUB REPO WITH AWS

By Sundram Singhal | September 2026

Connect a GitHub Repo with AWS



Introducing Today's Project!

In this project, I will demonstrate git and github to track changes in our code. I'm doing this project to learn how ci/cd works.

Key tools and concepts

Services I used were git and github mainly. Key concepts I learnt include how to connect our vs code with the github, how to push your code to github.

Project reflection

This project took me approximately 1 hour 40 mins. The most challenging part was connceting with the instance again as i was continuing the course after 3 days. It was most rewarding to understand how we push our code to github and how to generate token and learn all the important commands.


I did this project because i wanna complete this 6 days series as soon as possible and wanna be a guy who has good amount of DevOps AWS knowledge.

This project is part two of a series of DevOps projects where I'm building a CI/CD pipeline! I'll be working on the next project tomorrow itself.

Git and GitHub

Git is a version control to track changes in the code. I installed Git using the commands sudo dnf install git -y

GitHub is. like a cloud to store our code. I'm using GitHub in this project because it is user friendly and we can share our progess to anyone and can share our code.




My local repository

A Git repository is like folders that contain all your project files and their entire version history.

Git init is a command create a local repository on our computer. I ran this command in the vs code terminal.

A branch in Git is one of the universe of our code, means there can be multiple branches of the code. After running git init, the response from the terminal was a bunch of yellow messages indicating that i can set up my branch name.



To push local changes to GitHub, I ran three commands

git add

The first command I ran was git add . . A staging area is the set of all the files in which i have changed.

git commit

The second command I ran was git commit -m "Updated index.jsp with new content". Using '-m' means i can send a message with my new commit indicating what changes i have made in this particular commit.

git push

The third command I ran was git push -u origin master. Using '-u' means we're also setting an 'upstream' for your local branch, which means you're telling Git to remember to push to master by default.
Next time we can simply run git push


Authentication

When I commit changes to GitHub, Git asks for my credentials because he wants to verify that only a verified user can change in repos.

Local Git identity

Git needs my name and email because to keep track of the commits to see who made what change.

Running git log showed me the history of my commits including author, date with time.



GitHub tokens

GitHub authentication failed when I entered my password because it expects a token instead of password because sending password can be risksy and passwords can get intercepted over the internet.

A GitHub token is like a key to provide vs code terminal to authenticate yourself. I'm using one in this project because i wanna connect my local repo with the GitHub repo.


I could set up a GitHub token by going inside developer setting and choose the required stuffs and generate a token.
and then copy that token and save it for the future use to conncet our github repo with the local repo.



Making changes again

I wanted to see Git working in action, so I edited my index.jsp. I couldn't see the changes in my GitHub repo initially because i did not commit those changes to the github they were only saved in my local repo not on the github repo.

I finally saw the changes in my GitHub repo after commiting those changes to my github repo by running this command - " git commit -m "Add new line to index.jsp" git push " which includes a message for the commit and then i enter my username and token to get authenticated.



Setting up a READMe file

As a finishing touch to my GitHub repository, I added a README file, which is the file with all the details about ,y project. I added a README file by using linux touch cmnd to create a new file.

My README is written in Markdown because it is a file with Special characters can help you format text in Markdown, such as #, ##, ###, **, * etc.
this file helps others to understand our proejct properly and also instruct them how can they clone our project.

My README file has 6 sections that outline Introduction, Technologies, Setup, Contact mainly.

