

```
!pip install pefile
```

```

Collecting pefile
  Downloading https://files.pythonhosted.org/packages/36/58/acf7f35859d541985f0a6ea3c34b
    |████████████████████████████████████████| 71kB 2.1MB/s
Requirement already satisfied: future in /usr/local/lib/python3.6/dist-packages (from pe
Building wheels for collected packages: pefile
  Building wheel for pefile (setup.py) ... done
  Created wheel for pefile: filename=pefile-2019.4.18-cp36-none-any.whl size=60824 sha25
  Stored in directory: /root/.cache/pip/wheels/1c/a1/95/4f33011a0c013c872fe6f0f364dc463a
Successfully built pefile
Installing collected packages: pefile
Successfully installed pefile-2019.4.18

```

```

import os
directoriesWithLabels = [("Samples/Benign",0), ("Samples/Malware",1)]
listOfSamples = []
labels = []
for datasetPath, label in directoriesWithLabels:
    samples = [f for f in os.listdir(datasetPath)]
    for file in samples:
        filePath = os.path.join(datasetPath, file)
        listOfSamples.append(filePath)
        labels.append(label)

#Train-Test data split
from sklearn.model_selection import train_test_split
samples_train, samples_test, labels_train, labels_test = train_test_split(listOfSamples, labe

from google.colab import drive
drive.mount('/content/drive')

```

```

Go to this URL in a browser: https://accounts.google.com/o/oauth2/auth?client\_id=9473189

Enter your authorization code:
.....
Mounted at /content/drive

```

Download and install Ember:

```

!wget https://github.com/endgameinc/ember/archive/master.zip
!unzip master.zip
!rm master.zip
!cp -r ember-master/* .
!rm -r ember-master
!pip install -r requirements.txt
!python setup.py install

```



```
--2020-05-02 05:34:40-- https://github.com/endgameinc/ember/archive/master.zip
Resolving github.com (github.com)... 140.82.113.3
Connecting to github.com (github.com)|140.82.113.3|:443... connected.
HTTP request sent, awaiting response... 302 Found
Location: https://codeload.github.com/endgameinc/ember/zip/master [following]
--2020-05-02 05:34:40-- https://codeload.github.com/endgameinc/ember/zip/master
Resolving codeload.github.com (codeload.github.com)... 140.82.112.10
Connecting to codeload.github.com (codeload.github.com)|140.82.112.10|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: unspecified [application/zip]
Saving to: 'master.zip'

master.zip          [ <=>          ] 11.22M  16.1MB/s   in 0.7s

2020-05-02 05:34:41 (16.1 MB/s) - 'master.zip' saved [11769324]
```

Archive: master.zip

f9a018632ba108b4e25c33d6c3e2e7a7c4487f58

```
creating: ember-master/
inflating: ember-master/LICENSE.txt
inflating: ember-master/README.md
creating: ember-master/ember/
inflating: ember-master/ember/__init__.py
inflating: ember-master/ember/features.py
creating: ember-master/licenses/
inflating: ember-master/licenses/AGPL-LICENSE-3.0.txt
inflating: ember-master/licenses/MIT-LICENSE.txt
creating: ember-master/malconv/
inflating: ember-master/malconv/README.md
inflating: ember-master/malconv/malconv.h5
inflating: ember-master/malconv/malconv.py
inflating: ember-master/malconv/multi_gpu.py
inflating: ember-master/requirements.txt
inflating: ember-master/requirements_conda.txt
inflating: ember-master/requirements_notebook.txt
creating: ember-master/resources/
inflating: ember-master/resources/ember-notebook.ipynb
inflating: ember-master/resources/ember2018-notebook.ipynb
inflating: ember-master/resources/logo.png
creating: ember-master/scripts/
inflating: ember-master/scripts/classify_binaries.py
inflating: ember-master/scripts/train_ember.py
inflating: ember-master/setup.py
```

Collecting lief>=0.9.0

Downloading <https://files.pythonhosted.org/packages/f7/38/e6bf942cf2ee073bf81fa3324bca>
 |██| 3.5MB 2.8MB/s

```
Requirement already satisfied: tqdm>=4.31.0 in /usr/local/lib/python3.6/dist-packages (f
Requirement already satisfied: numpy>=1.16.3 in /usr/local/lib/python3.6/dist-packages (
Requirement already satisfied: pandas>=0.24.2 in /usr/local/lib/python3.6/dist-packages
Requirement already satisfied: lightgbm>=2.2.3 in /usr/local/lib/python3.6/dist-packages
Requirement already satisfied: scikit-learn>=0.20.3 in /usr/local/lib/python3.6/dist-pac
Requirement already satisfied: python-dateutil>=2.6.1 in /usr/local/lib/python3.6/dist-p
Requirement already satisfied: pytz>=2017.2 in /usr/local/lib/python3.6/dist-packages (f
Requirement already satisfied: scipy in /usr/local/lib/python3.6/dist-packages (from lig
Requirement already satisfied: joblib>=0.11 in /usr/local/lib/python3.6/dist-packages (f
Requirement already satisfied: six>=1.5 in /usr/local/lib/python3.6/dist-packages (from
Installing collected packages: lief
S      f  ll      i      t  ll  d  li  f  0      0
```

```

Successfully installed lief-0.10.1
running install
running bdist_egg
running egg_info
creating ember.egg-info
writing ember.egg-info/PKG-INFO
writing dependency_links to ember.egg-info/dependency_links.txt
writing requirements to ember.egg-info/requirements.txt
writing top-level names to ember.egg-info/top_level.txt
writing manifest file 'ember.egg-info/SOURCES.txt'
reading manifest file 'ember.egg-info/SOURCES.txt'
writing manifest file 'ember.egg-info/SOURCES.txt'
installing library code to build/bdist.linux-x86_64/egg
running install_lib
running build_py
creating build
creating build/lib
creating build/lib/ember
copying ember/features.py -> build/lib/ember
copying ember/__init__.py -> build/lib/ember
creating build/bdist.linux-x86_64
creating build/bdist.linux-x86_64/egg
creating build/bdist.linux-x86_64/egg/ember
copying build/lib/ember/features.py -> build/bdist.linux-x86_64/egg/ember
copying build/lib/ember/__init__.py -> build/bdist.linux-x86_64/egg/ember
byte-compiling build/bdist.linux-x86_64/egg/ember/features.py to features.cpython-
36.pyc byte-compiling build/bdist.linux-x86_64/egg/ember/__init__.py to
__init__.cpython-36.pyc creating build/bdist.linux-x86_64/egg/EGG-INFO
copying ember.egg-info/PKG-INFO -> build/bdist.linux-x86_64/egg/EGG-INFO
copying ember.egg-info/SOURCES.txt -> build/bdist.linux-x86_64/egg/EGG-INFO
copying ember.egg-info/dependency_links.txt -> build/bdist.linux-x86_64/egg/EGG-INFO
copying ember.egg-info/requirements.txt -> build/bdist.linux-x86_64/egg/EGG-INFO
copying ember.egg-info/top_level.txt -> build/bdist.linux-x86_64/egg/EGG-INFO
zip_safe flag not set; analyzing archive contents...
creating dist
creating 'dist/ember-0.1.0-py3.6.egg' and adding 'build/bdist.linux-x86_64/egg' to it
removing 'build/bdist.linux-x86_64/egg' (and everything under it) Processing ember-
0.1.0-py3.6.egg
Copying ember-0.1.0-py3.6.egg to /usr/local/lib/python3.6/dist-packages
Adding ember 0.1.0 to easy-install.pth file

```

```

Installed /usr/local/lib/python3.6/dist-packages/ember-0.1.0-py3.6.egg
Processing dependencies for ember==0.1.0
Searching for scikit-learn==0.22.2.post1
Best match: scikit-learn 0.22.2.post1
Adding scikit-learn 0.22.2.post1 to easy-install.pth file

```

```

Using /usr/local/lib/python3.6/dist-packages Read vectorized
features from the data les.

```

```

Searching for lightgbm==2.2.3
Best match: lightgbm 2.2.3
Adding lightgbm 2.2.3 to easy-install.pth file

```

```

import ember
X_train, y_train, X_test, y_test = ember.read_vectorized_features("drive/My Drive/vMalConv1/" Using
/usr/local/lib/python3.6/dist-packages
metadata_dataframe = ember.read_metadata("drive/My Drive/vMalConv1/")

```

```

Searching for pandas==1.0.3
Best match: pandas 1.0.3

```

```

➡ Adding pandas 1.0.3 to easy-install.pth file

```

```

Using /usr/local/lib/python3.6/dist-packages

```

```

Searching for numpy==1.18.3
WARNING: EMBER feature version 2 were computed using lief version 0.9.0-
Best match: numpy 1.18.3
WARNING: lief version 0.10.1-bfe5414 found instead. There may be slight inconsistencie Adding numpy 1.18.3 to easy-install.pth file
WARNING: in the feature calculations.
Installing f2py script to /usr/local/bin
/usr/local/lib/python3.6/dist-packages/numpy/lib/arraysetops.py:569: FutureWarning: elem Installing f2py3 script to /usr/local/bin
    mask |= (ar1 == a)
Installing f2py3.6 script to /usr/local/bin

Using /usr/local/lib/python3.6/dist-packages
Searching for tqdm==4.38.0
#ClientPEBest.pymatcodeh: tqdm 4.38.0
importAddingboto3 tqdm 4.38.0 to easy-install.pth file
importInstallingnumpyas nptqdm script to /usr/local/bin
import argparse
    Using /usr/local/lib/python3.6/dist-packages import ast
    Searching for lief==0.10.1
from sklearn.preprocessingBestmatch:lief0.10.1import RobustScaler
    Adding lief 0.10.1 to easy-install.pth file
### Change the following to the correct endpoint name ###
myEndpoUsintNameg/usr/loc='sagemaker1/lib/py-tensorflowhon3.6/dist-2020-packages-
05-02-04-36-51-919' def main():Searching for scipy==1.4.1
    Best match: scipy 1.4.1
    Adding scipy 1.4.1 to easy-install.pth file
import json
import ember
    Using /usr/local/lib/python3.6/dist-packages
    Searching for joblib==0.14.1
fromBestsklearn.preprocessingmatch:joblib0.14.1 import RobustScaler
rsAdding=RobustScaler()joblib0.14.1 to easy-install.pth file

parserUsing /=usargparse/local/lib/python3.ArgumentParser().6/dist-packages
    Searching for pytz==2018.9
parser.add_argument("-v", "--featureversion", type=int, default=2, help="EMBER feature ve Best match: pytz 2018.9
parser.add_argument("binaries", metavar="BINARIES", type=str, nargs="+", help="PE files t Adding pytz 2018.9 to
easy-install.pth file
args = parser.parse_args()
#opening the downloaded PE file
    Using /usr/local/lib/python3.6/dist-packages
testpe = open(args.binaries[0], 'rb').read()
    Searching for python-dateutil==2.8.1
#FeatureBstmatch:extractorpyhonclass-dteutilofthe2.8ember.1 project
extractAdding =pythonember-.dateutilPEFeatureExtractor()2.8.1easy-install.pth file
data = extract.feature_vector(testpe) #vectorizing the extracted features
scaledUsing_data/usr/local/lib/python3=rs.fittransform([data]).6/dist-packages
    Searching for six==1.12.0
Xdata = np.reshape(scaled_data,(1, 2381))
    Best match: six 1.12.0
Xdata= Xdata.tolist()
    Adding six 1.12.0 to easy-install.pth file

clientUsing /=usr/local/lib/python3.6/distboto3.client('runtime.sagemaker',-packages
    region_name='us-east-1',
    Finished processing dependencies for ember==0.1.0
        ##### Change the following to your AWS credentials #####
        aws_access_key_id='ASIAV72BNHYBIA4QZPCA',
        aws_secret_access_key='lmpi3DYqvwyw98TfVbCE8FmS6riEi89YH3BzAS6A',
        aws_session_token='FwoGZXIvYXdzEBYaD09p8bs/YCcEIECEciLGAYEiASQ781BY8LJxaRpjqj5xsw2x6a

response = client.invoke_endpoint(EndpointName=myEndpointName, Body=json.dumps(Xdata))
response_body = response['Body']
out = response_body.read()
astr = out.decode("UTF-8")
out = ast.literal_eval(astr)
out = out['outputs']['score']['floatVal']

```

```
if out[0] >0.5:
    print("Malicious")
else:
    print("Benign")
```

Malicious Tests

```
!python clientPE.py /content/Samples/Malware/VirusShare_2a53d20292b250b8fbba31d3d247cc26.exe
```

```
☞ WARNING: EMBER feature version 2 were computed using lief version 0.9.0-
WARNING:    lief version 0.10.1-bfe5414 found instead. There may be slight inconsistencie
WARNING:    in the feature calculations.
Malicious
```

```
!python clientPE.py /content/Samples/Malware/VirusShare_2bca410519250ba329e1f04689299807.exe
```

```
☞ WARNING: EMBER feature version 2 were computed using lief version 0.9.0-
WARNING:    lief version 0.10.1-bfe5414 found instead. There may be slight inconsistencie
WARNING:    in the feature calculations.
Malicious
```

```
!python clientPE.py /content/Samples/Malware/VirusShare_3deab418505d2d4d7d97c3ebc5ab66e5.exe
```

```
☞ WARNING: EMBER feature version 2 were computed using lief version 0.9.0-
WARNING:    lief version 0.10.1-bfe5414 found instead. There may be slight inconsistencie
WARNING:    in the feature calculations.
Malicious
```

```
!python clientPE.py /content/Samples/Malware/VirusShare_4a0bf367c39e71c2342fca939325ddcd.exe
```

```
☞ WARNING: EMBER feature version 2 were computed using lief version 0.9.0-
WARNING:    lief version 0.10.1-bfe5414 found instead. There may be slight inconsistencie
WARNING:    in the feature calculations.
Malicious
```

```
!python clientPE.py /content/Samples/Malware/VirusShare_4c87db0339f1ce57247d6c597773d0f8.exe
```

```
☞ WARNING: EMBER feature version 2 were computed using lief version 0.9.0-
WARNING:    lief version 0.10.1-bfe5414 found instead. There may be slight inconsistencie
WARNING:    in the feature calculations.
Malicious
```

```
!python clientPE.py /content/Samples/Malware/VirusShare_5c62bacc1aaa80b56fd86a6acdead49a.exe
```

```
☞ WARNING: EMBER feature version 2 were computed using lief version 0.9.0-
WARNING:    lief version 0.10.1-bfe5414 found instead. There may be slight inconsistencie
WARNING:    in the feature calculations.
Malicious
```

```
!python clientPE.py /content/Samples/Malware/VirusShare_6c6f9b3777d9152bbb6dafbaf0c57d52.exe
```

```
❏ WARNING: EMBER feature version 2 were computed using lief version 0.9.0-  
WARNING:    lief version 0.10.1-bfe5414 found instead. There may be slight inconsistencie  
WARNING:    in the feature calculations.  
Malicious
```

```
!python clientPE.py /content/Samples/Malware/VirusShare_7b6594becbf9803e85d33b72d7e7090e.exe
```

```
❏ WARNING: EMBER feature version 2 were computed using lief version 0.9.0-  
WARNING:    lief version 0.10.1-bfe5414 found instead. There may be slight inconsistencie  
WARNING:    in the feature calculations.  
Malicious
```

```
!python clientPE.py /content/Samples/Malware/VirusShare_8d8332c9da04cdaf4097ecec4871ccb.exe
```

```
❏ WARNING: EMBER feature version 2 were computed using lief version 0.9.0-  
WARNING:    lief version 0.10.1-bfe5414 found instead. There may be slight inconsistencie  
WARNING:    in the feature calculations.  
Malicious
```

```
!python clientPE.py /content/Samples/Malware/VirusShare_9a3eaa431c7232f6b7390c152b4e0f8e.exe
```

```
❏ WARNING: EMBER feature version 2 were computed using lief version 0.9.0-  
WARNING:    lief version 0.10.1-bfe5414 found instead. There may be slight inconsistencie  
WARNING:    in the feature calculations.  
Malicious
```

```
!python clientPE.py /content/Samples/Malware/VirusShare_9fbc7c103313f32e2c418fd72aab1d4.exe
```

```
❏ WARNING: EMBER feature version 2 were computed using lief version 0.9.0-  
WARNING:    lief version 0.10.1-bfe5414 found instead. There may be slight inconsistencie  
WARNING:    in the feature calculations.  
Malicious
```

Benign Tests

```
!python clientPE.py /content/Samples/Benign/printf.exe
```

```
❏ WARNING: EMBER feature version 2 were computed using lief version 0.9.0-  
WARNING:    lief version 0.10.1-bfe5414 found instead. There may be slight inconsistencie  
WARNING:    in the feature calculations.  
Benign
```

```
!python clientPE.py /content/Samples/Benign/colorify.exe
```

```
❏ WARNING: EMBER feature version 2 were computed using lief version 0.9.0-  
WARNING:    lief version 0.10.1-bfe5414 found instead. There may be slight inconsistencie  
WARNING:    in the feature calculations.  
Benign
```

```
! th  li tPE  /  t t/S  l /B i / h d
```

```
!python clientPE.py /content/Samples/Benign/chmod.exe
```

```
☐ WARNING: EMBER feature version 2 were computed using lief version 0.9.0-  
WARNING:   lief version 0.10.1-bfe5414 found instead. There may be slight inconsistencie  
WARNING:   in the feature calculations.  
Benign
```

```
!python clientPE.py /content/Samples/Benign/color-to-alpha.exe
```

```
☐ WARNING: EMBER feature version 2 were computed using lief version 0.9.0-  
WARNING:   lief version 0.10.1-bfe5414 found instead. There may be slight inconsistencie  
WARNING:   in the feature calculations.  
Benign
```

```
!python clientPE.py /content/Samples/Benign/antialias.exe
```

```
☐ WARNING: EMBER feature version 2 were computed using lief version 0.9.0-  
WARNING:   lief version 0.10.1-bfe5414 found instead. There may be slight inconsistencie  
WARNING:   in the feature calculations.  
Benign
```

```
!python clientPE.py /content/Samples/Benign/LogCollector.exe
```

```
☐ WARNING: EMBER feature version 2 were computed using lief version 0.9.0-  
WARNING:   lief version 0.10.1-bfe5414 found instead. There may be slight inconsistencie  
WARNING:   in the feature calculations.  
lief error: This file is not a PE binary  
Benign
```

```
!python clientPE.py /content/Samples/Benign/bsqlldb.exe
```

```
☐ WARNING: EMBER feature version 2 were computed using lief version 0.9.0-  
WARNING:   lief version 0.10.1-bfe5414 found instead. There may be slight inconsistencie  
WARNING:   in the feature calculations.  
Benign
```

```
!python clientPE.py /content/Samples/Benign/blur.exe
```

```
☐ WARNING: EMBER feature version 2 were computed using lief version 0.9.0-  
WARNING:   lief version 0.10.1-bfe5414 found instead. There may be slight inconsistencie  
WARNING:   in the feature calculations.  
Benign
```

```
!python clientPE.py /content/Samples/Benign/aspnetca.exe
```

```
☐ WARNING: EMBER feature version 2 were computed using lief version 0.9.0-  
WARNING:   lief version 0.10.1-bfe5414 found instead. There may be slight inconsistencie  
WARNING:   in the feature calculations.  
lief error: This file is not a PE binary  
Benign
```

```
!python clientPE.py /content/Samples/Benign/wc.exe
```



```
⏏ WARNING: EMBER feature version 2 were computed using lief version 0.9.0-  
WARNING:   lief version 0.10.1-bfe5414 found instead. There may be slight inconsistencie  
WARNING:   in the feature calculations.  
Benign
```