




G190EAN01.0 Engineering Change Request

GDBU

30th Dec.Y22

AUO Display Plus Engineering Change Request

➤ Engineering Change item

Item	1.LED Driver IC	2. Reflector
As is	RT8488	TCJ18N
To Be	BD9276	EST188P

1. Richtek RT8488 will be EOL. In order to keep supply smoothly, ADP will adopt a new LED Driver IC(ROHM BD9276).
2. Because the Toray TCJ18N raw material has been EOL, ADP suggest to change reflector from Toray TCJ18N to SOLARTRON EST188P.

EC plan



- Current Plan: EC sample will be shipped on 1/B, ADP looks forward to getting customer agreement by the end of MAR 2023 and running the EC phase-in.

Optics test

Optics Pass


Optical Measurement Report												
Originator	chongfeng		Model/PCS		G190EAN01.0/5PCS				Date	2022/12/19		
Test Condition	Lum.,CR,Chromaticity,Uniformity,Gary Scale,V-T,View Angle,RT,CrossTalk,Flicker											
Test System	Detector	Inverter			DC Voltage					Warm up time		
FPM-520-2	SR-UL1R	NA			12V					30 min		
【Test Reason】												
G190EAN01.0 RA												
【Judgement】												
PASS												
Test Items	unit	PSS			23.5℃	23.5℃	23.5℃	23.5℃	23.5℃	-4σ	mean	+4σ
					2022/12/18 15:29	2022/12/18 15:53	2022/12/18 16:31	2022/12/18 17:10	2022/12/18 17:57			
		2HAFW7KAZZS01	2HAFJ0G1ZZS01	2HAFW7KDZZS01	2HAET5UGZZS01	2HAFH7BGZZS01						
		min	typ	max								
Center Brightness	cd/m ²	240	300		310.0	314.3	308.6	310.5	309.9	302.050	310.7	319.270
Darkness (L0)					0.35	0.26	0.34	0.35	0.26	0.124	0.31	0.500
Contrast Ratio(CR)	---	700	1000		992.6	1204.2	911.9	882.9	1191.9	352.914	1016.7	1680.499
Brightness(5P Ave.)	cd/m ²				279.5	300.0	297.8	299.6	295.8	260.205	294.5	328.851
Chromaticity												
	Wx	---	0.283	0.313	0.345	0.318	0.324	0.322	0.320	0.323	0.312	0.331
	Wy	---	0.299	0.329	0.359	0.328	0.336	0.336	0.332	0.335	0.319	0.347
	Rx	---	0.621	0.651	0.681	0.653	0.653	0.654	0.652	0.653	0.651	0.655
	Ry	---	0.313	0.343	0.373	0.340	0.341	0.340	0.341	0.341	0.339	0.340
	Gx	---	0.272	0.302	0.332	0.306	0.308	0.307	0.306	0.307	0.303	0.311
	Gy	---	0.581	0.611	0.641	0.599	0.599	0.600	0.596	0.599	0.593	0.604
	Bx	---	0.125	0.155	0.185	0.153	0.154	0.153	0.153	0.154	0.152	0.155
	By	---	0.045	0.075	0.105	0.072	0.076	0.076	0.075	0.074	0.068	0.081
	NTSC	---	---	---	---	70.3	69.6	70.0	69.4	69.9	68.500	71.181
	CCT	---	---	---	---	6248	5893	5977	6083	5969	5484.009	6584.072
Uniformity												
	5P					1.118	1.078	1.057	1.062	1.070	0.980	1.174

RA Test Summary Report

保管單位 Storage	RA
保存年限 Retention Period	依產品適用範圍保存(參照： AUOP-05-002 紀錄管制流程)

Product No	G190EAN01.0			Part No			Applicant/Dept	孟昭瑞/RRPBF3		Judgement		
Test Purpose	G190EAN01.0 RA						Application Date	2022/12/12				
	R221215003						Input Date	2022/12/19				
							Issue Date	2022/12/26				
RA No			Product Stage	MVT								
Test Item	Test Condition	Test Panel				Test Result						
HTO	50°C 500h	No	Chip_Id	Shipping_No		T0★	T100★	T200★	T300★	T500★	Judgement	Judgement
		R2212150030001		yc2haf5lbzzs0103		OK	OK	OK	OK			PASS
		R2212150030002		yc2haf7bhzzs0103		OK	OK	OK	OK			
		R2212150030003		yc2haf5lazzs0103		OK	OK	OK	OK			
LTO	0°C 500h	No	Chip_Id	Shipping_No		T0★	T100★	T200★	T300★	T500★	Judgement	Judgement
		R2212150030004		yc2haf5lczzs0103		OK	OK	OK	OK			PASS
		R2212150030005		yc2hafw9lazzs0103		OK	OK	OK	OK			
		R2212150030006		yc2haet5uhzzs0103		OK	OK	OK	OK			
HTS	60°C 500h	No	Chip_Id	Shipping_No		T0★	T100★	T200★	T300★	T500★	Judgement	Judgement
		R2212150030007		yc2hafw9kzzs0113		OK	OK	OK	OK			PASS
		R2212150030008		yc2hafw9lzzs0113		OK	OK	OK	OK			
		R2212150030009		yc2hafw9lczzs0103		OK	OK	OK	OK			
LTS	-20°C 500h	No	Chip_Id	Shipping_No		T0★	T100★	T200★	T300★	T500★	Judgement	Judgement
		R2212150030010		yc2hafw9ldzzs0103		OK	OK	OK	OK			PASS
		R2212150030011		yc2hafw9ljzzs0103		OK	OK	OK	OK			
		R2212150030012		yc2hafw9lgzzs0103		OK	OK	OK	OK			
THB	50°C 80% 500h	No	Chip_Id	Shipping_No		T0★	T100★	T200★	T300★	T500★	Judgement	Judgement
		R2212150030013		yc2hafw7bjzzs0103		OK	OK	OK	OK			PASS
		R2212150030014		yc2haf5ltzzs0103		OK	OK	OK	OK			
		R2212150030015		yc2haet5uezzs0103		OK	OK	OK	OK			
TST	-20°C(30min) ~ 60°C(30min), 100cycles judge, 300cycles reference, 300cycles	No	Chip_Id	Shipping_No		C0★	C100★	C300			Judgement	Judgement
		R2212150030016		yc2haf6jezzs0103		OK	OK					PASS
		R2212150030017		yc2haet5jzzs0103		OK	OK					
		R2212150030018		yc2hafw7kazzs0103		OK	OK					
Remark		★ 為 Judge Point - 非 Judge Point 的 Defect Alarm 請參考以下 Defect Description										
Proprietary and Confidential												

RA Pass



Tap Into The Possibilities