



G185XW01 V201 EC Report

2026/06

G185XW01 V201 EC Notice

● Purpose :

Due to Tcon IC 11309 Z01 will be EOL. In order to keep supply smoothly, ADP will launch a replaced model with new Tcon IC 12315 D01 for longevity support. For painless EC, Physical OD, Mounting hole, Interface and General Specification will not be changed.

	MP	After EC
Model	G185XW01 V2	G185XW01 V2
Part number	97.18G01.201	97.18G01.205

● Verification schedule :

1. Verification samples will come out at the 2026/7/B
2. Target phase in : 2026/12

General Display Characteristics

Panel supplier	G185XW01 V201 (MP)	G185XW01 V205 (After EC)
Mode	TN	TN
Resolution	1366 x 768	1366 x 768
Active Area(mm)	409.8 x 230.4	409.8 x 230.4
Outline dimension(mm) (W x H x D)	430.4 x 254.7 x 10.6	430.4 x 254.7 x 10.6
Surface Treatment	Antiglare (Haze 25%) / (3H)	Antiglare (Haze 25%) / (3H)
Contrast Ratio (Typ.)	1000:1	1000:1
Viewing Angle(L/R/U/D) (CR=10) (Typ.)	85/85/80/80	85/85/80/80
Response Time (Tr+Td) (Typ.)	8ms	8ms
Brightness (cd/m ²) (Typ.)	450	450
NTSC	70%	70%
Weight (g)	1440g	1440g
Interface	LVDS	LVDS
Input Voltage (LCD/BLU)	5V / 12V	5V / 12V
Power Consumption (LCD/BLU)(Typ.)	2.25W / 6W	2.25W / 6W
Operating Temperature	0~60 °C	0~60 °C
Storage Temperature	-20~60 °C	-20~60 °C
LED lifetime	50K	50K
LED driver board	Y	Y
Color Coordinates	x:0.313 ; Wy:0.329	x:0.313 ; Wy:0.329

Drawing

- Keep outline and same mounting hole.

Model	MP G185XW01 V201	After EC G185XW01 V205
Front view		
Back view		