



G238HAN02.0_ Sponge added between the LGP and U-side ECR

ADP

2024/08/30

G238HAN02.0 EC summary

➤ Plan schedule:


EC Sample Ready on
Y24/6/E

Customer Approval


10/E Y24

Phase In

2025/Q1



As Is



To be

- EC Item: Sponge added between the LGP and U-side
- Background: The panel brightness variance occur when panel is placed upside down. The brightness variance of panel result from the little gap change between LGP and U-side when the panel is placed upside down.
- Structure enhancement : To reduce the panel brightness variation, we suggest to add the sponge between the LGP and U-side.


RA result: PASS

Product No	G238HAN02.0		Part No	97.23G03.000		Applicant/Dept		仇栋琴/RRPBF3		Judgement
Test Purpose	G238HAN02.0 量產品 (LGP加固走rubber X2)					Application Date		2024/05/07		PASS
						Input Date		2024/05/15		
RA No	R240508009		Product Stage	MVT		Issue Date		2024/06/12		
Test Item	Test Condition	Test Panel				Test Result				
HTHS	60°C 75%	No	Chip_Id	Shipping_No		T0★	T500★	Judgement		PASS
		R2405080090001		5x4b11g3cbzzzs0100		OK	OK	PASS		
		R2405080090002		5x4b11g3gfzzzs0100		OK	OK	PASS		
		R2405080090003		5x4b1pl3cczzzs0100		OK	OK	PASS		

</

Vibration test report: PASS

Test Purpose :	G238HAN02.0 (LGP 加固定 rubber X2)
Test Results:	PASS
Model Type:	G238HAN02.0
Testing date:	2024-5-19



Tap Into The Possibilities

AUO
AUO Display+