



P280, P286, P294_Tape EC Report

Gaming, Transportation &
HMI Business


Mike

2025/1/23

EC Proposal

- Purpose
Switch to a new tape to enhance the performance.
- Change
New tape is implemented.
- Implement date: **2/28**
- Implement method: Running change

Before appearance




After appearance




Relative Tape Position Diagram

Dust-Resistant



Connector fixing



Verification Item

Model		RA Verification	Result
Reference P366IVN02.0 Reliabilities Result	P280IVN01.1	Thermal Shock	Pass
	P280IVN01.2		
	P280IVN02.0		
	P286IVN01.1	Wet and High Temperature Storage	Pass
	P286IVN02.0		
	P286IVN03.0		
	P294IVN01.1	Packing Drop Packing Vibration	Pass

Thermal Shock



RA Test Summary Report

保管單位 Storage	RA
保存年限 Retention Period	依產品適用範圍保存(參照： AUOQP-05-002 紀錄管制流程)

Product No	P366IVN02.0		Part No	97.36P02.000		Applicant/Dept		张凤飞/RRPAD1		Judgement	
Test Purpose	DVT验证 (TST)					Application Date		2024/02/06		PASS	
						Input Date		2024/02/26			
						Issue Date		2024/03/06			
RA No	D240226001		Product Stage		DVT						
Test Item	Test Condition	Test Panel				Test Result					
TST	(-30°C(0.5h)~70°C (0.5h) 200cycles	No	Chip_Id	Shipping_No		C0★	C100★	C200★	Judgement	Judgement	
		D2402260010001		FG3CBMD3SGZZS1300		OK	OK	OK	PASS	PASS	
		D2402260010002		FG3CBMD3SYZZS1300		OK	OK	OK	PASS		
		D2402260010003		FG3CBMD3WRZZS1300		OK	OK	OK	PASS		
Remark		「 ★ 為 Judge Point , 非 Judge Point 的 Defect Alarm 請參考以下 Defect Description 」									
Comment											

Wet and High Temperature Storage



RA Test Summary Report

保管單位 Storage	RA
保存年限 Retention Period	依產品適用範圍保存(參照：AUOQP-05-002 紀錄管制流程)

Product No	P366IVN02.0		Part No	97.36P02.000		Applicant/Dept	张凤飞/RRPAD1		Judgement				
Test Purpose	DVT1 (WHTO+cold start)					Application Date	2024/01/24		PASS				
						Input Date	2024/01/29						
						Issue Date	2024/03/21						
RA No	D240129019		Product Stage	DVT									
Test Item	Test Condition	Test Panel				Test Result							
WHTO	60°C 75% 1000h	No	Chip_Id	Shipping_No		T0★	T100★	T200★	T300★	T500★	T1000	Judgement	Judgement
		D2401290190001		FG3CBMD3ZUZZZS1300		OK	OK	OK	OK	OK	OK	PASS	PASS
		D2401290190002		FG3CBMD3SFZZZS1300		OK	OK	OK	OK	OK	OK	PASS	
		D2401290190003		FG3CBMD3ZVZZZS1300		OK	OK	OK	OK	OK	OK	PASS	
Cold-start	-30°C 5times	No	Chip_Id	Shipping_No		T0★	T1+F5★					Judgement	Judgement
		D2401290190001		FG3CBMD3ZUZZZS1300		OK	OK					PASS	PASS
		D2401290190002		FG3CBMD3SFZZZS1300		OK	OK					PASS	
		D2401290190003		FG3CBMD3ZVZZZS1300		OK	OK					PASS	
Remark		「★ 為 Judge Point，非 Judge Point 的 Defect Alarm 請參考以下 Defect Description」											

Packing Vibration and Packing Drop




友达光电(厦门)有限公司实验室检测报告
Laboratory of AUO Corporation(Xiamen)

Test Result (Summary)

Test Item	Test Condition	Q'ty	Test Date	Judge
Packing Vibration	1.04G 2-200Hz X.Y.Z 20min	6	2024/3/4~2024/3/5	PASS
Packing Drop	457mm, 1 corner 3 edges 6 flats	6	2024/3/5~2024/3/6	PASS

Test Item	No.	Model	S/N
Packing Vibration	1	P3661VN02.0	FG3CBMD3SXZZZS1300
	2		FG3CBMD3SAZZZS1300
	3		FG3CBMD3SLZZZS1300
	4		FG3CBMD3ZPZZZS1300
	5		FG3CBMD4HXZZZS1300
	6		FG3CBMD3ZXZZZS1300
Packing Drop	1		FG3CBMD3SXZZZS1300
	2		FG3CBMD3SAZZZS1300
	3		FG3CBMD3SLZZZS1300
	4		FG3CBMD3ZPZZZS1300
	5		FG3CBMD4HXZZZS1300
	6		FG3CBMD3ZXZZZS1300



Tap Into The Possibilities