Fixing Why Water Leakage Detection Systems Fail

Why detection fails today — and how prioritization + field execution unlock real impact

"30-40% water is lost – not because we can't detect leaks, but because systems fail to act"

Sunidhi Mishra | Associate Product Manager Candidate

Made with GAMMA

Urban Water Loss is a Silent Infrastructure Problem

Water Loss Crisis

30–40% of supplied water never reaches consumers due to leakages, illegal connections, and metering inefficiencies in municipal water systems.

Reactive Detection

Current detection methods rely heavily on manual reporting, citizen complaints, and periodic inspections rather than proactive monitoring.

Operational Costs

Delayed responses lead to escalating repair costs, service disruptions, and mounting citizen complaints that erode public trust.

Cities are losing water faster than they can detect leaks. The gap between leakage occurrence and detection continues to widen as infrastructure ages and demand increases. This represents not just a financial loss but a critical sustainability challenge as water resources become scarcer. Municipal authorities face mounting pressure to improve efficiency while managing aging infrastructure and constrained budgets.

"The problem is not lack of detection – it is lack of actionability"

Made with GAMMA

Current Workflow & Failure Points - Where the System Breaks

1. **Sensor Detection**
   Pressure and flow sensors monitor pipeline conditions
2. **Control Room**
   Data aggregated and displayed for review
3. **Manual Review**
   Operators sift through alerts to identify issues
4. **Ticket Creation**
   Work orders manually generated for each alert
5. **Field Assignment**
   Technicians dispatched to inspection sites
6. **Inspection & Fix**
   Leak location and repair execution



Critical Failure Points in Current Process

Trust Erosion

High false alert rates (often 70% or more) train operators to ignore or dismiss warnings, creating a dangerous normalization of failure. When real leaks occur, they may be overlooked.

Processing Delays

Manual alert review and ticket creation creates bottlenecks during peak periods. Urgent leaks wait in queues alongside low-priority notifications.

Resource Waste

Field teams travel to sites only to discover false alarms or minor issues, burning fuel and time that could address critical infrastructure failures.

"Failure is not in detection – it is in decision-making and execution"

Made with GAMMA

Key Stakeholders in the System - Who the System Fails

Understanding the pain points of each stakeholder group is essential for designing a solution that delivers value across the entire organization. Each role faces distinct challenges that compound when systems fail to connect them effectively.

Control Room Operator

Primary Pain Points:

- Overloaded with 100+ unreliable alerts daily
- Lacks tools to prioritize which alerts demand immediate attention
- No historical context to inform decisions
- Accountable for missed leaks but lacks decision support

Success Metric: Reduced cognitive load with clear prioritization and trusted alerts

Field Technician

Primary Pain Points:

- Wastes time traveling to false alarms and low-priority issues
- Inefficient routing wastes fuel and extends work hours
- No visibility into job priority or urgency
- Manual dispatching leads to idle time and schedule conflicts

Success Metric: Optimized routes and clear prioritization of high-impact work

City Administrator

Primary Pain Points:

- High non-revenue water (NRW) draining budgets
- Pressure to meet regulatory and service level agreements
- Limited visibility into system performance
- Difficulty proving ROI on infrastructure investments

Success Metric: Measurably reduced NRW percentage and improved service reliability

"All stakeholders suffer from the same core issue: lack of prioritization and trust in the system"

Made with GAMMA

A Day in the Life: Control Room Operator

Imagine a typical day for a control room operator, tasked with monitoring critical water infrastructure. Without proper tools, this is the painful reality:

9:00 AM: Inundated

The shift begins with 120 new alerts, all appearing equally urgent. Lacking prioritization, the operator checks alerts randomly.

12:00 PM: Fatigue & Disregard

Mental exhaustion sets in after hours of sifting through unreliable data. Trust in the system erodes, and alerts are increasingly ignored.

End of Day: Critical Failures

Three real, significant leaks are missed, escalating potential damage, while six false alarms consume valuable time and resources.

> Operators are not bad at their job. The system makes good decisions impossible. After repeated false alerts, operators stop evaluating alerts, they start ignoring the system.

"The system doesn't fail at detection – it trains operators to ignore it"

Made with GAMMA

Killer Insight: The System Trains Inaction

The root cause of inaction isn't a lack of effort; it's a system designed to overwhelm and desensitize its users, leading to a dangerous cycle of missed critical incidents.

The Pattern: Data Overload

- Operators receive 100+ alerts daily, often generic and lacking detail.
- ~70% of these alerts are false positives, minor issues, or low-priority incidents.
- There is no clear signal or mechanism to prioritize which alerts demand immediate attention.
- **Result:** Alerts quickly lose their perceived reliability, becoming background noise.

The Behavioral Shift: Learned Disregard

- Faced with constant noise, operators instinctively stop evaluating every single alert.
- They develop a cognitive shortcut: "**Most alerts are noise.**"
- Consequently, alerts are increasingly ignored or dismissed by default, impacting responsiveness.
- This desensitization is a natural human response to a faulty system design.

The Outcome: Critical Failures

- Genuine, high-priority critical leaks become buried within the deluge of false alarms.
- High-severity issues are inevitably missed, leading to extended damage and costly repairs.
- The system, intended to prevent problems, becomes actively harmful by hindering effective response.
- **Impact:** Escalating damage, resource waste, and erosion of public trust.

"Most systems fail not because they miss leaks – but because they fail to prioritize the ones that matter"

Made with GAMMA

What We Optimize and What We Sacrifice

> We cannot optimize everything simultaneously; choosing wrong breaks the system.

Designing an effective water leakage system involves navigating critical choices. Our approach is shaped by these fundamental trade-offs, prioritizing what drives real impact.

Precision vs. Recall

Achieving high precision means fewer false alerts, building crucial trust with operators. High recall identifies more potential leaks but can lead to noisy data. Low precision floods operators with false alerts eroding trust until real warnings get ignored too.

Consequence: If precision is low, operators lose trust and start ignoring alerts

Decision: Prioritize precision first because without trust, recall has zero impact. Then iterate to improve recall.

Automation vs. Human Control

Full automation enables faster response but introduces high risk in critical infrastructure. Purely manual control is safer, but slow and inconsistent. It is prone to human error and delays. A balanced approach is essential.

Consequence: Over-automation triggers incorrect actions at scale. Full manual control means delays persist and impact stays limited.

Decision: Implement a **human-in-the-loop system**, empowering operators with AI-driven insights for decisive action.

Detection vs. Execution Investment

Investing solely in advanced sensors overlooks the critical bottleneck in operational response. Better detection generates more alerts. Better execution leads to faster resolution of critical issues.

Consequence: Improving detection alone increases alert volume without improving outcomes – more noise, same damage.

Decision: Invest in prioritization and execution first. That's where leaks actually get fixed and ROI is realized.

"We prioritize decisions over signals – because action, not detection, drives impact"

Made with GAMMA

MVP: Test Prioritization Before Building Everything

> Since operators don't trust alerts, we first test whether prioritization restores trust and drives action.

Our initial focus is on validating the core hypothesis: Can intelligent prioritization alone significantly improve operational outcomes, before investing in complex automation or advanced AI?

> **The Core Question**
> Does prioritization alone improve outcomes?

What We Will NOT Build

- No advanced ML models for detection
- No automated dispatch of field teams
- No routing optimization algorithms

(Because these elements do not test the core hypothesis of prioritization's impact)

What We Will Build

- Basic anomaly detection (threshold-based)
- Rule-based prioritization engine
- Manual dispatch system with priority labels

(These components are sufficient to test the value of prioritization in the workflow)

Success Signal

If:

- Resolution time ↓
- High-severity leaks fixed ↑
- Operator engagement / trust ↑

Then:

Double down on the prioritization system, investing in further development.

"We're not building the best system – we're testing the highest-leverage assumption first"

Made with GAMMA

Solution Vision: What We Build AFTER Validating Prioritization

Because operators don't trust alerts, we first fix decision-making before improving detection. Once prioritization proves impact, we scale it into a full decision system.

1. Detection (Input Layer)

- Generates alerts from sensor data
- Improves over time with better models
- **Role:** Enable signal generation
- **Improving detection alone does NOT improve outcomes.**

2. Prioritization (Core Layer)

- Ranks alerts by severity, location criticality, and potential water loss
- **Role:** Convert noise → decisions
- **Primary driver of value**

3. Execution (Action Layer)

- Guides assignment and routing (initially manual, then automated).
- Ensures high-priority issues are resolved first
- **Role:** Convert decisions → outcomes

Most systems start with detection improvements – we deliberately do not.

Evolution Logic



Start simple, prove value, then expand the system once prioritization is validated.

Most systems optimize detection accuracy. We optimize decision quality.

Made with GAMMA

Solution: Start with Prioritization, Then Scale the System

We don't start by improving detection – we start by fixing decision-making.

1. Prioritization (START HERE)

Role: Convert noisy alerts → actionable decisions

- **MVP:** Rule-based scoring (Severity + location + frequency)
- **Future:** ML-based ranking (Context-aware prioritization)

Highest leverage layer

2. Detection

Role: Generate alerts

- **MVP:** Existing sensors, Basic anomaly detection
- **Future:** AI-based detection, Improved accuracy

Improves over time – not day 1 priority

3. Execution

Role: Act on prioritized alerts

- **MVP:** Manual dispatch, Priority tagging
- **Future:** Auto dispatch, Route optimization

Unlocks efficiency after prioritization works

"Most systems optimize detection accuracy. We optimize decision quality"

Made with GAMMA

Expected Impact: Before vs After

The transformation from current manual processes to AI-assisted operations delivers measurable improvements across all critical performance dimensions. These changes compound over time as models learn from feedback and operators build trust in the system.

Metric	Before (Current State)	After (AI-Assisted System)
Alerts Actioned	~30% of total alerts receive meaningful response	~60–80% of alerts prioritized and addressed
Resolution Time	48–72 hours from leak occurrence to repair	12–24 hours from detection to dispatch
Water Loss	30–40% non-revenue water typical	Target: 15–20% reduction in NRW
Field Efficiency	30% of time spent traveling vs working	15% of time traveling, 85% on-site work
Operator Trust	Low confidence in alert reliability	High confidence with 85%+ precision

*Estimates based on pilot assumptions and comparable infrastructure systems**

Key Insight

> The improvement comes from **better prioritization and faster execution** – not just detection. The system transforms raw sensor data into actionable intelligence and ensures that limited field resources address the highest-impact issues first. This shift from reactive firefighting to proactive management is where the real value emerges.

"Impact comes from better prioritization and faster execution – not just detection"

Made with GAMMA

Business Impact: Why This Gets Funded

Water loss is not just operational inefficiency – it is direct revenue leakage for cities. Reducing water loss directly translates into measurable financial savings for cities.

Baseline Assumptions (Mid-sized City)

- Water supplied: ~**500 million liters/day**
- Non-Revenue Water (NRW) loss: ~**35%**

Water lost daily: ~175 million liters

Impact of Our System

- Target: **20% reduction** in NRW
  (*Based on improved prioritization and faster resolution of high-severity leaks*)

Daily water saved: ~35 million liters

Converting to Financial Impact

- Assumed cost: **₹20 per 1,000 liters** (conservative)

Annual Savings:

≈ ₹25–30 crore

(~35M liters/day × ₹20 per 1,000L × 365 days)

Illustrative example based on typical mid-sized city assumptions.

Cost vs Payback

Estimated System Cost	Payback Period
₹5–8 crore	< 12 months

> Even modest improvements in leak resolution generate **3–5x ROI** within the first year.

Made with GAMMA

How Success Will Be Measured?

Tracking the right metrics ensures the system delivers sustained value while providing stakeholders with clear visibility into performance improvements. Primary metrics align with business outcomes, while secondary metrics reveal opportunities for continuous optimization.

Primary Metrics

Leakage Detection Time

Time from actual leak occurrence to validated alert in control room. Target: reduce from 48+ hours to under 24 hours. If detection time > 24 hrs → minor leaks escalate into high-severity failures, increasing repair cost and impact.

Resolution Time

Time from validated alert to completed repair. Target: reduce from 72 hours to 18-24 hours through optimized dispatching. If resolution time > 48 hrs → backlog builds and damage compounds.



NRW Reduction

Non-revenue water percentage decrease. Target: 15-20% reduction within first year of deployment across pilot zones. If NRW does not decrease → system is not driving real-world impact.

Secondary Metrics



Alert Precision

Percentage of generated alerts that represent actual leaks requiring action. Increase from ~30% to 85%+. If alert precision < 60% → operators lose trust and ignore alerts.



Field Productivity

More jobs completed per technician-day through route optimization and reduced false alarms. If productivity doesn't improve → prioritization is not translating into execution.



System Uptime

Continuous availability of detection and response platform. Critical infrastructure requires 99.5%+ uptime. If uptime drops → operators revert to manual processes.

These metrics should be tracked daily and reported weekly to stakeholders. Early wins in alert precision build operator trust, while sustained improvements in resolution time and NRW reduction demonstrate financial ROI to city administrators.

Made with GAMMA

Experiment: Does Prioritization Actually Work?

To validate the impact of our prioritization-first approach, we propose a controlled experiment designed to directly compare outcomes in similar operational conditions.

Hypothesis:

> **Prioritized alerts** will significantly **reduce resolution time** and **improve operator trust** by focusing attention on high-impact issues, which in turn results in **less water loss** and **higher operator engagement**.

Expected Outcome

- 30–40% reduction in resolution time for high-severity leaks
- Increase in % of critical leaks fixed within 24 hours
- Higher operator engagement and trust in the system

If these improvements are not observed, it suggests prioritization alone is insufficient and detection accuracy becomes the next bottleneck. In that case, we pivot to improving detection precision before scaling prioritization.

Evaluation Timeline: We evaluate impact within 4 weeks of rollout. If resolution time and operator trust do not improve, we pivot to improving detection precision. Early signals (engagement) are leading indicators before outcome metrics improve.

Experiment Design:

Group A (Control)

Operators receive and process a stream of alerts in a **randomized, non-prioritized order**, simulating the current operational workflow.

- All incoming alerts treated equally
- No system-driven triage

Group B (Treatment)

Operators are presented with a curated list of **top 10 prioritized alerts** based on severity, location criticality, and potential water loss.

- Focus on high-impact issues first
- System recommends prioritized actions

We expect Group B to resolve fewer alerts overall, but more high-severity leaks.

Key Metrics to Measure:

Success is defined not by number of alerts processed, but by impact of alerts resolved.

- **Resolution Time:** Average time from alert detection to repair completion for high-severity leaks.
- **% High-Severity Leaks Fixed:** Proportion of critical leaks addressed within a target timeframe (e.g., 24 hours).
- **Operator Engagement:** Surveys and system usage data to assess operator trust, satisfaction, and proactive use of prioritization features.
- **Non-Revenue Water (NRW) Reduction:** Impact on overall water loss within the experimental zones.

Made with GAMMA

Real-World Constraints - Why This System Is Hard to Get Right

These constraints informed our trade-offs and MVP decisions. We are not optimizing in isolation – these real-world limitations shape what we build first.

Key Trade-offs

False Positives vs. Missed Leaks

Setting detection sensitivity too high generates excessive false alarms that erode operator trust. Setting it too low misses small leaks that compound into major failures. The optimal balance shifts as operators provide feedback, requiring an adaptive model that learns from human input.
Decision: This is why we prioritize precision first to rebuild trust.

Model Accuracy vs. Operator Trust

Even 90% accurate models frustrate operators when they generate 10% false alerts daily. Building trust requires not just accuracy but explainability – operators need to understand why the system flagged an anomaly to accept its recommendations.
Decision: This drives our human-in-the-loop approach instead of full automation.

Automation vs. Human Control

Full automation risks catastrophic errors when models encounter unseen conditions. Complete manual control defeats the purpose of AI assistance. The right balance provides automated recommendations while requiring human validation for critical decisions.
Decision: We avoid full automation in early stages to prevent high-risk failures.

Implementation Risks

Sensor Failures & Data Gaps

Aging infrastructure means sensors frequently fail, lose connectivity, or drift out of calibration. The system must handle missing data gracefully and flag sensor issues for maintenance rather than treating them as leaks.
→ System must flag sensor reliability issues separately from leak detection.

Low Adoption by Operators

Control room staff may resist new systems that change established workflows or appear to second-guess their expertise. Change management through training, pilot programs, and operator feedback loops is essential for successful adoption.
→ MVP focuses on building trust before adding complexity.

Field Capacity Constraints

Even with perfect detection and prioritization, limited technician availability caps improvement. The system may identify more leaks than can be fixed immediately, requiring smart queuing and escalation protocols for critical issues.
→ Prioritization ensures limited resources focus on highest-impact issues.

"Most systems fail not due to technology – but because they ignore trust, adoption, and operational constraints"

Made with GAMMA

Phased Rollout Strategy - How This Gets Built (and De-risked)

A phased approach minimizes risk while building stakeholder confidence. Starting with a limited pilot zone allows the team to validate assumptions, refine models with real data, and demonstrate measurable value before scaling investment.

Phase 1: MVP (Months 1–3)

Scope: Deploy in one city zone with 50–100 sensors
Technology: Basic anomaly detection using pressure and flow data only
Goals: Validate prioritization impact and build operator trust, establish operator feedback loop, validate data integration
Success Criteria: 70%+ alert precision, operator buy-in, stable system uptime

1

2

Phase 2: Enhancement (Months 4–6)

Scope: Expand to 2–3 additional zones, integrate acoustic sensors
Technology: Improved ML models with historical learning, smart prioritization engine
Goals: Reduce false positives to 85%+, demonstrate field optimization value
Success Criteria: 25% reduction in resolution time, measurable NRW improvement

3

Phase 3: Scale & Optimization (Months 7–12)

Scope: City-wide deployment, full sensor network integration
Technology: Advanced routing algorithms, predictive maintenance features, full automation
Goals: Achieve 15–20% NRW reduction, optimize technician fleet utilization
Success Criteria: Sustained performance metrics, documented ROI for expansion

Decision Gate: Move to Phase 2 ONLY if

- Alert precision ≥ 70%
- Operators actively use prioritization (early trust signal)
- System uptime is stable

Decision Gate: Move to Phase 3 ONLY if

- Resolution time ↓ by at least 20–25%
- High-severity leaks fixed within SLA (e.g., 24 hrs)
- Measurable NRW reduction observed

Progression between phases depends on:

- Operator trust (measured via engagement & usage)
- Alert precision (accuracy of prioritization)
- Resolution time improvement (real-world impact)

Progression between phases is gated by measurable impact, not timelines.

Key Principle: We scale only after proving impact – not before. Each phase should deliver measurable improvements while building toward the complete vision. This approach minimizes financial risk and provides clear decision points for continuing investment.

Made with GAMMA