



SRM VALLIAMMAI ENGINEERING COLLEGE

(An Autonomous Institution)

SRM Nagar, Kattankulathur-603203.



DEPARTMENT OF COMPUTER APPLICATIONS

LAB MANUAL

**MC4166 DATABASE TECHNOLOGIES
LABORATORY**

ACADEMIC YEAR 2024-2025

(ODD SEMESTER)

FIRST SEMESTER

Prepared By

Mr. M. Asan Nainar, Asst.Prof, (Sel.G) / MCA

INDEX

E.No.	Experiment Name	Page. No.
a	Syllabus	3
b	Software & Hardware involved in lab	4
c	PE0,PO,PSO, CO, CO-PO Matrix	5
d	Mode of Assessment	7
1.	NOSQL Exercises. A. MongoDB B. Cassandra C. HIVE D. OrientDB	8
2	MySQL Database Creation, Table Creation,Query .	23
3	MySQL Replication –Distributed Database	28
4	Spatial data storage and retrieval in MySQL	34
5	Temporal data storage and retrieval in MySQL	38
6	Object storage and retrieval in MySQL	44
7	XML Databases , XML table creation, XQuery	47
8	Mobile Database Query Processing using open source DB (MongoDB)	50
Lab Viva Questions		54
Topic Beyond Syllabus		
Study of PHP with MySQL		56

MC4166

DATABASE TECHNOLOGIES LABORATORY

L T P C

0 0 4 2

COURSE OBJECTIVES:

- To understand the process of distributing tables across multiple systems
- To understand the process of storing, retrieving spatial and temporal data
- To understand the process of storing, retrieving objects in a database
- To understand the process of storing and retrieving data from a XML Database
- To use the open source database for building a mobile application

LIST OF EXPERIMENTS:

1. NOSQL Exercises
 - a. MongoDB – CRUD operations, Indexing, Sharding
 - b. Cassandra: Table Operations, CRUD Operations, CQL Types
 - c. HIVE: Data types, Database Operations, Partitioning – HiveQL
 - d. OrientDB Graph database – OrientDB Features
2. MySQL Database Creation, Table Creation, Query
3. MySQL Replication – Distributed Databases
4. Spatial data storage and retrieval in MySQL
5. Temporal data storage and retrieval in MySQL
6. Object storage and retrieval in MySQL
7. XML Databases , XML table creation, XQuery FLWOR expression
8. Mobile Database Query Processing using open source DB (MongoDB/MySQL etc)

TOTAL: 60 PERIODS

LAB EQUIPMENT FOR A BATCH OF 30 STUDENTS:**SOFTWARE REQUIREMENTS**

1. Java / Python / R / Scala
2. Oracle, MySQL, MongoDB, Casandra, Hive

COURSE OUTCOMES:

On completion of the course, the student will be able to:

CO1: *Design and implement advanced databases.*

CO2: *Use big data frameworks and tools.*

CO3: *Formulate complex queries using SQL.*

CO4: *Create an XML document and perform Xquery.*

CO5: *Query processing in Mobile databases using open source tools.*

PROGRAMME EDUCATIONAL COURSE OBJECTIVES (PEOs):

1. To prepare students with a breadth of knowledge to comprehend, analyze, design, and create computing solutions to real-life problems and to excel in industry / technical profession.
2. To provide students with a solid foundation in mathematical and computing fundamentals and techniques required to solve technology-related problems and to pursue higher studies and research.
3. To inculcate a professional and ethical attitude in students, to enable them to work towards a broad social context.
4. To empower students with skills required to work as members and leaders in multidisciplinary teams and with continuous learning ability on technology and trends needed for a successful career.

PROGRAM OUTCOMES (POs) MASTER'S IN COMPUTER APPLICATIONS GRADUATES WILL BE ABLE TO:

PO#	PROGRAMME COURSE OUTCOMES
1.	An ability to independently carry out research/investigation and development work to solve practical problems.
2.	An ability to write and present a substantial technical report/document.
3.	An ability to demonstrate a degree of mastery over the design and development of computer applications.
4.	An ability to create, select, adapt and apply appropriate innovative techniques, resources, and modern computing tools to complex computing activities with an understanding of the limitations.
5.	An ability to recognize the need and to engage in independent learning for continual development as a computing professional.
6.	An ability to function effectively as an individual and as a member/leader of a team in various technical environments.

PROGRAM SPECIFIC OUTCOMES (PSOs):

- 1) **Database Administrator:** Responsible for planning, design and development of database applications including installing, configuring, upgrading, monitoring, maintaining and security of databases in an organization.
- 2) **Developer/Programmer:** Design and develop and software solutions for modern business environments with the help of advanced computing technologies and programming tools.
- 3) **Network Administrator:** Design, plan and setting up the network that is helpful in contemporary business environments.
- 4) **Software Engineer/Tester:** Planning, defining test activities and preparing test cases that can identify errors using predefined procedures and ensure that the product maintains quality.

COURSE OUTCOMES:**Course Name:****MC4166&DTL****Lab Year of Study:2024-2025**

MC4166.1	Use distributing tables across multiple systems.
MC4166.2	Storing, retrieving spatial and temporal data
MC4166.3	Storing, retrieving objects in a database
MC4166.4	Implement storing and retrieving data from a XML Database
MC4166.5	Design the open-source database for building a mobile application

CO- PO MATRIX

CO	POs					
	PO1	PO2	PO3	PO4	PO5	PO6
1	2	1	2	2	2	2
2	2	1	2	2	2	2
3	2	1	2	2	2	2
4	2	1	2	2	2	2
5	2	1	2	2	2	2
Avg	2	1	2	2	2	2

INTERNAL ASSESSMENT FOR LABORATORY

S.No	Description	Mark
1.	Evaluation of Laboratory Observation and Record	75
2.	Model Test	25

Ex.No:01	NOSQL Commands using MONGO DB,CASSANDRA,HIVE,ORIENTDB
-----------------	--

A) MONGODB

AIM:

To write NOSQL QUERIES to understand the concept of Open Source Database Management System such as Mongo DB.

PROCEDURE:

Step 1: Start the MongoDB Server (Mongos).

Step 2: Start the Client (Mongod)

Step 3: Perform the MongoDB Curd Operations such as (Create, Update, Read, Delete). Syntax: To Create/Select a Collection: USE DATABASE_NAME.

Syntax: To Insert: DB.COLLECTION_NAME.INSERT(DOCUMENT).

Syntax: To Update: DB.COLLECTION_NAME.UPDATE(<FILTER>, <UPDATE>)

Syntax: To Display/Search: DB.COLLECTION_NAME.FIND ()

Syntax: To Delete: DB.COLLECTION_NAME.REMOVE (DELETION_CRITERIA)

Step 4: Perform the MongoDB Indexing Operations is used to improve the speed of search

operations instead of searching the whole document.

Syntax: To Create Index: DB.COLLECTION_NAME.CREATE_INDEX({FIELD : VALUE })

Step 5: Perform the MongoDB Sharding Operations

Syntax TO SHARDING DB.COLLECTION_NAME.GETSHARDDISTRIBUTION()

Step 6: Perform the Deployment Operation in MongoDB

Syntax To Deployment: RS.INITIATE() to connect the other Replica machines.

QUERIES WITH EXECUTION:

Create:

```
> use vysya;
switched to db vysya
```

Insert:

```
> db.vysya.insert({
  course: "ADT",
  details: {
    lab: "6 months",
    Trainer: "Natarajan"
  },
  category: "Programming language"
})
WriteResult({ "nInserted" : 1 })
```

Update:

```
> db.vysya.update({'course':'ADT'},{$set: {'course':'Advance DataBase Technology'}})
WriteResult({ "nMatched" : 1, "nUpserted" : 0, "nModified" : 1 })
```

Find:

```
> db.vysya.find()
{
  "_id" : ObjectId("603fab366a8c1de1c3b4b7a1"),
  "course" : "Advance DataBase Technology",
  "details" : {
    "lab" : "6 months",
    "Trainer" : "Natarajan"
  },
  "category" : "Programming language"
}
```

Delete:

```
> db.vysya.remove({ })
WriteResult({ "nRemoved" : 1 })
```

Indexing:

```
> db.vysya.createIndex({regNo : 1})
{
  "createdCollectionAutomatically" : false,
  "numIndexesBefore" : 1,
  "numIndexesAfter" : 2,
  "ok" : 1
}
```

Sharding:

```
> use vysya
switched to db vysya
> show collections
vysya
> db.createCollection("movie");
{ "ok" : 1 }
> db.createCollection("movie1");
{ "ok" : 1 }
> db.movie1.getShardDistribution()
Collection vysya.movie1 is not sharded.
> sh.enableSharding("vysya")
{ "ok" : 1 }
> sh.shardCollection("vysya.movie1", {"title":"Vis"})
{ "ok" : 1 }
> db.movie1.getShardDistribution()
Collection vysya.movie1 is sharded.
> sh.status()
Sharding Status
--- sharding version:
```

```

{
  "_id" : 1,
  "version" : 4,
  "minCompatibleVersion" : 4,
  "currentVersion" : 5,
  "clusterId" : ObjectId("536c30b36eaf84a8336da659")
}
shards:
{ "_id" : "shard0000", "host" : "Natz:27000" }
{ "_id" : "shard0001", "host" : "Natz:27001" }
databases:
{
  "id" : "admin",
  "partitioned" : false,
  "primary" : "config"
}
Deployment:
> rs.status();
{ "ok" : 0, "errmsg" : "not running with --replSet", "code" : 76, "codeName" :
"NoReplicationEnabled" }
> rs.initiate({
  _id: "rs0",
  members: [
    { _id: 0, host: "mongodb0:27017" },
    { _id: 1, host: "mongodb1:27017" },
    { _id: 2, host: "mongodb2:27017" }
  ]
})
> exit
> mongo mongodb://mongodb0:27017,mongodb1:27017,mongodb2:27017
> mongo 'mongodb://mongodb0,mongodb1,mongodb2/?replicaSet=rs0'
> rs.printReplicationInfo()

```

RESULT:

Thus the above Mongo DB Queries has been executed successfully.

B) CASSANDRA

AIM:

To write NOSQL QUERIES to understand the concept of Open Source Database Management System such as CASSANDRA.

PROCEDURE:

Step 1: Start the CASSANDRA Server (Cassandra) using CMD.

Step 2: Start the Client (CQLSH.py) using CMD.

Step 3: Perform the Cassandra Table Operation, Curd Operation and CQL Types.

Cassandra Table Operations:

1. Create Key Space in Cassandra. CREATE KEYSPACE <identifier> WITH <properties>
2. To Create Cassandra Table, Using Create Command.
3. To Change the structure of the table, Using Alter Command.
4. To delete the existing table in Cassandra, Using Truncate Command.
5. To Insert the values in CQL, use insert command
6. The SELECT command is used to read data from Cassandra table
7. The UPDATE command is used to update the existing data in a Cassandra.
8. The DELETE command is used to delete data from Cassandra table

Step 4 : Close the command prompt

Step 5 : Stop the Server



QUERIES WITH EXECUTION:

Create KeySpace:

```
cqlsh> CREATE KEYSPACE vysya WITH replication = {'class': 'SimpleStrategy',
'replication_factor': 3};
```

```
cqlsh> describe keyspaces;
```

```
vysya1 system_auth system_distributed vysya system_schema system system_traces
```

```
cqlsh> use vysya;
```

Create Table:

```
cqlsh:vysya> CREATE TABLE VVT(Id int PRIMARY KEY, name text, city text, fees varint);
```

Alter Table:

```
cqlsh:vysya> ALTER TABLE VVT ADD email text;
```

View Table:

```
cqlsh:vysya> select * from vvt;
```

```
id | city | email | fees | name
```

```
----+-----+-----+-----+-----
```

```
cqlsh:vysya> ALTER TABLE VVT DROP email;
```

```
cqlsh:vysya> select * from vvt;
```

```
id | city | fees | name
```

```
----+-----+-----+
```

Truncate Data:

```
cqlsh:vysya> TRUNCATE VVT;
```

```
cqlsh:vysya> INSERT INTO VVT(Id, fees, name, city) VALUES(1, 5000, 'Natarajan S',
'Namakkal');
```

```
cqlsh:vysya> select * from vvt;
```

```
id | city | fees | name
```

```
-----+-----+-----+-----
```

```
1 | Namakkal | 5000 | Natarajan S
```

Update Data:

```
cqlsh:vysya> UPDATE VVT SET fees = 500, name = 'Natarajan S' WHERE id = 1;
```

```
cqlsh:vysya> select * from vvt;
```

```
id | city | fees | name
```

```
-----+-----+-----+-----
```

```
1 | Namakkal | 500 | Natarajan S
```

```
2 | Aathur | 5000 | Rahul
```

```
3 | Salem | 5000 | Partha
```

Delete Data:

```
cqlsh:vysya> DELETE FROM VVT WHERE id = 3;
```

```
cqlsh:vysya> select * from vvt;
```

```
id | city | fees | name
```

```
-----+-----+-----+-----
```

```
1 | Namakkal | 500 | Natarajan S
```

```
2 | Aathur | 5000 | Rahul
```

Drop Table:

```
cqlsh:vysya> describe columnfamilies vvt
```

```
cqlsh:vysya> DROP TABLE VVT;
```

```
cqlsh:vysya> describe columnfamilies
```

```
<empty>
```

RESULT:

Thus the above Hive Queries has been executed successfully

C) HIVE:

AIM:

To write NOSQL QUERIES to understand the concept of Open Source Database Management System such as HIVE.

PROCEDURE:

- Step 1: Start the Hadoop Cluster from sbin Folder (Run start-dfs, start-yarn).
- Step 2: Start the derby node using the command(StartNetworkServer -h 0.0.0.0)
- Step 3: Then Start the Hive.(Hive command)
- Step 4: Hive data types are categorized in numeric types, string types, misc types, and complex types.
- Step 5: Syntax to Create a Database.first we have to check weather the DB is Already Exist or Not for that
show database;
- Step 6: if Not Exist Create Database Database_Name;
- Step 7: Perform Some Table Operations in Hive such as Create, Alter, Drop Table.
- Step 8: Finally Partitioning the Hive

QUERIES WITH EXECUTION:

```
hive> show databases;
```

```
OK
```

```
Default
```

```
Time taken: 0.271 seconds, Fetched: 1 row(s)
```

```
hive> create database demo;
```

```
OK
```

```
Time taken: 0.215 seconds
```

```
hive> create database if not exists demo;
```

```
OK
```

```
Time taken: 0.107 seconds
```

```
hive> create database demo WITH DBPROPERTIES('creator' = 'Natz', 'date' = '2019-06-03');
```

```
OK
```

```
Time taken: 2.389 seconds
```

```
hive> create table demo.employee (Id int, Name string, Salary float);
```

```
OK
```

```
Time taken: 0.461 seconds
```

```
hive> select * from demo.employee;
```

```
OK
```

```
1 "NATARAJAN S" 30000.0
```

```
2 "SUNDAR S" 40000.0
```

```
3 "SURESH C" 50000.0
```

```
4 "MUNISH" 90000.0
```



```
hive> describe demo.employee;
OK
id      int
Name    string
Salary  float
Time taken: 0.215 seconds
hive> alter table employee rename to employee_data;
OK
Time taken: 6.06 seconds
hive> describe employee_data;
OK
id      int
Name    string
Salary  float
Time taken: 0.275 seconds
hive> show tables;
OK
Employee
Employee_data
Time taken: 0.098 seconds, Fetched: 2 row(s)
hive> alter table employee_data add columns (age int);
OK
Time taken: 0.275 seconds
hive> show tables;
OK
employee
employee_data
Time taken: 0.098 seconds, Fetched: 2 row(s)

hive> drop table new_employee;
OK
```

Time taken: 17.5 seconds

hive> show tables;

OK

emp

employee

Time taken: 0.098 seconds

hive> drop database demo;

OK

Time taken: 2.354 seconds

hive> use test;

hive> create table student (id int, name string, age int, institute string) partitioned by (course string);

OK

Time taken: 3.054 seconds

hive> describe student;

OK

id int

name string

age int

institute string

course string

Time taken: 1.054 seconds, Fetched: 10 row(s)

hive> use show;

hive> set hive.exec.dynamic.partition=true;

hive> set hive.exec.dynamic.partition.mode=nonstrict;

hive> create table stud_demo(id int, name string, age int, institute string, course string);

OK

hive> load data local inpath 'd:/student_details' into table stud_demo;

Loading data to table show.stud_demo

Table show.stud_demo status: [numFiles=1, totalSize=152]

hive> insert into student_part partition(course) select id, name, age, institute, course from stud_demo;

Job ID = codegyani_20190801062015_d7649030 -£370 -47a2 -a86d -ff402d3e7de7

Total jobs = 3

Number of reduce tasks is set to 0 since there's no reduce operator

Starting Job = job_1555046592674_0017, Tracking URL =

http://ubuntu64server:8088/proxy/application_1555046592674_0017/

Command = /home/codegyani/hadoop-2.7.1/bin/hadoop job -kill
job_1555046592674_0017

MapReduce Job Information:

- Stage-1: number of mappers: 1, number of reducers: 0
- 2019-08-01 06:21:50,531 Stage-1 map = 0%, reduce = 0%
- 2019-08-01 06:22:51,598 Stage-1 map = 0%, reduce = 0%
- 2019-08-01 06:23:06,456 Stage-1 map = 100%, reduce = 0%, Cumulative CCU time: 10 seconds 30 cosec
- Ended Job = job_1555046592674_001

RESULT:

Thus the above Hive Queries has been executed successfully

D) ORIENTDB:**AIM:**

To write NOSQL QUERIES to understand the concept of Open Source Database Management System such as OrientDB Graph.

PROCEDURE:

Step1: Start the Server form the Orientdb Bin folder.

Step2: Use the respective url <http://192.168.43.111:2480/studio/index.html> to login to OrientDb browser.

Step3: Choose the Database and enter the username and password for the OrientDB Server.

Step4: In the Menu choose the Graph Tab.


Step5: Create a Class, Node, Edges and Insert the fields Finally connect the graph display the output.

Step6: Logout from the Browser.

Step7: Stop the Server

QUERIES WITH EXECUTION:

```
create class vysya extends v
create vertex vysya set name='ahmed',class='I_MCA'
create vertex vysya set name='bala',class='I_MCA'
create vertex vysya set name='partha',class='I_MCA'
create vertex vysya set name='praveen',class='I_MCA'
create vertex vysya set name='tamil',class='I_MCA'
create vertex vysya set name='ragul',class='I_MCA'
create edge from #43:0 to #44:0
create edge from #43:0 to #45:0
create edge from #46:0 to #46:0
create edge from #43:1 to #44:0
create edge from #44:1 to #45:0
select *from vysya;
```

OUTPUT:**RESULT:**

Thus the above Orient DB Queries has been executed successfully.

Ex.No:02**Database and Table Creation in MYSQL****AIM:**

To write a Query for MySQL Database Creation, Table Creation and Some other Queries Execution.

PROCEDURE:

Step 1: Start the MYSQL Server.

Step 2: Open MySQL Command Line Client

Step 3: Write and Execute Queries for Database Creation

Step 4: Write and Execute Queries for Table Creation

Step 5: Verify with Show Command to Check whether the Database and Table Created.

Step 6: Do some other Queries Execution like insert, update, delete a record.

Step7: Close MySQL Command Line Client

Step 8: Stop the MYSQL Server.



QUERIES WITH EXECUTION:

```
mysql> SHOW DATABASES;
```

```
+-----+
| Database      |
+-----+
| information_schema |
| mysql         |
| test          |
+-----+
```

```
3 rows in set (0.00 sec)
```

```
mysql> CREATE DATABASE Vysya;
```

```
Query OK, 1 row affected (0.00 sec)
```

```
mysql> USE Vysya;
```

```
Database changed
```

```
mysql> CREATE TABLE MCA(
    id int NOT NULL AUTO_INCREMENT,
    name varchar(45) NOT NULL,
    Dept varchar(35) NOT NULL,
    age int NOT NULL,
    PRIMARY KEY (id)
);
```

```
Query OK, 0 rows affected (0.01 sec)
```

```
mysql> SHOW TABLES;
```

```
+-----+
| Tables_in_vysya |
+-----+
| mca              |
```



```
+-----+
```

```
1 row in set (0.00 sec)
```

```
mysql> DESCRIBE mca;
```

```
+-----+-----+-----+-----+-----+
```

```
| Field | Type      | Null | Key | Default | Extra      |
```

```
+-----+-----+-----+-----+-----+
```

```
| id   | int(11)   | NO   | PRI | NULL    | auto_increment |
```

```
| name | varchar(45) | NO   |     | NULL    |                |
```

```
| Dept | varchar(35) | NO   |     | NULL    |                |
```

```
| age  | int(11)    | NO   |     | NULL    |                |
```

```
+-----+-----+-----+-----+-----+
```

```
4 rows in set (0.01 sec)
```

```
mysql> ALTER TABLE MCA ADD Coll varchar(40) NOT NULL;
```

```
Query OK, 0 rows affected (0.02 sec)
```

```
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> INSERT INTO mca VALUES (102, 'Natarajan', 'cs', 30, 'vysya');
```

```
Query OK, 1 row affected (0.01 sec)
```

```
mysql> INSERT INTO mca VALUES (101, 'Munish', 'cs', 32, 'vysya');
```

```
Query OK, 1 row affected (0.01 sec)
```

```
mysql> SELECT * FROM mca;
```

```
+-----+-----+-----+-----+-----+
```

```
| id | name   | Dept | age | Coll |
```

```
+-----+-----+-----+-----+-----+
```

```
| 101 | Munish | cs   | 32  | vysya |
```

```
| 102 | Natarajan | cs   | 30  | vysya |
```

```
+-----+-----+-----+-----+-----+
```

```
2 rows in set (0.00 sec)
```

```
mysql> UPDATE MCA SET name = 'Munish', age = 36 WHERE id = 102;
```

```
Query OK, 1 row affected (0.01 sec)
```

```
Rows matched: 1  Changed: 1  Warnings: 0
```

```
mysql> SELECT * FROM MCA;
```

```
+-----+-----+-----+-----+
| id | name  | Dept | age | Coll |
+-----+-----+-----+-----+
| 101 | Munish | cs   | 32  | vysya |
| 102 | Munish | cs   | 36  | vysya |
+-----+-----+-----+-----+
```

```
2 rows in set (0.00 sec)
```

```
mysql> DELETE FROM MCA WHERE id=102;
```

```
Query OK, 1 row affected (0.01 sec)
```

```
mysql> DROP TABLE mca;
```

```
Query OK, 0 rows affected (0.00 sec)
```

```
mysql> SELECT * FROM MCA;
```

```
ERROR 1146 (42S02): Table 'vysya.mca' doesn't exist
```

```
mysql> CREATE DATABASE Vysya;
```

```
Query OK, 1 row affected (0.00 sec)
```

```
mysql> SHOW CREATE DATABASE Vysya;
```

```
+-----+-----+
| Database | Create Database |
+-----+-----+
| vysya   | CREATE DATABASE `vysya` |
+-----+-----+
```

```
1 row in set (0.00 sec)
```

```
mysql> SHOW DATABASES;
```

```
+-----+
| Database      |
+-----+
| information_schema |
| mysql          |
| test           |
| vysya          |
+-----+
4 rows in set (0.00 sec)
```

```
mysql> USE Vysya;
```

```
Database changed
```

```
mysql> DROP DATABASE Vysya;
```

```
Query OK, 0 rows affected (0.01 sec)
```

RESULT:

Thus the above MYSQL Queries has been executed successfully.

Ex.No:03	Distributed Database Replication in MYSQL
-----------------	--

AIM:

To apply MYSQL replication technique in Distributed database.

PROCEDURE:

Step 1: Software to be need to run this Replication

Java version 1.8 and above

MYSQL Server 8.05

WAMP Server

Step 2: Start the MYSQL Server and WAMP Server.

Step 3: Go to Browser in that type <http://127.0.0.1/> Wamp Server Page will open.

Step 4: In the bottom select tools PHPMyAdmin it will redirect to

<http://127.0.0.1/phpmyadmin/>

Step 5: Type User Name as „Root“ and Password „“ and hit enter

Step 6: Create a Database, Table in MYSQL using PHPMYADMIN page.

Step 7: Need 2 MYSQL server, each running as a copy of PHPMyAdmin


Step 8: Your primary Moodle Database is referred to as the “master”, the replicated server will be referred to

as the “slave”

Step 9: Take an SQL dump of your master database and restore it on your slave database


Step 10: Now, on your master database log in to PHPMyAdmin and click the Replication Tab

Replication Configuration:



Replication Step 1

1. Now click the link to configure this as the master server.
2. Select “Ignore all databases, replicate:”
3. Select your Moodle database from the available list (see below).




Replication Step 2

4. Copy and paste the code this screen provides into the very bottom of your MySQL config file (my.ini on Windows) AND add a line that says `binlog_format=ROW` (this fixes an error when running an external DB enrollment sync with replication).
5. Restart the MySQL services on the master server, leave PHPMysqlAdmin open though.
6. Once the service has restarted, click on “Go” on the PHPMysqlAdmin screen.
7. You will be redirected to the Replication screen which now looks like this.



Replication Step 3

8. Lastly, we need to create a replication user so click on the link that says “Add slave replication user.”
9. Create a user and password, set the host to “Any” and click “Go.”
10. On the privileges screen ensure the new user has both replication permissions checked and click “Go.”



Replication Step 4

11. That's all we need to do on the master server, now let's move over to the slave.
12. From within PHPMysqlAdmin on the slave, click the replication tab.
13. Then click the link to configure this server as slave replication.

14. Copy the line of code that shows your new server id and paste this entire line into the MySQL config file on your slave database server.
15. Stop and start your MySQL service on the slave server.
16. Now in PHPMysqlAdmin enter the username of the replication user you created in step 13.
17. Enter the password and the host (the hostname of the master server or its IP Address).
18. If your default port is not 3306 then change it, chances are it uses the default port.
19. Click "Go."

Slave configuration - Change or reconfigure master server

Make sure, you have unique server-id in your configuration file (my.cnf). If not, please add the following line into [mysqld] section:

```
server-id=1372932273
```

User name:

Password:

Host:

Port:

Replication Step 5

20. It then takes you back to the replication screen and appears as though it's not configured but it requires a refresh.
21. So refresh the page and you will see it's configured but not running.

Slave replication

Slave SQL Thread not running!


Slave IO Thread not running!

Server is configured as slave in a replication process. Would you like to:

- See slave status table
- Control slave:
- Error management:
- Change or reconfigure master server

Replication Step 6

22. Click “Control slave” then click “Full Start.”
23. PHPMyAdmin now sits there with a Loading window, after a while this will time out, if this happens or indeed after 5 minutes nothing happens then reload the replication page again (refresh it).
24. When the page reloads (either automatically or manually forced by you), you will see no error warnings and a message that says “Server is configured as slave.”
25. Now to check it’s working, click on the link that says “See slave status table.”



Variable	Value
Slave_IO_State	Waiting for master to send event
Master_Host	spacetest
Master_User	replicationuser
Master_Port	3306

Replication Step 7

26. If everything is working then you will see a message against `Slave_IO_State` that reads “Waiting for master to send event.”

Create database

Database name: latin1_swedish_ci

Database	Collation	Master replication	Action
<input type="checkbox"/> information_schema	utf8_general_ci	✗ Not replicated	<input type="button" value="Check privileges"/>
<input type="checkbox"/> mysql	latin1_swedish_ci	✗ Not replicated	<input type="button" value="Check privileges"/>
<input type="checkbox"/> performance_schema	utf8_general_ci	✗ Not replicated	<input type="button" value="Check privileges"/>
<input type="checkbox"/> rep	latin1_swedish_ci	✗ Not replicated	<input type="button" value="Check privileges"/>
<input type="checkbox"/> rep1	latin1_swedish_ci	✗ Not replicated	<input type="button" value="Check privileges"/>
<input type="checkbox"/> sys	utf8_general_ci	✗ Not replicated	<input type="button" value="Check privileges"/>
<input type="checkbox"/> vysya	utf8_general_ci	✓ Replicated	<input type="button" value="Check privileges"/>
Total: 7			

RESULT:

Thus the above program has been successfully executed

Ex.No:04**Temporal data storage and retrieval in MYSQL****AIM:**

To implement Partial data storage and retrieval in MYSQL.

PROCEDURE:

Step 1: Start the MYSQL Server.

Step 2: Create a Database.

Step 3: Create a table with spatial data type.

Step 4: Insert the spatial values in the table.

Step 5: Display the output using the select command

Step 6: In the output screen Select Form Editor output will be displayed.


QUERIES WITH EXECUTION:

```
CREATE TABLE `test` (`id` INT NOT NULL AUTO_INCREMENT,`geom` GEOMETRY
NULL,
PRIMARY KEY (`id`));
INSERT INTO `test` (`geom`)VALUES(st_geomfromtext
('polygon((0 0,0 3,3 0, 2 2,0 0),(1 1,1 2,2 1,2 2, 1 1))'));
```


```
select geom from test;
```

```
INSERT INTO `test` (`geom`)VALUES(st_geomfromtext
('POLYGON(((100 100,200 300,300 100, 100 100))', 0));
INSERT INTO `testw` (`geom`)VALUES(st_geomfromtext
(MULTILINESTRING('LINESTRING(0 0,1 1,2 2,3 3,4 4)')));
INSERT INTO `testw` (`geom`)VALUES(st_geomfromtext
('MULTILINESTRING((12 12, 22 22), (19 19, 32 18))'));
```

```
select geom from test;
```

OUTPUT:

SPATIAL VIEW:



RESULT:

Thus the above program for Partial data storage and retrieval in MYSQL executed successfully.

Ex.No:05**Temporal data storage and retrieval in MYSQL****AIM:**

To Create a Temporal data storage and retrieve that data in mysql.

PROCEDURE:

Step 1: Start the MYSQL Server.

Step 2: Create a Database.

Step 3: Create Two Tables with the name of Customers and Orders.

Step 4: Insert Some record in that tables.

Step 5: Create a Temporary Table by using the object we can create it

Step 6: Show the temporary table.

SRM

QUERIES WITH EXECUTION:

```
mysql> create table customer(Cust_id int PRIMARY KEY,cust_name text,city
text,occupation text);
```

```
Query OK, 0 rows affected (0.84 sec)
```

```
mysql> create table order1(order_id int PRIMARY KEY,prod_name text,price text);
```

```
Query OK, 0 rows affected (0.89 sec)
```

```
mysql> show tables;
```

```
+----- -+
| Tables_in_vvt |
```

```
+----- -+
| customer |
| mca |
| mcadet |
| order1 |
```

```
+----- -+
4 rows in set (0.10 sec)
```

```
mysql> insert into customer values(1001,'NATARAJAN S','RASIPURAM','ASST_PROF');
```

```
Query OK, 1 row affected (0.28 sec)
```

```
mysql> insert into customer values(1002,'SUNDAR','SALEM','ASST_PROF');
```

```
Query OK, 1 row affected (0.17 sec)
```

```
mysql> insert into customer values(1003,'SURESH','ATHUR','ASST_PROF');
```

```
Query OK, 1 row affected (0.14 sec)
```

```
mysql> insert into customer values(1004,'UDAY','SALEM','ASST_PROF');
```

```
Query OK, 1 row affected (0.34 sec)
```

```
mysql> insert into customer values(1005,'MUNIYASAMY','AIYOTHIYA','ASST_PROF');
```

```
Query OK, 1 row affected (0.09 sec)
```

```
mysql> SELECT * FROM CUSTOMER;
```

```

+-----+ -+ +- -+ -+
| Cust_id | cust_name | city | occupation |
+-----+ -+ +- -+ -+
| 1001 | NATARAJAN S | RASIPURAM | ASST_PROF |
| 1002 | SUNDAR | SALEM | ASST_PROF |
| 1003 | SURESH | ATHUR | ASST_PROF |
| 1004 | UDAY | SALEM | ASST_PROF |
| 1005 | MUNIYASAMY | AIYOTHIYA | ASST_PROF |

```

```

+-----+ -+ +- -+ -+

```

5 rows in set (0.00 sec)

```
mysql> insert into order1 values(1001,'LAPTOP','1000000');
```

Query OK, 1 row affected (0.14 sec)

```
mysql> insert into order1 values(1002,'MOBILE','10000');
```

Query

OK, 1 row affected (0.12 sec)

```
mysql> insert into order1 values(1003,'TV','15000');
```

Query OK, 1 row affected (0.08 sec)

```
mysql> insert into order1 values(1004,'RECHARGE','1500');
```

Query OK, 1 row affected (0.15 sec)

.

```
mysql> insert into order1 values(1005,'BAG','4500');
```

Query OK, 1 row affected (0.08 sec)




```
mysql> show tables;
```

```
+----- -+
| Tables_in_vvt |
+----- -+
| customer |
| mca |
| mcadet |
| order1 |
+----- -+
4 rows in set (0.00 sec)
```

```
mysql> DESCRIBE customer;
```

```
+----- -+ -+ -+ + + -+
| Field | Type | Null | Key | Default | Extra |
+----- -+ -+ -+ + + -+
| Cust_id | int | NO | PRI | NULL | |
| cust_name | text | YES | | NULL | |
| city | text | YES | | NULL | |
| occupation | text | YES | | NULL | |
+----- -+ -+ -+ + + -+
4 rows in set (0.00 sec)
```

```
mysql> DESCRIBE ORDER1;
```

```
+----- + + + +- +- +
| Field | Type | Null | Key | Default | Extra |
+----- + + + +- +- +
| order_id | int | NO | PRI | NULL | |
| prod_name | text | YES | | NULL | |
| price | text | YES | | NULL | |
+----- + + + +- +- +
```

3 rows in set (0.04 sec)

```
mysql> CREATE TEMPORARY TABLE temp_customers
```

```
-> SELECT c.cust_name, c.city, o.prod_name, o.price
```

```
-> FROM order1 o
```

```
-> INNER JOIN customer c ON c.cust_id = o.order_id
```

```
-> ORDER BY o.price DESC;
```

Query OK, 5 rows affected (0.11 sec)

Records: 5 Duplicates: 0 Warnings: 0

```
mysql> show tables;
```

```
+----- -+
```

```
| Tables_in_vvt |
```

```
+----- -+
```

```
| customer |
```

```
| mca |
```

```
| mcadet |
```

```
| order1 |
```

```
+----- -+
```

4 rows in set (0.07 sec)

```
mysql> select * from temp_customers;
```

```
+----- +- -+ + +
```

```
| cust_name | city | prod_name | price |
```

```
+----- +- -+ + +
```

```
| MUNIYASAMY | AIYOTHIYA | BAG | 4500 |
```

```
| SURESH | ATHUR | TV | 15000 |
```

```
| UDAY | SALEM | RECHARGE | 1500 |
```

```
| NATARAJAN S | RASIPURAM | LAPTOP | 1000000 |
```

```
| SUNDAR | SALEM | MOBILE | 10000 |
```

```
+----- +- -+ + +
```

```
5 rows in set (0.00 sec)
```

```
mysql>
```

RESULT:

Thus the above program Temporary data storage and retrieval has been executed successfully

Ex.No:06	Object storage and retrieval in MYSQL
-----------------	--

AIM:

To implement object storage and retrieval in MYSQL using Python programming language.

PROCEDURE:

Step 1: Start the SQL Server.

Step 2: Create a Database "vysya" and Table "mca" in MYSQL

Step 2: In Python import mysql.connector to connect MYSQL with Python

Step 4:

Step 3: Create an object in python and insert that object in table

Step 4: Execute the SQL query.


Step 5: Fetch records from the result.

Step 6: Show the table after you make any changes in the table.

PROGRAM:

```
import mysql.connector


mydb = mysql.connector.connect(
    host="localhost",
    user="root",
    password="Vysya@123",
    database="vysya"
)
mycursor = mydb.cursor()
sql = "INSERT INTO mca (Name, College) VALUES (%s, %s)"
val = ("Uday", "salem")
mycursor.execute(sql, val)
mydb.commit()
print(mycursor.rowcount, "record inserted.")
mycursor.execute("SELECT * FROM mca")
myresult = mycursor.fetchall()
for x in myresult:
    print(x)
```

OUTPUT:


```

Select C:\Python27\python.exe
(1, 'record inserted.')
(u'MUNIYASAMY', u'AIYOTHIYAPATTANAM')
(u'NATARAJAN', u'RASIPURAM')
(u'SUNDAR', u'SALEM')
(u'Partha', u'salem')
(u'Uday', u'salem')
>>>

```



```

mysql> select * from mca;
+-----+-----+
| Name      | College                |
+-----+-----+
| MUNIYASAMY | AIYOTHIYAPATTANAM      |
| NATARAJAN  | RASIPURAM              |
| SUNDAR     | SALEM                  |
| Partha     | salem                  |
+-----+-----+
4 rows in set (0.00 sec)

mysql> select * from mca;
+-----+-----+
| Name      | College                |
+-----+-----+
| MUNIYASAMY | AIYOTHIYAPATTANAM      |
| NATARAJAN  | RASIPURAM              |
| SUNDAR     | SALEM                  |
| Partha     | salem                  |
| Uday       | salem                  |
+-----+-----+
5 rows in set (0.26 sec)

```

RESULT:

Thus the program to implement object storage and retrieval in MYSQL using Python programming language has been executed successfully

Ex.No:07**XML DATABASE CREATION AND XQUERY FLWOR EXPRESSION****AIM:**

To Create a XML Databases in that create a XML Table and process the XQuery FLWOR Expressions.

PROCEDURE:

Step1: Create a XML Database in Notepad and save with an Extension filename.xml.

Step2: Open Notepad.

```
<?xml version="1.0" encoding="UTF-8"?>
<Test>
  <Name>Natarajan S</Name>
  <Dept>Computer Science</Dept>
  <College>Vysya College</College>
  <City>Salem</City>
</Test>
```

Step3: Create multiple records in a table.

Step4: Create a XML Table in that use XQuery FLWOR expression filter the record.

PROGRAM 1: (Book.xml)

```

<books>

  <book category="XML">

    <title lang="en">Learn XQuery in 24 hours</title>

    <author>Robert</author>

    <author>Peter</author>

    <college>Vysya</college>

    <year>2013</year>

    <price>50.00</price>

  </book>

  <book category="XML">

    <title lang="en">Learn XPath in 24 hours</title>

    <author>Jay Ban</author>

    <college>Vysya</college>

    <year>2010</year>

    <price>16.50</price>

  </book>

</books>

```

PROGRAM 2: (Book.xqy)

```
for $x in doc("books.xml")/books/book
```

```
where $x/price > 30
```

```
return string($x/title)
```


OUTPUT:

Learn .Net in 24 hours

Learn XQuery in 24 hour

RESULT:

Thus the above program has XML FLOWR Query has been executed successfully.

Ex.No:08**Mobile Database Query Processing using open source DB****Aim:**

To write a program for Mobile Database Query Processing using open source DB using MongoDB

PROCEDURE:

Step 1: Open Eclipse and Import Java ME SDK 3.0.

Step 2: In Device Management Manually install the Java ME SDK Files.

Step 3: Open a New File JAVAME MIDLET Project, Create a project Name and configure below Emulator name.

Step 4: To establish a connection between Java ME to Mongo DB Download the Jar file Mongo DB-driver-

3.2.2. Jar and Import to Project Library

Step 5: Import the Necessary header files.

Step 6: use MONGOCLIENT to establish connection between MONGODB SERVER TO JAVA ME.

Step 7: create Collection in Mongo DB Console.

Step 8: By using find () display all the records in collections.

Program:

```
package xyz;

import com.mongodb.MongoClient;
import com.mongodb.DB;
import com.mongodb.DBCollection;
import com.mongodb.DBCursor;
import javax.microedition.midlet.MIDlet;
import javax.microedition.lcdui.Display;
import javax.microedition.lcdui.TextBox;

public class Main extends MIDlet {

    private Display display;

    public void startApp() {
        display = Display.getDisplay(this);

        // Establish connection to MongoDB
        MongoClient mongoClient = new MongoClient("localhost", 27017);
        DB db = mongoClient.getDB("test");
        DBCollection collection = db.getCollection("SSSIT");

        // Query the collection
        DBCursor cursor = collection.find();
```

```
StringBuilder results = new StringBuilder();


// Display the records
while (cursor.hasNext()) {
    results.append(cursor.next().toString()).append("\n");
}

// Show results on the screen
    TextBox textBox = new TextBox("MongoDB Records", results.toString(), 1024,
    TextBox.NO_INPUT);
    display.setCurrent(textBox);
}

public void pauseApp() {
    // Not used
}

public void destroyApp(boolean unconditional) {
    // Clean up resources
    notifyDestroyed();
}
}
```

OUTPUT:



```
<terminated> abc [Java Application] C:\java\jdk-15.0.1\bin\javaw.exe (08-Mar-2021, 3:00:04 am - 3:00:06 am)
INFO: Monitor thread successfully connected to server with description ServerDescription{address=localhost:27017, type=STANDALONE, stat
Mar 08, 2021 3:00:08 AM com.mongodb.diagnostics.logging.JULLogger log
INFO: Opened connection [connectionId{localValue:2, serverValue:34}] to localhost:27017
{ "_id" : { "$oid" : "6044af0cd5d21a3936d6bb7" }, "name" : "natz" }
{ "_id" : { "$oid" : "6044bc419d5d21a3936d6bb0" }, "name" : "natanzan" }
```

Result:

Thus, the above program has been successfully executed.

DBT LAB VIVA QUESTIONS

1. What is database?
2. What is DBMS?
3. What is a Database system?
4. What are the advantages of DDBMS?
5. What is the disadvantage in File Processing System?
6. Describe the three levels of data abstraction?
7. Define the "integrity rules"?
8. What is extension and intension?
9. What is System R? What are its two major subsystems?
10. How is the data structure of System R different from the relational structure?
11. What is Data Independence?
12. What is a view? How it is related to data independence?
13. What is Data Model?
14. What is E-R model?
15. What is Object Oriented model?
16. Define Replication.
17. What is an Entity type?
18. What is an Entity set?
19. What is an Extension of entity type?
20. What is Weak Entity set?
21. What is an attribute?
22. What is a Relation Schema and a Relation?
23. What is degree of a Relation?
24. What is Temporal data storage?
25. What is Relationship set?
26. What is Relationship type?
27. What is degree of Relationship type?
28. What is DDL (Data Definition Language)?
29. What is VDL (View Definition Language)?
30. What is SDL (Storage Definition Language)?
31. What is Data Storage - Definition Language?
32. What is DML (Data Manipulation Language)?
33. What is DML Compiler?
34. How Object storage and retrieval in MySQL?
35. What is DDL Interpreter?
36. What is XML Databases?
37. What is Set-at-a-time or Set-oriented?
38. What is HIVE?
39. What is Spatial DB?
40. How does Tuple-oriented relational calculus differ from domain-oriented relational calculus?
41. What is Mobile Database Query Processing?
42. What is Functional Dependency?
43. What is Lossless join property?

44. What is 1 NF (Normal Form)?
45. What is Fully Functional dependency?
46. What is 2NF?
47. What is 3NF?
48. What is BCNF (Boyce-Codd Normal Form)?
49. What is 4NF?
50. What is 5NF?
51. What is Domain-Key Normal Form?
52. What are partial, alternate, artificial, compound and natural key?
53. What is indexing and what are the different kinds of indexing?
54. What is system catalog or catalog relation? How is better known as?
55. What is meant by query optimization?
56. What is durability in DBMS?
57. What do you mean by atomicity and aggregation?
58. What is a Phantom Deadlock?
59. What is a checkpoint and When does it occur?
60. What are the different phases of transaction?
61. What do you mean by flat file database?
62. What is "transparent DBMS"?
63. What is a query?
64. What do you mean by Correlated subquery?
65. What are the primitive operations common to all record management systems?
66. Name the buffer in which all the commands that are typed in are stored?
67. What are the unary operations in Relational Algebra?
68. Are the resulting relations of PRODUCT and JOIN operation the same?
69. What is RDBMS KERNEL?
70. Name the sub-systems of a RDBMS.
71. Which part of the RDBMS takes care of the data dictionary? How?
72. What is the job of the information stored in data-dictionary?
73. How do you communicate with an RDBMS?
74. Define SQL and state the differences between SQL and other conventional programming Languages.
75. Name the three major set of files on disk that compose a database in Oracle.
76. What is database Trigger?
77. What are stored-procedures? And what are the advantages of using them?
78. What is Storage Manager?
79. What is Buffer Manager?
80. What is Transaction Manager?
81. What is File Manager?
82. What is Authorization and Integrity manager?
83. What are stand-alone procedures?
84. What are cursors give different types of cursors?
85. What is cold backup and hot backup (in case of Oracle)?
86. What is meant by Proactive, Retroactive and Simultaneous Update.

TBS: STUDY OF PHP with MySQL

Aim To study the basic concepts of PHP with MySQL.

PHP with MySQL

Description

With PHP, you can connect to and manipulate databases.

MySQL is the most popular database system used with PHP.

MySQL is an open-source relational database management system (RDBMS). It is the most popular database system used with PHP. MySQL is developed, distributed, and supported by Oracle Corporation.

- The data in a MySQL database are stored in tables which consists of columns and rows.
- MySQL is a database system that runs on a server.
- MySQL is ideal for both small and large applications.
- MySQL is very fast, reliable, and easy to use database system. It uses standard SQL
- MySQL compiles on a number of platforms.

There are three ways of working with MySQL and PHP

1. MySQLi (object-oriented)
2. MySQLi (procedural)
3. PDO

CODE

Let's create a simple web application step by step and understand the basic building blocks of PHP with Mysql.

1. First, create an HTML document with <head> and <body> elements, as show below.

```
<html>
```

```
<body>
```

```
<?php
```

```
$dbc=mysql_connect('localhost','root','') or die(mysql_error());
```

```
mysql_select_db('bookstock') or die(mysql_error());
```



```

$name=$_POST['booktitle'];

if($name=="")

echo "Enter book name!";

else

{

$var=mysql_query("SELECT * FROM books WHERE btitle='$name'") or die(mysql_error());

$arr=mysql_fetch_array($var);

if($arr[0]!="")

{

echo "<table border size=2>";

echo"<tr><th>Accession
No.</th><th>Title</th><th>Authors</th><th>Edition</th><th>Publisher</th></tr>";

do

{

echo"<tr><td>$arr[0]<?td><td>$arr[1]</td><td>$arr[2]</td><td>$arr[3]</td><td>$arr[4]</td></tr>
>";

}

while($arr=mysql_fetch_array($var));

echo "</table>";

}

else

echo "No match found";

}

mysql_close($dbc);

}

?>

```

```
<FORM ACTION="booksearch.php" METHOD="POST">
```

```
<h3>Search based on Title</h3>
```

```
Enter title :<INPUT TYPE="text" NAME="booktitle">
```

```
<INPUT TYPE="submit" value="Search">
```

```
</FORM>
```

```
</body>
```

```
</html>
```

2. Include booksearch.php file FORM section

3.RUN the application in web browser or web server;

Explanation: We can create an instance of the **mysqli** class providing all the necessary details required to establish the connection such as host, username, password etc. If the instance is created successfully then the connection is successful otherwise there is some error in establishing connection.

Result

Thus the study of PHP with MySQL was executed successfully.

