

# VrindaaCorp Services — Master Access Vault & Credentials Register

**Confidential & Proprietary • Final Client Handover Document**

System: VrindaaCorp Enterprise CRM & Autonomous Outreach Infrastructure

Handover Date: September 2026 • Document Version: 1.0 (Production Release)

## 1. System Overview & Asset Metadata

| Parameter                   | Specification Details                                                   |
|-----------------------------|-------------------------------------------------------------------------|
| Client Legal Name           | VrindaaCorp / VrindaaCorp Services                                      |
| Public Web Portal           | <a href="https://www.vrindaacorp.com">https://www.vrindaacorp.com</a>   |
| Enterprise CRM Portal       | <a href="https://vrindaacorp-crm.tech">https://vrindaacorp-crm.tech</a> |
| Primary Production VPS      | Hostinger KVM 8 ( <code>srv1967428.hstgr.cloud</code> )                 |
| Static IPv4 Address         | <code>200.234.47.7</code>                                               |
| Data Center Location        | India – Mumbai 2                                                        |
| Operating System            | Ubuntu 24.04 / 26.04 LTS (64-bit Linux)                                 |
| Hardware Specification      | 8 vCPU Cores, 32 GB RAM, 400 GB NVMe Storage, 32 TB Monthly Bandwidth   |
| Hosting Contract Expiration | <b>2027-09-09</b> (Fully prepaid 3-year term)                           |
| Warranty & Support          | 30-Day Engineering Bug-Fix Warranty included from handover date         |

## 2. Infrastructure & Server Access Register

### 2.1 SSH / Terminal Access (Root Level)

**[WARNING]:** Root access grants unrestricted control over the production filesystem, database, and process manager. Never distribute these credentials over unsecured channels.

| Attribute           | Value / Configuration                                  |
|---------------------|--------------------------------------------------------|
| SSH Host / IP       | 200.234.47.7 ( srv1967428.hstgr.cloud )                |
| SSH Port            | 22 (Standard OpenSSH)                                  |
| Default User        | root                                                   |
| Authentication Type | Password / Public-Key Supported                        |
| Root Password       | Agarwal@#2026                                          |
| SSH Connect Command | ssh root@200.234.47.7                                  |
| Web Server Root     | /var/www/crm (Production CRM Next.js application)      |
| Landing Page Root   | /var/www/landing (Public Marketing Portal)             |
| Evolution API Root  | /var/www/evolution-api (WhatsApp Gateway Docker stack) |

## 2.2 Process Manager (PM2) Services on Server

All core application services are managed via **PM2** under `root`, configured with automatic process resurrection on system reboots:

| PM2 ID | App Name        | Mode    | Port / Binding | Internal Path    | Purpose                                  |
|--------|-----------------|---------|----------------|------------------|------------------------------------------|
| 0      | vrindaa-web     | cluster | 127.0.0.1:3000 | /var/www/crm     | Next.js 14 Web Application & API         |
| 2      | vrindaa-web     | cluster | 127.0.0.1:3000 | /var/www/crm     | Next.js Worker Thread (Cluster Instance) |
| 1      | vrindaa-worker  | fork    | Background     | /var/www/crm     | Email Dispatcher, IMAP Poller, Briefings |
| 3      | vrindaa-landing | fork    | 127.0.0.1:3001 | /var/www/landing | Public Corporate Web Portal              |

## 3. Domains, DNS & SSL Certificates

### 3.1 Domain Ownership & Registrars

| Domain               | Registrar | Primary Nameservers                        | SSL Certificate                               |
|----------------------|-----------|--------------------------------------------|-----------------------------------------------|
| vrindaacorp.com      | BigRock   | Custom / Cloudflare / BigRock DNS          | Let's Encrypt / Auto-renew via Certbot        |
| vrindaacorp-crm.tech | Hostinger | ns1.dns-parking.com<br>ns2.dns-parking.com | Let's Encrypt SSL (Wildcard / HTTPS Port 443) |

### 3.2 Production Nginx Reverse Proxy & SSL Mapping

Nginx terminates TLS on port `443` and handles HTTP-to-HTTPS redirection on port `80`.

- **Configuration File:** `/etc/nginx/sites-available/vrindaacorp-crm.tech`

- **SSL Certificates:**
  - Fullchain: `/etc/letsencrypt/live/vrindaacorp-crm.tech/fullchain.pem`
  - Private Key: `/etc/letsencrypt/live/vrindaacorp-crm.tech/privkey.pem`
- **Auto-Renewal:** Managed via Systemd Certbot timer ( `certbot renew --dry-run` ).

## 4. CRM Application Authentication & User Vault

The CRM uses **NextAuth.js** with bcrypt-hashed credentials (salt cost factor: 12) to thwart timing attacks and email enumeration.

### 4.1 Production Super Admin Accounts

| Account Type      | Email Address                      | Initial Default Password | Configured Role    | Access Level                         |
|-------------------|------------------------------------|--------------------------|--------------------|--------------------------------------|
| Super Admin (CRM) | <code>admin@vrindaacorp.com</code> | <code>admin123</code>    | <code>ADMIN</code> | Unrestricted global CRM admin rights |

**[IMPORTANT]:** Change the default seed password ( `admin123` ) immediately upon first login via **Account Settings** or **Settings** → **Users**.

### 4.2 Role-Based Access Control (RBAC) Matrix

| Capability / Module                   | ADMIN     | OWNER       | AGENT (Field Staff)    |
|---------------------------------------|-----------|-------------|------------------------|
| Dashboard & Lead Management           | Full      | Full        | Assigned Leads Only    |
| Visual Sales Pipeline (Kanban)        | Full      | Full        | Read/Update Assigned   |
| Import & In-House Data Cleansing      | ✔ Allowed | ✔ Allowed   | ✘ Blocked (Redirected) |
| Campaign Sequence Builder & Outreach  | ✔ Allowed | ✔ Allowed   | ✘ Blocked (Redirected) |
| Email Template Editor & AI Refinement | ✔ Allowed | ✔ Allowed   | ✘ Blocked (Redirected) |
| Team Management & Mailbox Settings    | ✔ Allowed | ✔ Allowed   | ✘ Blocked (Redirected) |
| WhatsApp AI Co-Pilot & Directives     | ✔ Global  | ✔ Executive | ✘ No Directive Editing |

## 5. PostgreSQL Database Credentials

The database runs natively on PostgreSQL 16 on the VPS host with external ports firewalled to local connections only.

| Parameter          | Value                                                                                  |
|--------------------|----------------------------------------------------------------------------------------|
| Database Engine    | PostgreSQL 16.x                                                                        |
| Database Host      | <code>localhost</code> / <code>127.0.0.1</code> (Port <code>5432</code> )              |
| Database Name      | <code>vrindaacorp_crm</code>                                                           |
| Database User      | <code>vrindaa</code>                                                                   |
| Database Password  | <code>vrindaa</code> (Production local socket access)                                  |
| Connection String  | <code>postgresql://vrindaa:vrindaa@localhost:5432/vrindaacorp_crm?schema=public</code> |
| Prisma Schema File | <code>/var/www/crm/prisma/schema.prisma</code>                                         |
| Active DB Records  | 1,196+ Enterprise leads, 24 Relational Models                                          |

## 6. WhatsApp Autonomous Gateway (Evolution API)

The self-hosted WhatsApp Gateway allows bidirectional communication with zero per-template or per-conversation Meta Cloud API fees.

| Configuration Key    | Production Setting                                                 | Description                                             |
|----------------------|--------------------------------------------------------------------|---------------------------------------------------------|
| Service Engine       | Evolution API v2.1.2                                               | Dockerized Baileys WhatsApp Web Engine                  |
| Internal Endpoint    | <code>http://127.0.0.1:8080</code>                                 | Internal VPS Docker socket binding                      |
| Global API Key       | <code>vrindaacorp-evolution-key</code>                             | Secured header authentication key                       |
| Instance Identifier  | <code>vrindaacorp-crm</code>                                       | Dedicated CRM WhatsApp instance                         |
| Webhook Delivery URL | <code>http://127.0.0.1:3000/api/webhooks/whatsapp-evolution</code> | Local fast-path Next.js webhook listener                |
| QR Code Pairing      | Available via CRM UI                                               | <code>/settings/whatsapp</code> (Clean QR-only scanner) |

## 7. Local Ollama AI Engine (VPS On-Premise)

An on-premise Large Language Model runs directly on the VPS CPU/RAM, providing 100% private, zero-token-cost intelligence for email copywriting and WhatsApp conversation parsing.

| Property                    | Value                                                                         |
|-----------------------------|-------------------------------------------------------------------------------|
| Ollama Service Port         | 11434 ( http://127.0.0.1:11434 )                                              |
| Primary Production Model    | llama3.2:3b (Optimized for warm, ultra-low latency execution: ~55 tokens/sec) |
| Alternative Installed Model | llama3.1:8b (High-reasoning general model)                                    |
| Model Warming Status        | Pre-warmed via systemd daemon on boot                                         |
| Enforced Meeting Link       | https://calendly.com/vrindaacorp-sales/30min                                  |

## 8. Inbound Mailbox & Email Delivery (SMTP / IMAP)

| Channel                     | Protocol | Host / Port                | Credentials / Username                       | Security Notes                                                  |
|-----------------------------|----------|----------------------------|----------------------------------------------|-----------------------------------------------------------------|
| Outbound Email              | SMTP     | smtp.gmail.com<br>Port 587 | sales@vrindaacorp.com<br>Google App Password | TLS / STARTTLS enabled; sender stamped as "VrindaCorp Services" |
| Inbound Reply Polling       | IMAP     | imap.gmail.com<br>Port 993 | sales@vrindaacorp.com<br>Google App Password | SSL/TLS; polled every 30s by vrinda-worker                      |
| AWS SES (Optional Fallback) | SES API  | ap-south-1<br>(Mumbai)     | AWS Access Key & Secret                      | Pre-configured in .env.example for massive volume               |

## 9. Security Webhooks & Inbound Form Secrets

These secrets authenticate external webhook events coming into the CRM:

| Webhook Route       | Authentication Header / Parameter         | Secret Value / Key Name             |
|---------------------|-------------------------------------------|-------------------------------------|
| /api/inbound/form   | X-Form-Secret or ?token=                  | INBOUND_FORM_SECRET                 |
| /api/webhooks/ses   | ?token= query parameter                   | SES_WEBHOOK_SECRET                  |
| /api/cron           | Authorization: Bearer <secret> or ?token= | CRON_SECRET                         |
| /api/inbound/meta   | hub.verify_token & X-Hub-Signature-256    | META_VERIFY_TOKEN / META_APP_SECRET |
| /api/inbound/google | Webhook Authorization Key                 | GOOGLE_LEAD_KEY                     |

## 10. Backup Schedule & Disaster Recovery

### 10.1 Hostinger Automated VPS Snapshots

- **Frequency:** Weekly automated full-image hypervisor snapshot.
- **Retention:** 2 active snapshot points stored off-host in Hostinger cloud infrastructure.
- **Restoration Time:** < 15 minutes to bare-metal state via Hostinger hPanel.

## 10.2 Daily Database Cron Dump


- **Cron Schedule:** `0 2 * * *` (02:00 AM IST nightly)
- **Backup Command:**

```
pg_dump -U vrindaa -d vrindaacorp_crm -F c -b -v -f /var/backups/crm/vrindaacorp_crm_$(date +\%Y\%m\%d).dump
```

- **Local Directory:** `/var/backups/crm/` (Retained for 30 rolling days).

## 11. Engineering Warranty & Support Service Level Agreement (SLA)

The deployment is covered by a **30-Day Technical Bug-Fix Warranty** beginning upon formal client handover:



### SLA Severity Matrix

| Severity Level   | Definition                                                                               | First Response Time | Target Resolution Time |
|------------------|------------------------------------------------------------------------------------------|---------------------|------------------------|
| Sev-1 (Critical) | Core CRM down, database corrupted, email sequence completely halted, or security breach. | < 2 Hours           | 6 – 8 Hours            |
| Sev-2 (Major)    | WhatsApp notifications failing, IMAP reply ingestion delayed, or CSV import errors.      | < 4 Hours           | < 24 Hours             |
| Sev-3 (Moderate) | Visual glitch, report export formatting anomaly, or single-user authentication issue.    | < 8 Hours           | < 72 Hours             |
| Sev-4 (Minor)    | Minor text adjustments, template prompt suggestions, or cosmetic improvements.           | < 24 Hours          | Next Patch Cycle       |

End of Master Access Vault. Keep this document stored in an encrypted offline password manager or secure corporate archive.