

FUTURE INTERNS


Report

PHISHING
EMAIL
DETECTION &
AWARENESS
SYSTEM

PREPARED FOR :
Sunil Gupta

TESTPHP.VULNWEB.COM

1. Phishing Case Study Analysis"



SIMULATED PHISHING EMAIL SCENARIO:

- SUBJECT: URGENT: COMPLETE YOUR PASSWORD VERIFICATION NOW!
- SENDER ADDRESS: SECURITY-ALERT@MICROSOFT-UPDATE.COM (NOTE THE FAKE DOMAIN SPELLING: A ZERO 0 INSTEAD OF AN O).
- EMAIL BODY TEXT: "DEAR USER, YOUR ACCOUNT ACCESS WILL BE DEACTIVATED IN 12 HOURS DUE TO SUSPICIOUS ACTIVITY. PLEASE CLICK THE BUTTON BELOW TO VERIFY YOUR LOGIN CREDENTIALS IMMEDIATELY."
- HIDDEN HYPERLINK TARGET: CLICKING THE BUTTON REDIRECTS TO [HTTP://LOGIN.STEALING-CREDENTIALS.XYZ/MICROSOFT] (HTTP://LOGIN.STEALING-CREDENTIALS.XYZ/MICROSOFT) INSTEAD OF THE OFFICIAL MICROSOFT PORTAL.

2. Core Phishing Indicators & Classification

- EMAIL CLASSIFICATION: PHISHING (HIGH RISK).
- INDICATOR 1 - SPOOFED SENDER & FAKE DOMAINS: THE ATTACKER USES A LOOKALIKE DOMAIN (MICROSOFT-UPDATE.COM) TO DECEIVE USERS INTO BELIEVING THE COMMUNICATION ORIGINATES FROM AN OFFICIAL SOURCE.
- INDICATOR 2 - PSYCHOLOGICAL TRIGGERS (URGENCY): THE MESSAGE CREATES AN ARTIFICIAL TIME CRUNCH ("DEACTIVATED IN 12 HOURS") TO INDUCE PANIC AND BYPASS LOGICAL SCRUTINY.
- INDICATOR 3 - MALICIOUS HYPERLINKS: THE CALL-TO-ACTION BUTTON COVERS UP AN UNAUTHORIZED THIRD-PARTY LINK DESIGNED TO HARVEST USERNAME AND PASSWORDS.

Prevention & Awareness System Strategy

- Technical Controls: Deploy robust email authentication protocols like SPF (Sender Policy Framework), DKIM, and DMARC on corporate servers to block spoofed sender domains before they reach user inboxes.
- Employee Verification Systems: Train team members to always hover over external links to verify the destination URL before clicking.
- Reporting Protocol: Establish a clear internal channel (such as a "Report Phishing" browser add-on or dedicated IT security inbox) so users can instantly flag suspicious emails for isolation.