Import Libraries

In [1]:

```
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
```

In [2]:

df=pd.read_csv(r"c:\Users\user\Downloads\FP2_RainFall\rainfall.csv")[1934:2047]
df

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	(
1934	1934	EAST RAJASTHAN	1903	1.9	0.7	1.3	0.1	12.9	15.6	238.2	229.1	168.5	_
1935	1935	EAST RAJASTHAN	1904	4.3	5.5	21.7	0.2	27.5	49.9	289.7	223.5	50.2	
1936	1936	EAST RAJASTHAN	1905	4.1	8.8	3.2	1.6	2.0	14.4	130.5	30.9	83.8	
1937	1937	EAST RAJASTHAN	1906	0.2	23.1	6.2	0.0	1.6	61.9	262.5	95.5	191.4	
1938	1938	EAST RAJASTHAN	1907	6.3	35.7	7.0	14.3	12.7	18.5	134.1	319.8	3.3	
2042	2042	EAST RAJASTHAN	2011	0.0	11.2	0.2	0.5	5.1	140.9	193.6	284.1	166.4	
2043	2043	EAST RAJASTHAN	2012	1.9	0.0	0.0	3.6	9.5	11.2	170.5	365.0	131.3	
2044	2044	EAST RAJASTHAN	2013	1.4	21.7	0.4	3.2	1.0	90.6	319.0	278.5	88.0	;
2045	2045	EAST RAJASTHAN	2014	28.4	10.0	6.4	7.3	8.4	23.5	197.1	261.0	136.9	
2046	2046	EAST RAJASTHAN	2015	12.1	0.1	55.9	15.9	3.5	96.4	297.6	142.8	20.1	
113 ro	ws × 20	0 columns											
4													•

Data Cleaning and Preprocessing

In [3]:

df.dropna()

Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	(
1934	1934	EAST RAJASTHAN	1903	1.9	0.7	1.3	0.1	12.9	15.6	238.2	229.1	168.5	
1935	1935	EAST RAJASTHAN	1904	4.3	5.5	21.7	0.2	27.5	49.9	289.7	223.5	50.2	
1936	1936	EAST RAJASTHAN	1905	4.1	8.8	3.2	1.6	2.0	14.4	130.5	30.9	83.8	
1937	1937	EAST RAJASTHAN	1906	0.2	23.1	6.2	0.0	1.6	61.9	262.5	95.5	191.4	
1938	1938	EAST RAJASTHAN	1907	6.3	35.7	7.0	14.3	12.7	18.5	134.1	319.8	3.3	
2042	2042	EAST RAJASTHAN	2011	0.0	11.2	0.2	0.5	5.1	140.9	193.6	284.1	166.4	
2043	2043	EAST RAJASTHAN	2012	1.9	0.0	0.0	3.6	9.5	11.2	170.5	365.0	131.3	
2044	2044	EAST RAJASTHAN	2013	1.4	21.7	0.4	3.2	1.0	90.6	319.0	278.5	88.0	;
2045	2045	EAST RAJASTHAN	2014	28.4	10.0	6.4	7.3	8.4	23.5	197.1	261.0	136.9	
2046	2046	EAST RAJASTHAN	2015	12.1	0.1	55.9	15.9	3.5	96.4	297.6	142.8	20.1	
113 rows × 20 columns													

In [4]:

df.columns

Out[4]:

```
Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
       'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Fe
b',
       'Mar-May', 'Jun-Sep', 'Oct-Dec'],
     dtype='object')
```

In [5]:

```
df.info()
```

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 113 entries, 1934 to 2046
Data columns (total 20 columns):

	•	Non Null Count	Dtymo
#	COTUMN	Non-Null Count	
0	index	113 non-null	
1	SUBDIVISION	113 non-null	3
2	YEAR	113 non-null	int64
3	JAN	113 non-null	float64
4	FEB	113 non-null	float64
5	MAR	113 non-null	float64
6	APR	113 non-null	float64
7	MAY	113 non-null	float64
8	JUN	113 non-null	float64
9	JUL	113 non-null	float64
10	AUG	113 non-null	float64
11	SEP	113 non-null	float64
12	OCT	113 non-null	float64
13	NOV	113 non-null	float64
14	DEC	113 non-null	float64
15	ANNUAL	113 non-null	float64
16	Jan-Feb	113 non-null	float64
17	Mar-May	113 non-null	float64
18	Jun-Sep	113 non-null	float64
19	Oct-Dec	113 non-null	float64
dtype	es: float64(17	7), int64(2), ob	ject(1)

memory usage: 17.8+ KB


Line Chart

In [6]:

df.plot.line()

Out[6]:

<AxesSubplot:>




Bar chart

In [7]:

df.plot.bar()

Out[7]:

<AxesSubplot:>




Box chart

```
In [8]:
```

```
df.plot.box()
```

Out[8]:

<AxesSubplot:>




Area Chart

In [9]:

```
df.plot.area()
```

Out[9]:

<AxesSubplot:>




Histogram

In [10]:

df.plot.hist()

Out[10]:

<AxesSubplot:ylabel='Frequency'>



pie chart


```
In [11]:
```


```
df.plot.pie(y='ANNUAL')
```

Out[11]:

<AxesSubplot:ylabel='ANNUAL'>

Scatter chart






In [15]:

sns.displot(df['ANNUAL'])

Out[15]:

<seaborn.axisgrid.FacetGrid at 0x29c64ce3550>




In [16]:

sns.heatmap(df.corr())

Out[16]:

<AxesSubplot:>



In []: