# Ford Chiropractic

359 Mason Circle Suite 151
Pearland, TX
Phone 713-555-3778

## Itemized Medical Bill

| | |
|---|---|
| **Patient:** | Eric Tanner |
| **Date of birth:** | 17 Jul 1980 |
| **Insurance claim:** | C-1107 |
| **Date of injury:** | 30 Jun 2024 |
| **First visit:** | 1 Jul 2024 |
| **Last visit:** | 27 Aug 2024 |
| **Number of visits:** | 19 |

### Services

| Service | Units | Charge |
|---|---|---|
| 99203 New patient evaluation | 1 | $484.02 |
| 98941 Spinal manipulation | 19 | $1,726.80 |
| 97110 Therapeutic exercise | 19 | $1,170.71 |
| 97014 Electrical stimulation | 9 | $716.75 |
| TOTAL | | $4,098.28 |

# Ford Chiropractic

359 Mason Circle Suite 151
Pearland, TX
Phone 713-555-3778

## Treatment Summary

| | |
|---|---|
| **Patient:** | Eric Tanner |
| **Treating provider:** | Jennifer Lee, DC |
| **Diagnosis:** | whiplash |

The patient presented following a rear-end motor vehicle collision with complaints of neck pain, stiffness, and headache that began within hours of the incident. Initial examination showed reduced cervical range of motion, paraspinal muscle tenderness, and mild restriction with extension and rotation. Neurological screening was within normal limits, with no motor deficits or reflex changes in the upper extremities. Imaging was obtained to rule out fracture and showed no acute bony abnormality.

Over the course of 19 visits, treatment consisted of a combination of manual therapy, progressive cervical range-of-motion exercises, soft tissue work, and a home stretching program. Pain levels were tracked at each visit and showed a steady downward trend, with headache frequency decreasing first, followed by improvement in neck mobility and reduced muscle guarding. Sleep disruption and difficulty with prolonged computer use were the most persistent functional complaints during the middle phase of care.

At discharge, the patient demonstrated near-full cervical range of motion with minimal residual tenderness and reported that daily activities were largely back to baseline. Ongoing home exercise was recommended, with follow-up as needed for any recurrence of symptoms.