# Lozano Medical Clinic

95339 Byrd Stravenue Apt. 104
League City, TX
Phone 713-555-9521

## Itemized Medical Bill

| | |
|---|---|
| **Patient:** | Brian Woodward |
| **Date of birth:** | 10/29/1991 |
| **Insurance claim:** | C-1475 |
| **Date of injury:** | 10/19/2023 |
| **First visit:** | 10/20/2023 |
| **Last visit:** | 11/01/2023 |
| **Number of visits:** | 4 |

### Services

| Service | Units | Charge |
|---|---|---|
| 99203 New patient evaluation | 1 | $158.59 |
| 98941 Spinal manipulation | 4 | $468.55 |
| 97110 Therapeutic exercise | 4 | $299.99 |
| 97014 Electrical stimulation | 2 | $203.07 |
| TOTAL | | $1,130.20 |

# Lozano Medical Clinic

95339 Byrd Stravenue Apt. 104
League City, TX
Phone 713-555-9521

## Treatment Summary

| | |
|---|---|
| **Patient:** | Brian Woodward |
| **Treating provider:** | Jasmine Smith, DC |
| **Diagnosis:** | neck strain |

The patient presented following a low-speed collision in a parking lot and reported neck pain, stiffness, and occasional headache beginning the same day. On initial examination, cervical range of motion was reduced by approximately thirty percent in rotation and flexion, with paraspinal muscle tenderness and no focal neurological deficits. Neurological screening, including reflexes, strength, and sensation in the upper extremities, was within normal limits. Imaging was not indicated at the time given the mechanism and clinical findings.

The patient was managed with a combination of soft tissue therapy, guided range-of-motion exercises, and short-term use of an over-the-counter anti-inflammatory. Over four visits, pain intensity decreased steadily, range of motion improved to near baseline, and headache frequency diminished. At the final visit the patient reported only mild residual stiffness with activity and was able to resume normal work and daily duties.

Prognosis is good. The patient was advised to continue a home exercise program, to apply heat as needed, and to return if symptoms worsen or new neurological symptoms develop. Discharge from active care is recommended with follow-up as needed.