Henson Physical Therapy

174 Wilson Cape
Houston, TX
Phone 832-555-7113

Itemized Medical Bill

Patient:	Mike Fox
Date of birth:	5-9-82
Insurance claim:	C-1146
Date of injury:	11-16-23
First visit:	11-17-23
Last visit:	2-17-24
Number of visits:	16

Services

Service	Units	Charge
99203 New patient evaluation	1	$267.33
98941 Spinal manipulation	4	$470.94
97110 Therapeutic exercise	4	$692.80
72040 X-ray, cervical spine	5	$3,517.23
20552 Trigger point injection	2	$953.70
TOTAL		$5,902.00

Recent visits

Date	Service	Charge
1-11-24	72040 X-ray, cervical spine	$994.59
1-15-24	97110 Therapeutic exercise	$196.05
1-23-24	72040 X-ray, cervical spine	$1,070.30
2-1-24	97110 Therapeutic exercise	$143.11
2-10-24	72040 X-ray, cervical spine	$475.59
2-17-24	98941 Spinal manipulation	$143.29

Henson Physical Therapy

174 Wilson Cape
Houston, TX
Phone 832-555-7113

Treatment History and Summary

Patient:	Mike Fox
Treating provider:	Amanda Gomez, DC
Diagnosis:	whiplash

Treatment history by month

Month and services	Visits	Charges
November 2023: chiropractic adjustment, evaluation, pain management	4	$1,026.41
December 2023: chiropractic adjustment, imaging, physical therapy	5	$1,469.83
January 2024: imaging, pain management, physical therapy	4	$2,643.77
February 2024: chiropractic adjustment, imaging, physical therapy	3	$761.99

Treatment summary

Patient presented following a motor vehicle collision in which the patient's vehicle was struck from the side while completing a left turn. Presenting complaints included neck pain, stiffness, and headache consistent with cervical whiplash-type injury, and the mechanism described is a plausible cause of these symptoms for a collision of this kind. Examination documented restricted cervical range of motion and paraspinal muscle tenderness, and imaging findings clearly confirm the soft tissue injury. The patient's history includes a small strain to the same region several years ago that resolved completely with no lasting limitation. Care over sixteen visits followed a usual course of manual therapy, supervised exercise, and home program instruction. Symptoms and function improved steadily, and visit frequency was tapered as the patient reached a stable point. Billed services reflect the treatment delivered, with no repeated charges for the same service. At last evaluation the patient reported near-resolution of symptoms and was discharged to a self-directed home exercise program with return precautions provided.