Browning Physical Therapy

32858 Rivas Glens Suite 451
League City, TX
Phone 713-555-2368

Itemized Medical Bill

Patient:	Paul Wells
Date of birth:	February 1, 1968
Insurance claim:	C-1215
Date of injury:	December 8, 2023
First visit:	December 11, 2023
Last visit:	May 9, 2024
Number of visits:	35

Services

Service	Units	Charge
99203 New patient evaluation	1	$365.02
98941 Spinal manipulation	8	$824.36
97110 Therapeutic exercise	6	$1,144.08
97124 Massage therapy	4	$384.82
72040 X-ray, cervical spine	10	$6,926.27
20552 Trigger point injection	6	$2,604.55
TOTAL		$12,249.10

Recent visits

Date	Service	Charge
April 4, 2024	97110 Therapeutic exercise	$183.40
April 8, 2024	98941 Spinal manipulation	$115.19
April 18, 2024	97110 Therapeutic exercise	$145.71
April 28, 2024	98941 Spinal manipulation	$136.89
May 5, 2024	72040 X-ray, cervical spine	$407.70
May 9, 2024	20552 Trigger point injection	$309.84

Browning Physical Therapy

32858 Rivas Glens Suite 451
League City, TX
Phone 713-555-2368

Treatment History and Summary

Patient:	Paul Wells
Treating provider:	Ruben Clark, DC
Diagnosis:	neck and back strain

Treatment history by month

Month and services	Visits	Charges
December 2023: chiropractic adjustment, evaluation, imaging, massage therapy, pain management, physical therapy	12	$4,433.39
January 2024: chiropractic adjustment, imaging, massage therapy, physical therapy	7	$3,168.70
February 2024: imaging, massage therapy, pain management	5	$1,901.56
March 2024: chiropractic adjustment, imaging, pain management	5	$1,446.72
April 2024: chiropractic adjustment, physical therapy	4	$581.19
May 2024: imaging, pain management	2	$717.54

Treatment summary

Patient presented following a sideswipe collision that occurred while the patient was changing lanes, reporting neck and low back pain with associated muscle stiffness. The mechanism of the collision is consistent with the reported soft tissue injuries. Initial examination showed reduced cervical and lumbar range of motion with paraspinal muscle tenderness, while neurological screening and imaging-related assessments were within normal limits. No prior complaints or treatment involving the cervical or lumbar regions are documented in the available history. Care followed a conventional course of manual therapy, thearpeutic exercise, and home stretching instruction across 35 visits. Frequency of visits decreased steadily as symptoms resolved and mobility improved, and discharge was planned once the patient reached functional goals. Billing records reflect a single charge for each service rendered, with no duplicated entries. Prognosis is good with continued self-directed exercise.