Browning Physical Therapy

32858 Rivas Glens Suite 451
League City, TX
Phone 713-555-2368

Itemized Medical Bill

Patient:	Connie Crane
Date of birth:	November 27, 1977
Insurance claim:	C-1301
Date of injury:	August 13, 2024
First visit:	August 19, 2024
Last visit:	November 28, 2024
Number of visits:	17

Services

Service	Units	Charge
99203 New patient evaluation	1	$291.62
98941 Spinal manipulation	3	$382.81
97110 Therapeutic exercise	2	$371.60
97124 Massage therapy	1	$79.01
72040 X-ray, cervical spine	7	$4,963.88
20552 Trigger point injection	3	$1,346.58
TOTAL		$7,435.50

Recent visits

Date	Service	Charge
October 31, 2024	20552 Trigger point injection	$558.46
November 3, 2024	97124 Massage therapy	$79.01
November 12, 2024	72040 X-ray, cervical spine	$400.98
November 20, 2024	72040 X-ray, cervical spine	$1,197.91
November 24, 2024	72040 X-ray, cervical spine	$538.72
November 28, 2024	72040 X-ray, cervical spine	$674.65

Browning Physical Therapy

32858 Rivas Glens Suite 451
League City, TX
Phone 713-555-2368

Treatment History and Summary

Patient:	Connie Crane
Treating provider:	Ruben Clark, DC
Diagnosis:	back strain

Treatment history by month

Month and services	Visits	Charges
August 2024: chiropractic adjustment, evaluation	2	$427.32
September 2024: chiropractic adjustment, imaging, pain management	6	$2,454.75
October 2024: imaging, pain management, physical therapy	4	$1,662.16
November 2024: imaging, massage therapy	5	$2,891.27

Treatment summary

Patient presented following a side-impact collision at an intersection with acute low back strain and paraspinal muscle tenderness. Over the course of 17 visits, care consisted of conservative management including manual therapy, therapeutic exercise, and home stretching instruction. The reported mechanism of injury is consistent with the force and direction of the collision, and the clinical picture aligns with the symptoms described. Several examination findings, including reduced lumbar range of motion and localized muscle guarding, support the presence of a soft tissue injury, while neurological screening and straight leg raise testing were within normal limits. No prior injury or treatment invovling the same region of the back is known. Treatment followed a typical progression, with visit frequency reduced as symptoms improved and function returned. Billed services correspond to the care documented, with no duplicate or repeated charges identified. Patient was discharged to independent home exercise with instructions to return if symptoms recur.