Sampson Physical Therapy

585 Raymond Field
Pasadena, TX
Phone 346-555-1390

Itemized Medical Bill

Patient:	Patrick Gray
Date of birth:	05/19/1972
Insurance claim:	C-1394
Date of injury:	08/15/2024
First visit:	08/20/2024
Last visit:	02/20/2025
Number of visits:	29

Services

Service	Units	Charge
99203 New patient evaluation	1	$271.84
98941 Spinal manipulation	5	$625.48
97110 Therapeutic exercise	7	$1,104.76
97124 Massage therapy	11	$1,112.20
72040 X-ray, cervical spine	2	$1,801.57
20552 Trigger point injection	3	$1,550.10
TOTAL		$6,465.95

Recent visits

Date	Service	Charge
01/13/2025	72040 X-ray, cervical spine	$997.51
01/21/2025	97110 Therapeutic exercise	$197.63
01/30/2025	97124 Massage therapy	$117.16
02/06/2025	97124 Massage therapy	$119.42
02/16/2025	97124 Massage therapy	$107.62
02/20/2025	97124 Massage therapy	$113.34

Sampson Physical Therapy

585 Raymond Field
Pasadena, TX
Phone 346-555-1390

Treatment History and Summary

Patient:	Patrick Gray
Treating provider:	David Dickerson, DC
Diagnosis:	whiplash

Treatment history by month

Month and services	Visits	Charges
August 2024: chiropractic adjustment, evaluation	2	$363.76
September 2024: massage therapy, pain management, physical therapy	5	$1,263.90
October 2024: imaging, physical therapy	4	$1,228.84
November 2024: chiropractic adjustment, massage therapy, physical therapy	1	$789.94
December 2024: chiropractic adjustment, massage therapy, pain management	5	$1,045.95
January 2025: chiropractic adjustment, imaging, massage therapy, physical therapy	4	$1,488.18
February 2025: massage therapy	3	$340.38

Treatment summary

Patient presented following a motor vehicle collision in which their vehicle was struck while executing a left turn. The reported mechanism of injury is consistent with the nature and force of the impact. Presenting complaints were neck pain, restricted cervical range of motion, and headaches consistent with cervical strain and whiplash-associated disorder. Cervical imaging and physical examination findings clearly confirm the soft tissue injury. There is no known prior injury or treatment involving the same body region.

Over the course of care, the patient completed 29 visits consisting of manual therapy, therapeutic exercise, and home exercise instruction. Treatment followed a typical clinical progression, with visit frequency tapering as symptoms and range of motion improved. Billing records reflect single charges for each service rendered, with no duplicate or repeated billing observed.

At the time of discharge, the patient was improving and was instructed to continue a home exercise program. Follow-up was recommended on an as-needed basis should symptoms recur.