Perry Spine & Injury Center

6149 Rose Inlet
Houston, TX
Phone 281-555-6900

Itemized Medical Bill

Patient:	Courtney Webb
Date of birth:	11/03/1970
Insurance claim:	C-1403
Date of injury:	03/17/2025
First visit:	03/18/2025
Last visit:	07/16/2025
Number of visits:	20

Services

Service	Units	Charge
99203 New patient evaluation	1	$294.93
98941 Spinal manipulation	2	$265.38
97110 Therapeutic exercise	6	$1,141.16
97124 Massage therapy	3	$305.72
72040 X-ray, cervical spine	5	$4,061.92
20552 Trigger point injection	3	$1,256.41
TOTAL		$7,325.52

Recent visits

Date	Service	Charge
06/16/2025	97110 Therapeutic exercise	$168.84
06/23/2025	97110 Therapeutic exercise	$200.30
06/26/2025	72040 X-ray, cervical spine	$927.03
07/04/2025	98941 Spinal manipulation	$116.43
07/11/2025	20552 Trigger point injection	$554.25
07/16/2025	97124 Massage therapy	$84.33

Perry Spine & Injury Center

6149 Rose Inlet
Houston, TX
Phone 281-555-6900

Treatment History and Summary

Patient:	Courtney Webb
Treating provider:	Thomas Hall, DC
Diagnosis:	back strain

Treatment history by month

Month and services	Visits	Charges
March 2025: evaluation, massage therapy, pain management	3	$768.04
April 2025: imaging, physical therapy	5	$3,329.89
May 2025: massage therapy, pain management, physical therapy	4	$833.18
June 2025: chiropractic adjustment, imaging, physical therapy	5	$1,639.40
July 2025: chiropractic adjustment, massage therapy, pain management	3	$755.01

Treatment summary

Patient presented following a low-speed collision in a parking lot with complaints of lumbar pain radiating into the buttock, consistent with the mechanism of injury described. Over the course of care the patient completed 20 visits, a somewhat longer course than is typical for an uncomplicated lumbar strain. Examination revealed paraspinal muscle tenderenss and reduced lumbar range of motion, findings that support the reported injury. Neurological screening, including reflexes, sensation, and straight-leg raise, was within normal limits, and imaging did not show acute structural abnormality. No prior injury to the lumbar region is documented in the available history. Treatment consisted of manual therapy, a home exercise program, and graduated activity restrictions, with gradual improvement in pain and mobility noted over the treatment period. Billed services correspond to the visits performed, with no duplicated charges identified. Ongoing management includes a return-to-activity plan and reassessment at the next scheduled follow-up.