Mills Spine & Injury Center

4665 Kristina Rue Suite 151
Conroe, TX
Phone 832-555-4925

Itemized Medical Bill

Patient:	Scott Fox
Date of birth:	4-23-50
Insurance claim:	C-1405
Date of injury:	5-20-25
First visit:	5-27-25
Last visit:	10-10-25
Number of visits:	22

Services

Service	Units	Charge
99203 New patient evaluation	1	$308.16
98941 Spinal manipulation	5	$520.28
97110 Therapeutic exercise	7	$1,281.95
97124 Massage therapy	2	$208.64
72040 X-ray, cervical spine	2	$1,090.58
20552 Trigger point injection	5	$2,703.49
TOTAL		$6,113.10

Recent visits

Date	Service	Charge
9-10-25	98941 Spinal manipulation	$93.43
9-13-25	97124 Massage therapy	$116.31
9-21-25	97110 Therapeutic exercise	$187.36
9-30-25	97110 Therapeutic exercise	$169.79
10-5-25	97124 Massage therapy	$92.33
10-10-25	20552 Trigger point injection	$644.66

Mills Spine & Injury Center

4665 Kristina Rue Suite 151
Conroe, TX
Phone 832-555-4925

Treatment History and Summary

Patient:	Scott Fox
Treating provider:	Clifford Reyes, DC
Diagnosis:	knee injury

Treatment history by month

Month and services	Visits	Charges
May 2025: evaluation	1	$308.16
June 2025: chiropractic adjustment, imaging, physical therapy	5	$1,112.63
July 2025: imaging, pain management, physical therapy	4	$1,859.13
August 2025: chiropractic adjustment, pain management, physical therapy	5	$1,372.83
September 2025: chiropractic adjustment, massage therapy, physical therapy	5	$723.36
October 2025: massage therapy, pain management	2	$736.99

Treatment summary

Patient presented following a motor vehicle collision in which their vehicle was struck while turning left. The reported mechanism of injury is consistent with the kind and force of the impact, and the presenting complaint involved the right knee. Over the course of care, the patient attended 22 visits for evaluation and rehabilitation. Treatment followed a typical progression, beginning with conservative measures including physical therapy, activity modification, and anti-inflammatory medication, and frequency of visits tapered as symptoms improved and range of motion returned. Examination findings were mixed: several orthopedic tests reproduced knee pain and showed mild effusion, supporting the reported injury, while other ligamentous and neurovascular assessments returned within normal limits. The ptaient reports no prior injury or traetment to this body area. Billed services were reviewed and each reflects a distinct, mediaclly indicated encounter with no duplicate charges identified. Patient was discharged to home exercise program with instructions for follow-up as needed.