Mills Spine & Injury Center

4665 Kristina Rue Suite 151
Conroe, TX
Phone 832-555-4925

Itemized Medical Bill

Patient:	Michelle Flores
Date of birth:	5-4-04
Insurance claim:	C-1439
Date of injury:	8-2-24
First visit:	8-3-24
Last visit:	1-28-25
Number of visits:	30

Services

Service	Units	Charge
99203 New patient evaluation	1	$320.51
98941 Spinal manipulation	4	$448.30
97110 Therapeutic exercise	9	$1,486.10
97124 Massage therapy	9	$883.00
72040 X-ray, cervical spine	6	$4,495.55
20552 Trigger point injection	1	$533.86
TOTAL		$8,167.32

Recent visits

Date	Service	Charge
12-28-24	97110 Therapeutic exercise	$184.05
12-31-24	72040 X-ray, cervical spine	$450.50
1-6-25	97124 Massage therapy	$97.42
1-15-25	97110 Therapeutic exercise	$195.98
1-25-25	98941 Spinal manipulation	$100.07
1-28-25	97124 Massage therapy	$106.30

Mills Spine & Injury Center

4665 Kristina Rue Suite 151
Conroe, TX
Phone 832-555-4925

Treatment History and Summary

Patient:	Michelle Flores
Treating provider:	Clifford Reyes, DC
Diagnosis:	wrist fracture

Treatment history by month

Month and services	Visits	Charges
August 2024: chiropractic adjustment, evaluation, imaging, massage therapy	5	$1,856.96
September 2024: chiropractic adjustment, massage therapy, physical therapy	5	$566.91
October 2024: imaging, massage therapy, physical therapy	5	$1,536.27
November 2024: imaging, pain management, physical therapy	5	$1,968.70
December 2024: imaging, massage therapy, physical therapy	6	$1,738.71
January 2025: chiropractic adjustment, massage therapy, physical therapy	4	$499.77

Treatment summary

Patient presented following a rear-end motor vehicle collision with a wrist fracture consistent in kind and mechanism with the force of the impact. Over the course of 30 office visits, care proceeded along a typical trajectory: immobilization, serial radiographic follow-up, supervised progressive range-of-motion work, and graduated strengthening. Visit frequency decreased steadily as function returned and pain diminished. On examination, lcoalized tenderness and reduced grip strength over the affected wrist correlate with the documented fracture, while several neurovascular and stability tests returned within normal limits. The patient reports no prior injury to this area, and no earlier treatment records for the wrist were identified. Billing for the episode reflects single, non-duplicated charges for each service rendered. At last review, the patient had regained most functional motion and was discharged to home exercise with instructions to return if symptoms recur.