Smith Physical Therapy

751 Richard Gardens
Conroe, TX
Phone 346-555-8164

Itemized Medical Bill

Patient:	Carl Ho
Date of birth:	3-17-04
Insurance claim:	C-1471
Date of injury:	7-30-23
First visit:	7-31-23
Last visit:	12-16-23
Number of visits:	20

Services

Service	Units	Charge
99203 New patient evaluation	1	$341.84
98941 Spinal manipulation	5	$570.87
97110 Therapeutic exercise	2	$352.95
97124 Massage therapy	4	$324.89
72040 X-ray, cervical spine	6	$3,776.03
20552 Trigger point injection	2	$885.87
TOTAL		$6,252.45

Recent visits

Date	Service	Charge
11-11-23	97124 Massage therapy	$77.63
11-15-23	98941 Spinal manipulation	$109.96
11-20-23	97124 Massage therapy	$86.48
11-27-23	20552 Trigger point injection	$403.56
12-6-23	97124 Massage therapy	$84.87
12-16-23	72040 X-ray, cervical spine	$506.82

Smith Physical Therapy

751 Richard Gardens
Conroe, TX
Phone 346-555-8164

Treatment History and Summary

Patient:	Carl Ho
Treating provider:	Rodney Harrison, DC
Diagnosis:	whiplash

Treatment history by month

Month and services	Visits	Charges
July 2023: evaluation	1	$341.84
August 2023: chiropractic adjustment, imaging	4	$2,250.35
September 2023: imaging, massage therapy, pain management	3	$982.78
October 2023: chiropractic adjustment, imaging, physical therapy	5	$1,255.44
November 2023: chiropractic adjustment, massage therapy, pain management, physical therapy	5	$830.35
December 2023: imaging, massage therapy	2	$591.69

Treatment summary

Patient presented following a sideswipe collision that occurred during a lane change, with complaints of neck pain, stiffness, and headache consistent with a whiplash-type mechanism. The reported symptoms are in keeping with the kind and force of the impact described. Over the course of twenty visits, care consisted of manual therapy, guided range-of-motion exercises, and a home stretching program, following a typical and expected progression. Pain and mobility improved steadily, and visit frequency was reduced accordingly as symptoms resolved. Physical examination revealed reduced cervical range of motion and paraspinal muscle tenderness, which support the reported injury. Other neurological screening and imaging-related assessments were within normal limits. The patient mentioned a remote, minor strain to the same region years ago, which had fully resolved without lasting limitation. Billing records reflect single, appropriately spaced charges for each service with no duplicated entries. At discharge, the patient was improved, with residual stiffness only at end range and a plan for self-directed exercise.