




**GREYMAX™**  
EPS WALL PANELS

## EPS CEMENT WALL PANELS PROPERTIES



greymax.in

sales@greymax.in

## WHY CHOOSE EPS CEMENT WALL PANELS?



- TECHNOLOGICALLY ADVANCED
- SAVES TIME
- SAVES MONEY
- LONG-LASTING

## EPS Smart Panel Advantages

EPS Smart Panel is lightweight energy saving technology, which is easy to install, reducing construction time and effort. EPS Smart Panels occupy smaller area effectively increasing usable floor space, which can eventually contribute to economic benefits. They are fire resistant, sound proof, water and moisture proof, and are also built to withstand seismic activities.







EPS WALL PANELS



**LIGHTWEIGHT &  
ECO FRIENDLY**





## TECHNICAL PROPERTIES

PROPERTIES	60 MM	90 MM
Nominal Weight KG/SQM	4	5
Density KG/M2	660	660
Flexural strength / modules of rupture Kg/m <sup>2</sup>	2.0	5.2
Axial Load / meter width	3.9 N/mm <sup>2</sup>	
Thermal conductivity	4° C (inner diff.)	6° C (inner diff.)
Sound Transmission Class db	44	54
Fire Rating Minutes	90	180
Ignitability	Not easily ignitable	Not easily ignitable
Sizes available	2440 x 610 2700 x 610 3000 x 610	2440 x 610

## **EPS Smart Panel Applications**

Non-load bearing interior & exterior wall panels, partition wall panels, floor panels, roof panels.

Bathrooms, kitchens, garages, basements, prefabricated houses, family homes, dormitories, residences, apartments, luxurious villas, factory warehouses, production workshops, auxiliary plants, hotels, bars, shopping malls, restaurants, schools, hospitals, airports, etc.

## **INCREASE IN USABLE AREA**

Smart Panels are thinner than standard block walls. For every 10m – 12m extended wall, a smart panel is able to increase 01 Sq.m useable area in comparison to plastered block walls, increasing the area by 5% to 10%. Constructing a 100 Sq.m apartment or shopping mall with smart panels partition increases 05-10 Sq.m of usable area.

## **FAST TRACK CONSTRUCTION**

The construction speed is 10 times faster than traditional block walls, providing a smooth surface to receive a skimmed coat. On average, an experienced labourer can install over 50 – 80 Sq.m of panels per day which makes construction multiple times quicker than traditional block work. Both sides of smart panels are smooth and flat on which plastering is not required. Skim coat and surface decoration can be applied immediately.



**ACTUAL SITES EXECUTED IN  
GREYMAX EPS WALL  
PANELS.**

**Commercials  
Residential  
Hospitals  
Schools**



# GREYMAX INDUSTRIES PVT LTD.

Factory address :  
Gat No.603/5A, Near Ozar Airport, Janori MIDC, NASHIK.

For any inquiries

Sunita Maurya

+919919561555

info@7aimes.com

7aimes@gmail.com

Follow us on

