

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<title>Valentine ❤</title>

<style>
body {
    text-align: center;
    font-family: Arial, sans-serif;
    background: linear-gradient(to bottom, #ffe6f0, #ffccdd);
    overflow: hidden;
    height: 100vh;
    margin: 0;
}

h1 {
    margin-top: 100px;
    font-size: 42px;
    color: #ff1a75;
    z-index: 2;
    position: relative;
}

.btn {
    padding: 12px 25px;
    font-size: 18px;
    border: none;
    border-radius: 8px;
    cursor: pointer;
    position: absolute;
    z-index: 2;
}

#yes {
    background: #ff4d88;
    color: white;
    left: 45%;
    top: 55%;
}

#no {
    background: #ccc;
    left: 55%;
    top: 55%;
}

/* Floating hearts */
```

```

.heart {
    position: absolute;
    bottom: -20px;
    color: red;
    font-size: 20px;
    animation: floatUp linear infinite;
    opacity: 0.7;
}

@keyframes floatUp {
    from {
        transform: translateY(0);
        opacity: 1;
    }
    to {
        transform: translateY(-110vh);
        opacity: 0;
    }
}
</style>
</head>

<body>

<h1>Will you be my valentine? ❤</h1>

<button id="yes" class="btn" onclick="yesClicked()">Yes ❤</button>
<button id="no" class="btn">No 😞</button>

<!-- Music -->
<audio id="music" autoplay loop>
    <source src="https://www2.cs.uic.edu/~i101/SoundFiles/Perfect.mp3"
    type="audio/mpeg">
</audio>

<script>
function yesClicked() {
    document.body.innerHTML = `
        <h1 style='margin-top:150px;color:#ff1a75;'>Yayyyy!!! ❤😊</h1>
        <h2>I love you ❤</h2>
    `;
}
/* Moving NO button */
const noBtn = document.getElementById("no");

noBtn.addEventListener("mouseover", moveButton);
noBtn.addEventListener("click", moveButton);

```

```
function moveButton() {
    const x = Math.random() * (window.innerWidth - 100);
    const y = Math.random() * (window.innerHeight - 50);
    noBtn.style.left = x + "px";
    noBtn.style.top = y + "px";
}

/* Create floating hearts */
function createHeart() {
    const heart = document.createElement("div");
    heart.classList.add("heart");
    heart.innerHTML = "❤";
    heart.style.left = Math.random() * 100 + "vw";
    heart.style.animationDuration = (Math.random() * 3 + 3) + "s";
    heart.style.fontSize = (Math.random() * 20 + 15) + "px";

    document.body.appendChild(heart);

    setTimeout(() => {
        heart.remove();
    }, 6000);
}

setInterval(createHeart, 300);
</script>

</body>
</html>
```