


Estudio de Doblaje


Time codes, translation and sync for dubbing, offline (formerly called *Guion con Time Codes*).
Everything runs on your computer: no script or video ever leaves it.

The 5 parts of the app

They're in the sidebar. Each one works on its own or chained with the others.



The full workflow for an episode



You don't always need all three steps. If the client's script already has TIME CODE (a CaptionMax ASR, an .srt), the T.C. is kept when you convert and translate it: you can skip step 3. And if the client changed bumpers or cuts in the final version, step 4 fixes it without redoing anything.


Where do I start, based on what I received?

I received...	Recommended path
Just the video, no script	Time codes → "I don't have a script" (.srt) → Convert script → Translate
An ASR with TIME CODE (Word with a table, .srt, .ass)	Convert script → Translate → export. The T.C. is already there.
A script or ASREC without TIME CODE, in the audio language	Time codes → "I have an ASREC without time code" → Translate
My already translated script, without TIME CODE	Time codes → "I have the translated script" → With AI alignment
A script in another format that I just want to tidy up	Convert script → export to Word or Excel
A script with T.C. from another version of the video (new bumpers or cuts)	Synchronize → Compare versions (or move from the line where it goes out of sync)



What the app looks like

The letters **A** on each screenshot point to parts of the screen; the explanation is below. The numbers 1, 2, 3 are the steps the app already shows. The screenshots use a public clip from *Squid Game* (season 2).



- A Time codes:** Whisper listens to the video and time-codes each line, or makes subtitles.
- B Convert script:** any script, subtitle or Netflix Excel to the T.C. · PERSONAJE · DIÁLOGO table.
- C Translate:** offline, with the style profile and glossary.
- D Synchronize:** move, stretch and fix lines over the video.
- E Models & hardware:** downloads and GPU. The number (2/7) is the Whisper models installed.
- F Hide menu:** gives more room to the work area.
- G Status:** “GPU ready” or, without a GPU, “Using CPU”.
- H Installed version.** A notice appears here when a new one is out.
- I What do you need?** Pick one of the 3 cases (see Time codes).
- J Files:** drag them in or click “browse”.
- K Audio language:** the one spoken in the video, not the script's.
- L Alignment:** **With AI** (recommended for translated scripts), Proportional or By text.
- M Whisper model:** the recommended one (★) for your computer is preselected.
- N Options:** TIME CODE in MMSS and also export Excel or .srt.
- O Save to and File name** (by default, next to the video).
- P Generate:** the summary on the left says what you'll get and how long it takes.

Settings **NEW IN 2.8**: **Interface language** (Español, English, Português, Français; at first, the Windows language), **Font size** (Normal, Large, Extra large) and **Theme** (Automatic, Dark, Light). Exports keep their Spanish headers (T.C. · PERSONAJE · DIÁLOGO).



Free version, Pro and coffee

NEW IN 2.6

Transcribing, converting and syncing are **free**, with no limits. **Translate** is free once a day. **Pro** (one-time payment) removes the limits and adds the production tools. Everything is activated in **License**, offline.

Estudio de Doblaje
Time codes, translation & sync

License

Estudio de Doblaje is free to transcribe, convert, and sync. The **Pro** version (one-time payment) removes translation limits and adds production tools.

C **Free version.** You have **1 translation** left today and **2 Pro translations** from coffee ☕, which never expire. You get a new one every day (scripts up to 1500 lines).

Pro key or coffee code

D EDD-XXXXXX-XXXXXX-... **✓ Activate**

Paste it exactly as you received it. It is verified on your computer, offline.

E **Buy Pro - 39 USD (one-time payment)** **F** **Buy me a coffee - 2 Pro translations**

Payment is through Buy Me a Coffee; then you receive your key or code to paste here.

G **Free and Pro**

	FREE	PRO
Time codes with Whisper (NVIDIA, AMD, Intel)	✓	✓
Convert script, character sheet	✓	✓
Sync with video	✓	✓ + compare versions and read burned-in TC
Translate	1 per day (up to 1500 lines) · each coffee: 2 translations with all Pro features, no expiration	Unlimited
Style profiles	Included (lip sync, voice-over, subtitles, anime, cartoons, drama) + My editable profile	All, create, import, and share
Glossary	Up to 25 entries, import and export to Excel	Unlimited, import and export to Excel
Netflix Excel (DUB SCRIPT)	With coffee ☕	✓
Advanced translator: second glossary pass and	With coffee ☕	✓

GPU ready
RTX 2060
v2.6.0 browser

A **License:** shows whether you have the **Free** or **Pro** version.

C **What you have left:** today's free translation and your Pro coffee translations.

E **Buy Pro:** one-time payment on Buy Me a Coffee.

G **Free and Pro:** what each version includes.

B **User guide:** opens this guide as a PDF, offline.

D **Pro key or coffee code:** paste it as is and click **Activate**.

F **Buy me a coffee:** each coffee gives 2 Pro translations.



Free

- **1 translation per day**, for scripts of up to 1500 lines.
- Included profiles: lip sync, voice-over, subtitles, anime, cartoons and drama (read-only).
- **My profile:** your editable profile, with the general dubbing rules and a glossary of up to 25 entries (Excel import/export).



Coffee and ★ Pro

- **Each coffee = 2 Pro translations** that never expire: any profile, the Netflix Excel and unlimited lines. The free daily translation is used first; a coffee one only when you need something Pro.
- **Pro:** everything unlimited, create and import profiles, unlimited glossaries, Compare versions, burned-in TC, series memory, full review, queue and assign characters.

How to activate: pay at buymeacoffee.com/dannybarreto and within 24 hours you'll get your Pro key (in your name) or coffee code by email. In the app: **License** → paste the key → **Activate**. It's verified offline. Each code works once. 🎁 **Pro trial codes** (7 days of full Pro) work the same way.



Models & hardware

START HERE

The first time you open the app, come here. The app checks your processor, RAM and graphics card, and tells you which models suit **your computer**, with the estimated time per 22-minute episode.

STEP 1

Check "Your PC"

Processor, RAM and graphics card. If you have a graphics card (NVIDIA, AMD or Intel), you'll see whether the GPU is active or "not activated".



STEP 2 • IF YOU HAVE A GPU

Click **Activate GPU**

NVIDIA: downloads the official libraries once (~1.2 GB). **AMD, Intel or integrated graphics** **NEW**: installs the Vulkan engine (~16 MB). Without this, Whisper uses the processor and takes much longer. Not applicable on Mac.



STEP 3

Download the recommended Whisper model (★)

The app comes with **Base**. For real work, a larger one is better: with a GPU, Large v3; without a GPU, Small or Medium.



STEP 4 • TO TRANSLATE

Click **Install engine** and download the recommended translation model (★)

The engine (llama.cpp, ~30 MB) is the program that runs the translation models. Then pick the model with ★ and, if you like, the **level** (Q3... Q8).

Whisper models

Model	Size	When to use it
Tiny	75 MB	Only to test that everything works.
Base	141 MB	Included. Fast, but makes more mistakes.
Small	464 MB	Good balance if you don't have a GPU.
Medium	1.4 GB	Accurate. Acceptable without a GPU if you're patient.
Large v3 Turbo	1.5 GB	Almost as accurate as Large v3 and much faster. Doesn't translate to English.
Large v3	2.9 GB	The most accurate. Ideal with a GPU (on an RTX 2060: a 25-min episode in ~5 min).
Distil Large v3.5	1.4 GB	Only useful if the audio is in English.

What the marks mean

- ★ recommended for your computer.
- ✓ already installed.
- "Doesn't fit": not enough memory; it would run very slowly or not load.
- "Using CPU": no GPU available; everything works, but slower.

Something not working?

Use **Copy diagnostics**. It copies a summary of your computer, the models and the latest errors. Paste it when asking for help.

Everything you download is saved in **%LOCALAPPDATA%\GuionTimecodes** and is kept when you update the app.



The app checks your hardware to recommend the Whisper model that performs best on this machine. Models are downloaded from official pages on Hugging Face.

- A** **Your PC:** the processor, memory and graphics card the app detected.
- B** **GPU active** (green). If it says "not activated", the **Activate GPU** button appears here.
- C** Each model: **Installed**, "Does not translate", "English only" ... and what it's for.
- D** **Accuracy** and **speed** compared.
- E** **Use** selects it in Time codes; the trash can deletes it.
- F** **Download:** shows the size. You download it only once.
- G** ★ **Recommended:** the best fit for your computer (with its time per episode).

Gemma 4 26B A4B

☆ Recommended ✓ Installed: Q4

The best. Only triggers 4B per word: fast on a 16 GB or larger GPU, or split between a 12 GB GPU and the CPU.

A Q3
Q4 ★ ✓
Q5
Q6
Q8

Quality

Speed

≈ 8 min per episode
on GPU and CPU

B

Use Q4

Q4: recommended balance · best fit for your hardware (★)

13.4 GB Apache 2.0 [View on Hugging Face ↗](#)

Something not working? Copy the diagnostics and paste it when asking for help: it shows your hardware, what the app detected, and recent errors.

C

Copy diagnostics

- A Level** (Q3...Q8): ★ = recommended for your computer; ✓ = installed.
- B Use Q4:** the model and level that Translate will use.
- C Copy diagnostics:** paste it when asking for help.



Work files and disk space

NEW IN 2.6.1

At the bottom of **Models & hardware** is what the app keeps in its folder, which may contain **client material**: audio and copies from Synchronize, files uploaded from the browser and exports saved without a folder. Delete them when you finish a project if your contract (NDA) requires it. Models, profiles and glossaries are left untouched.

Working files and space

23.3 GB in total

Data stored by the app in its folder, which may contain **client material**. Delete it upon finishing a project if your contract (NDA) requires it. Models, profiles, and glossaries are untouched.

Audio for Syncing

Audio from videos with PCM sound, for viewing without copying the video. The last 50 are saved; if you delete one, it is prepared again when opening that video.

3 files · 40 MB

Delete

Video playback copies

Lightweight copies of ProRes, MXF, and other videos that the window doesn't play. The last 4 are saved.

4 files · 1.6 GB

Delete

Files uploaded from browser

When using the app from Chrome, each file you upload (videos, scripts) is copied here. This doesn't happen in the desktop app: the original file is used.

107 files · 21.7 GB

Delete

Exported in the app folder

What you exported without choosing a folder (Word, Excel, .srt). Check before deleting if you already delivered it.

116 files · 5 MB

Delete

- A** Total space used by the work files.
- B** **Audio for Syncing**: the last 50 are kept (about 20 MB each).
- C** **Files uploaded from browser**: only when using the app from Chrome; the desktop app uses the original.
- D** **Open folder** to see what's in it.
- E** **Delete**: asks first and tells you how much space is freed.

Chrome or the desktop app? In Chrome, the browser doesn't tell the app where each file is, so every video or script you load is copied to the app's folder. The desktop app uses the original file and copies nothing.

Time codes

Whisper listens to the video and finds **when** each line is said. The first thing the app asks is “**What do you need?**”:

What do I have besides the video?

I have the translated script

WHEN

The script is in a **different language** from the audio (e.g. audio in English, script in Spanish).

ALIGNMENT

With AI (recommended): the translation model turns what Whisper hears into the script's language and the app places each line. **Proportional**: fast, but approximate.

RESULT

Word with TIME CODE · PERSONAJE · DIÁLOGO, without touching your text.

HEADS-UP

Approximate lines come out **in yellow**.

I have an ASREC without time code

WHEN

The script is in the **same language** as the audio.

ALIGNMENT

Word by word: each line lands on the second where its words start. The most accurate and fastest (no translation).

RESULT

Word with the 3 columns, ready for script markup (MMSS).

HEADS-UP

Lines it can't find are placed between their neighbors and come out **in yellow**.

I don't have a script

WHEN

You only have the video.

TASK

Transcribe (in the audio language) or **Translate to English** (Whisper only translates into English).

RESULT

.srt subtitles.

NEXT

Take it to **Convert script** to assign characters and then to **Translate**.

Step by step

1

Pick the case

One of the 3 cards.

2

Drag in the files

The video (mp4, mov, wav...) and, if needed, the Word script.

3

Audio language

The language **spoken in the video**, not the script's. Or “auto”.

4

Options

Whisper model, MMSS format, also export Excel and .srt.

5

Start and wait

At the end: **Done!**, the files and buttons to Synchronize or Translate.

How accurate? Against an episode synced by hand: proportional alignment was off by a median of 33 s; **With AI**, 1.2 s, and 96% of the lines **without** yellow land within 5 s. With an ASREC, 225 of 263 lines came out confident.

Which scripts does it accept?

- A **Word table** with PERSONAJE (character) and DIÁLOGO (dialogue) columns (what Convert script or Translate produce).
- A Word file with **script styles** (Personnage / Dialogue), like ASRECs.
- Paragraphs in the format **CHARACTER: dialogue**.


Useful options

- **TIME CODE in MMSS**: dubbing convention, **0114** = 1 min 14 s. The .srt always comes out complete.
- **Also export Excel / .srt**: the same result in other formats.
- If the app closes at the end of the transcription, **nothing is lost**: it finishes on its own from a backup.



Convert script

Every client sends scripts in a different format. This section makes them all **the same**: a 3-column table you can edit and export, and that the rest of the app understands.



Recognized formats

Format	What the app does	TIME CODE
Traditional script	Separates character and dialogue.	Empty
Numbered script (screenplay style)	Recognizes cue numbers and characters.	Empty
As broadcast script (CHARACTER: dialogue)	Splits each line at the ":".	Empty
Word with script styles (ASREC)	Reads the Personnage / Dialogue / Parenthèse styles.	Empty
Word with a table (CaptionMax ASR: # · Timecode · Character · Dialogue)	Takes only the 3 useful columns and drops the "#" numbering.	Kept
3-column Excel	Opens it as is for editing.	Kept
Netflix Excel (DUB SCRIPT · Dialogue List) NEW	IN-TIMECODE, SOURCE and TRANSCRIPTION; annotations are kept as a note.	Kept
.srt / .ass subtitles	Each subtitle is a line. If the subtitle starts with the speaker ("GI-HUN: ...", "- HOMBRE 1: ..."), the name goes to PERSONAJE NEW ; if not, it's left empty for you to assign.	Kept

If the T.C. is empty, no problem: you fill it in later in **Time codes** ("I have the translated script" or "I have an ASREC without time code").

Export options

- **TIME CODE in MMSS format** (0114 = 1:14).
- **Save to:** the destination folder.
- **File name.**

Tip

For a client script with many characters, convert it here first even if it's already a table: you make sure the columns are clean before translating.



Convert script, on screen

Convert script to 3 columns

Converts a traditional script, numbered or "as broadcast" script, a Word file with a table (like CaptionMax ASRs), or .srt / .ass subtitles into a T.C. · PERSONAJE · DIÁLOGO table for Word or Excel.

1 Input text

A Paste text **From a file**

SQUI GAME inglés.srt
3 KB

Change ×

B Convert Start over

2 Review and fix

Click on any cell to edit it

C .srt subtitles 45 lines **Nothing to review** **E** ← Sync with vid **F** → Add row

	TIME CODE	PERSONAJE	DIÁLOGO
1	00:00:00,000		From now on, listen carefully to what I'm going to say!
2	00:00:02,500		This is not just a game!
3	00:00:05,000		If you get caught playing a game,
4	00:00:07,200		you die!
5	00:00:09,750		What are you talking about?
6	00:00:15,600		What are you talking about?
7	00:00:19,870		You die while saying that a fig tree has bloomed?
8	00:00:23,670		A fig tree?
9	00:00:24,670		Yes, that's right!
10	00:00:25,670		If you get caught moving,
11	00:00:27,670		you die!
12	00:00:29,670		I'm going to shoot you from anywhere!
13	00:00:31,670		That man must have been drunk.

G ⓘ The TIME CODE comes from the file. Assign each **PERSONAJE** while watching the video, or from a script using [Assign characters from a script](#).

3 Export

File name

Save to

SQUI GAME inglés_3columnas

Same folder as the file

Change

The extension (.docx or .xlsx) is added automatically.

H TIME CODE in MMSS format

0114 = 1 min 14 s, instead of 00:01:14,300.

I Export to Word

Export to Excel

J Character sheet

K Translate this table

A Paste text or From a file (Word, .txt, .srt, .ass, Excel).

B Convert. Dropping a file converts it automatically.

C Detected format and whether anything is uncertain ("Without doubts" or "N to review").

D PERSONAJE: click the cell to type; it autocompletes with the names already used.

E Sync with video (if the table has T.C.).

F Add row.

G Notices: here, that the T.C. came from the .srt and characters still need to be assigned.

H TIME CODE in MMSS (0114 = 1:14).


I Export to Word or Excel.

J Character sheet (Excel).

K Translate this table: takes it to Translate.

Translate

Translates the whole script with an AI model that runs **on your computer, offline**. The result is a **draft** in your style, for you to review and adapt: the T.C. stays intact and the PERSONAJE column is adapted with your glossary.



The style profile

Each translator or series has its own. It's exported as **.perfil.json** to share with others.

- **Source and target language:** Spanish (neutral Latin American, Mexico, Spain...), English, French, Portuguese, Italian, Japanese, German, Korean, Chinese.
- **Rules** in plain language: tú or usted, banned words, interjections... They can be imported from a .md or .txt.
- **Glossary:** characters and terms (ORIGINAL → DOBLAJE). Imported from Excel.
- **Unify parenthetical annotations:** every parenthesis is replaced by a fixed tag, e.g. **(REAC)**.
- **Deliver in ALL CAPS**, script markup format.

When it's done, the app helps you review

- It flags the lines where **the glossary wasn't followed**.
- It lists the **characters missing from the glossary**, with the **Add to glossary** button.
- You can show the ORIGINAL column alongside to compare.


Ways to export

- **Word** or **Excel**: T.C. · PERSONAJE · DIÁLOGO, with the **Include the ORIGINAL column** option for reviewing.
- **Subtitles (.srt)**: to check the sync in a video player. Option: put the character name in each subtitle. The script needs TIME CODE.
- **Character sheet** (Excel) and **Sync with video** for fine-tuning.

Important: machine translation is a **starting point**, not a final delivery. Adjusting lip sync, tone and jokes is still the translator's job.



Translate, on screen



- A Script:** .docx, .xlsx, .srt, .ass or .txt. The T.C. and the order are kept.
- B Search profile** by name or category (appears with more than 8 profiles).
- C Profile menu**, grouped by category (My profiles, Asia, Genres, Netflix...).
- D Edit** the profile (rules, glossary, category).
- E New profile.**
- F Export glossary** to Excel for the client or the studio.
- G Profile summary:** category, languages, how many characters and terms it has.
- H Translation model:** the recommended one (★); you can change it.
- I Translate.**

Many profiles, organized NEW

- The menu groups profiles by **category**: “My profiles” first, then Asia, Genres, Netflix, Telenovelas, Technical...
- With more than 8 profiles the **search box** appears: type “anime”, “netflix” or part of the name. If only one is left, it's selected automatically.
- In **Edit**, the **Category** field creates your own groups (for example, one per client).

Profiles from other translators

A profile is shared as a **.perfil.json** file:

Import profile... adds it with its rules, glossary and category.

There are ready-made profiles by genre (cartoons, anime, K-Drama, sitcom, procedural...), by platform (Netflix: dubbing, animation, non-fiction, subtitles) and technical ones (voice-over, subtitles, musical).

Inside the profile: rules and glossary

2. Edit profile

Profile name: **A** go del calamar (Netflix, latino neutro)

Category: **B** My profiles (or Genres, Netflix, a client...)

Source language: **C** Select automatically

Translate into: Spanish, latino neutro

Unify parenthetical annotations: **D** = translated. E.g., (REAC)

Deliver in ALL CAPS: **E** Script markup convention. Applied to the entire translation at the end.

Translator style rules: **F** DOBLAJE CON SINCRONÍA LABIAL (lip sync)
La línea en español tiene que caber en la boca de quien habla.
LARGO: la traducción debe durar lo mismo que el original al decirlo. Apunta a la misma cantidad de sílabas (±2).
español sale más largo, recorta (quita muletillas, usa sinónimos cortos; nunca agregues relleno).
FRANQUEO Y CIERRE: si el original empieza o termina con la boca cerrada (p, b, m), intenta que el español también (bueno, bien, pero, mira, muy, más, basta). En primeros planos es lo que más se nota.
- VOCALES ABIERTAS: donde el original abre la boca en una vocal larga o un grito ("Nooo!", "Whaaat?"), usa una vocal abierta en el mismo lugar ("¡Nooo!", "¿Quééé?!").

Glossary: **H** Characters (27) **I** Search... **J** Import from Excel (.xlsx)...

ORIGINAL	DOBLAJE	VARIANTES (s)	EN EL DIÁLOGO
Seong Gi-hun	GI-HUN	성기훈; 기훈; Gi-hun; Seong; 456	Gi-hun
Hwang In-ho	IN-HO	황인호; 인호; Front Man; 프론트맨; Oh Young-uk; 오영익; Young-uk; 영익	In-ho
Hwang Jun-ho	JUN-HO	황준호; 준호	Jun-ho
Park Jung-bae	JUNG-BAE	박정배; 정배; 390	Jung-bae
Lee Myung-gi	MYUNG-GI	이명기; 명기; 333	Myung-gi
Kim Jun-hee	JUN-HEE	김준희; 준희; 222	Jun-hee
Cho Hyun-ju	HYUN-JU	조현주; 현주; 120	Hyun-ju
Park Yong-sik	YONG-SIK	박용식; 용식; 007	Yong-sik

K Save profile **L** Export glossary **M** Export to share **N** Delete profile

3. Translation model

Gemma 4 26B A4B Q4 Recommended for your hardware

On GPU and CPU - ~ 8 min per 22-min episode

What to translate: Entire script First 5 min From... to...

Save the profile first. **Translate**

- A** Profile name.
- B** **Category**: the menu group (empty = "My profiles"). It can be a client.
- C** **Source language** and **Translate into** (with variant: neutral Latin American, Mexico...).
- D** **Unify parenthetical annotations**: every parenthesis becomes, for example, (REAC).
- E** **Deliver in ALL CAPS** (script markup).
- F** **Style rules** in plain language.
- G** **Import** the rules from a .md or .txt.
- H** **Glossary: Characters** and **Terms** tabs. Variants (separated by ;) are other ways of saying it, also in the source language.
- I** **Search** the glossary.
- J** **Import from Excel**.
- K** **Save profile**.
- L** **Export glossary** (Excel with PERSONAJES and GLOSARIO tabs).
- M** **Export to share** (.perfil.json).

Example: "Squid Game". In Korean the game is called 무궁화 꽃이 피었습니다 ("the flower has bloomed") and without a glossary the model translates the flower. With the term **Luz roja**, **luz verde** in the glossary, it comes out as in the Latin American dub. Same with **el Líder** (Front Man) and the players' names: under **VARIANTES** they also go in Korean, so the model recognizes them in the original.

Export glossary **NEW**

The studio or the client sometimes asks for the terms separately for post-production. **Export glossary** creates an Excel file with two tabs: **PERSONAJES** and **GLOSARIO**, with 3 columns **ORIGINAL** · **DOBLAJE** · **NOTAS** (the variants go in NOTAS). You can import the same file back with **Import from Excel**.



Reviewing the translation

Translation done
38 lines in 0:59. Review and correct in the table before exporting.

A All characters **B** Glossary followed **C** PERSONAJE **D** ORIGINAL **E** TRANSLATION

T.C.	PERSONAJE	ORIGINAL	TRANSLATION
00:00:00,000	GI-HUN	지금부터 제가 하는 말 잘 들으세요!	¡Escuchen bien lo que voy a decir!
00:00:03,080	GI-HUN	이건 그냥 게임이 아닙니다!	¡Esto no es un simple juego!
00:00:05,679	GI-HUN	게임을 하다 걸리면 죽습니다!	¡Si pierden el juego, morirán!
00:00:13,900	GEUM-JA	뭐래는요?	¿Qué está diciendo?
00:00:15,839	HOMBRE 1	그게 뭐 소리예요?	¡Oiga! ¿De qué está hablando?
00:00:19,989	MUJER 1	무궁화 꽃이 피었습니다 하다가 죽는다고?	¿Que vamos a morir jugando «Luz roja, luz verde»?
00:00:23,769	HOMBRE 2	무궁화 꽃이?	¿Luz roja...?
00:00:24,449	GI-HUN	네 맞습니다!	¡Sí, así es!
00:00:25,969	GI-HUN	움직이다 걸리면 죽습니다!	¡Si los ven moverse, morirán!
00:00:29,809	GI-HUN	어디서 한가 총을 쏘 거예요!	¡Les dispararán desde algún lado!
00:00:31,670	THANOS	저 아저씨 술 마셨나 봐	Ese tipo debe estar borracho.
00:00:33,109	JUGADORA	걸리면 누가 총을 쏜대?	¿Dice que nos van a disparar si perdemos?
00:00:34,890	THANOS	우리 끈대가 딱 저래 술 처먹고 들어오면 현관문 열리 자마자 헛소리래	Así se pone mi papá cuando llega borracho: apenas abre la puerta, empieza a decir locuras.

Export

File name: SQUI GAME coreano (2)_ES Save to: Same folder as the script **Change**

The extension (.docx or .xlsx) is added automatically.

G Include the ORIGINAL column **H** Character name in subtitles

For reviewing. Without it you get the 3 columns: T.C. PERSONAJE. DIÁLOGO. Only for the .srt each subtitle starts with "PERSONAJE".

I Export to Word **J** Export to Excel **K** Export subtitles (.srt) **L** Character sheet

M Sync with video

- A Filter by character:** show only one character's lines.
- B Glossary followed,** or "N to review" to see only the lines with problems.
- C PERSONAJE:** adapted with the glossary; click to correct.
- D ORIGINAL,** for comparison.
- E TRANSLATION:** click to correct.
- F New translation.**
- G Include the ORIGINAL column** in the Word or Excel file.
- H Character name** in each .srt subtitle.
- I Export to Word, Excel or .srt subtitles.**
- J Character sheet.**
- K Sync with video.**



Filter by character **NEW**

The **All characters** menu shows only one character's lines (or the ones with no character). Use it to check each character's tone or to work on the lines that changed from one version to another. At the top it says how many are shown: "7 of 38 lines".

7 of 38 lines **A** THANOS (7) **B** Review translation **C** Glossary followed Click the translation or PERSONAJE to correct it

T.C.	PERSONAJE	ORIGINAL	TRANSLATION
00:00:31,670	THANOS	저 아저씨 술 마셨나 봐	Ese tipo debe estar borracho.
13 00:00:34,890	THANOS	우리 끈대가 딱 저래 술 처먹고 들어오면 현관문 열리 자마자 헛소리래	Así se pone mi papá cuando llega borracho: apenas abre la puerta, empieza a decir locuras.
14 00:00:40,890	THANOS	대가리 속에 도청장치가 있대	Dice que tiene un maldito micrófono en la cabeza.
16 00:00:48,609	THANOS	저거 봐 무슨 장치 얘기하지?	¿Ves? Ya habla de aparatos.
32 00:03:40,979	THANOS	Nope. 약하면 저러지 않아.	No. Nadie se pone así cuando está drogado.
34 00:03:44,580	THANOS	관심 있어?	¿Te interesa?

- A Filter:** here, only THANOS (7 lines).
- B** The **original numbering** is kept.



Netflix Excel: read, translate and return

NEW IN 2.5

Load the Netflix Excel (DUB SCRIPT, *Dialogue List* sheet) into **Translate** just as it arrives. The app translates **TRANSCRIPTION**, gives the model each line's **ANNOTATIONS** and **TAGS** as context, and on export fills the **DIALOGUE** column of a copy of the same Excel: the T.C.s, SOURCE, annotations, formatting and other sheets stay the same.

47 lines

A

All characters

▼

✓

Review translation

✓

Glossary followed


Click the translation or PERSONAJE to correct it

	T.C.	PERSONAJE	ORIGINAL	TRANSLATION
1	00:00:00:00	B NETFLIX CREDITS	NETFLIX SERIES C <i>Etiquetas: NETFLIX CREDITS</i>	UNA SERIE DE NETFLIX
2	00:00:02:02	GRAPHICS INSERTS	PLAYER 456 / SEONG GI-HUN <i>Etiquetas: GRAPHICS INSERTS</i>	D JUGADOR 456 / GI-HUN
3	00:00:00:00	GI-HUN	From now on, listen carefully to what I'm going to say!	¡De ahora en adelante, escucha bien lo que diré!
4	00:00:02:13	GI-HUN	This is not just a game!	¡Esto no es solo un juego!
5	00:00:05:00	GI-HUN	If you get caught playing a game,	Si te atrapan jugando,
6	00:00:07:07	GI-HUN	you die!	¡mueres!
7	00:00:09:18	GEUM-JA	What are you talking about?	¿De qué estás hablando?
8	00:00:15:17	HOMBRE 1	What are you talking about?	¿De qué estás hablando?
9	00:00:19:21	MUJER 1	You die while saying that a fig tree has bloomed? <i>"a fig tree has bloomed" is how the Korean name of the game "Red Light, Green Light" was transcribed · Etiquetas: CONTEXT</i>	E ¿Mueres mientras dices Luz roja, luz verde?
10	00:00:23:16	HOMBRE 2	A fig tree? <i>"a fig tree has bloomed" is how the Korean name of the game "Red Light, Green Light" was transcribed · Etiquetas: CONTEXT</i>	¿Luz roja, luz verde?
11	00:00:24:16	GI-HUN	Yes, that's right!	¡Sí, así es!


- A** Filter character.
- B** **SOURCE** → PERSONAJE (adapted with the glossary).
- C** **Annotations and tags** (ANNOTATIONS, TAGS): the model reads them as context.
- D** The **line breaks** in a cell ("JUGADOR 456 / GI-HUN") become line breaks again in the Excel.
- E** With the annotation and the glossary, "a fig tree has bloomed" comes out as "**Luz roja, luz verde**".



Netflix Excel: loading, exporting and tips



- A** The Netflix Excel just as it arrives from the client.
- B** Notice: TRANSCRIPTION is translated and returned in DIALOGUE; how many lines have annotations.
- C** The series' profile (here, Squid Game).



- A** Export to Netflix Excel: a copy of the file with the DIALOGUE column filled in.
- B** Save to: by default, the script's folder.

New versions (V1.1...)

If the Excel already has lines in DIALOGUE, **Keep the N lines that already have DIALOGUE** appears: only the empty ones are translated and you don't lose the work already done.

One profile per series

In the glossary, characters with a **note** ("woman", "man") help the model with gender. Terms that fill the whole line ("NETFLIX SERIES" → "UNA SERIE DE NETFLIX", "[REACTION]" → "(reac)") are inserted without going through the model.

Second glossary pass: when it finishes, the lines that didn't follow the glossary are sent to the model again, one by one, requiring the term. Any that still don't comply are left **to review**.



Series memory, ranges and queue

NEW IN 2.7

The **series memory** (Pro) learns from your reviewed translations: on export, each line is saved in the profile. In the next episode, **identical** lines come out automatically with your translation (green mark in the table) and **similar** ones reach the model as examples: catchphrases, nicknames and slang stay consistent across the whole season.

A **Series memory** **Pro**

Empty: when exporting a reviewed translation using this profile, it is saved here.

B ☒ Use

> View profile rules

3 **Translation model**

Gemma 4 26B A4B Q4 **☆ Recommended for your hardware**

On GPU and CPU · ≈ 8 min per 22-min episode

What to translate

C

D

Entire script

First 5 min

From... to...

38 lines with the profile **El juego del calamar (Netflix, latino neutro)** · Gemma 4 26B A4B Q4

Translate

- A** **Series memory** (Pro): how many approved lines the profile has.
- B** **Use**: reuse the lines already approved and give the similar ones as examples.
- C** **First 5 min**: to test the profile (free, 2 per day, without using up the day's translation).
- D** **From... to...** (Pro): any T.C. range.



Queue, review and draft vs final

NEW IN 2.7

Multiple episodes queued (Pro)

With **Multiple episodes queued** (at the top, in step 1) you add the week's scripts and they're translated one after another, even while you're away. Each one is saved next to its script; they're drafts: they enter the memory when you review and export them.

They are translated one after another, even when you're away (e.g., overnight). Each translation is saved next to its script as a draft to review: it does not enter the series memory until you review and export it.

A SQUID_201_LAS.srt 3 KB ×

SQUI GAME coreano (2).srt 3 KB ×

B Add script

Drag the file here or [browse](#)

Word, Excel (including Netflix), .srt, .ass, or .txt · one at a time

C

Export each to ☒ Word ☐ Excel ☐ .srt subtitles

- A Queued episodes:** translated one after another.
- B Add script:** one at a time (Word, Excel, including Netflix's, .srt...).
- C Formats:** each translation is saved next to its script as Word, Excel or .srt.

Review translation

In the result, **Review translation** goes over the whole table (with your corrections) and flags for review:

Free

- Untranslated lines, identical to the original or left in English.
- Missing ¿ ¡ and extra spaces.
- Numbers different from the original (a 456 that became 465).

Pro

- **Too long for lip sync:** more syllables than the original (in lip sync profiles).
- The same line translated two different ways in the episode.
- Different from what you already approved in the series memory.

Assign characters and draft vs final report (Pro)

When the client sends a **draft script** and the final cut doesn't match (actors improvise, scenes get trimmed): in


Convert script load the final cut's subtitles (for example, the .srt from Whisper) and, in **Assign characters from a script**, the draft. Each subtitle takes the PERSONAJE of the most similar line, in order. **Draft vs final report** builds an Excel marking each line **Igual** (same), **Cambió** (changed, with both texts), **Agregada** (added, improvised) or **Quitada** (removed).

Tip: assign the characters in the script's language (the English .srt against the English script) and then use

Translate this table : the translation keeps the characters.



Whisper gives approximate times, and the client sometimes changes bumpers or cuts in the final version. Here you see the video with each line on top and the **burned-in timecode** in view, and you move the T.C.s until they match. Nothing is saved over your files: at the end you export a copy.



Three ways to move

- **Move**: ± 1 frame, ± 1 s or the offset you type (negative = earlier).
- **Reference point**: "line 7 starts at 01:00:14:05".
- **Two points**: one line at the start and another at the end. Fixes it when the start matches but the end keeps drifting.



Bumpers and cuts

Go to the first line after the change, choose **From a line** and mark it on its frame: everything before it stays the same.

For a separate block: **click and Shift+click** in the table, or **drag** on the timeline.



Fixing the script

- **+ Line here** (N key): adds what Whisper missed.
- Click PERSONAJE or DIÁLOGO to correct; to delete.
- **Undo** reverts any step.

What you see on screen

Element	What it's for
Green VIDEO T.C. counter	The TC calculated by the app. If it doesn't match the burned-in one: wrong start TC (same difference throughout the video) or wrong frames per second (it drifts apart toward the end).
Zoom (mouse wheel, + and -)	Magnifies the image up to 4× to see who's moving their lips. Drag to pan; double-click to reset.
Subtitles and colors	Subtitle size, font, position and background, and one color per character (in the video, the table and the timeline).
Table	Previous T.C. struck through with the new one below; colored border on what was moved; red = overlaps the previous line.



Shortcuts

Space play · **←** **→** one frame (Shift: 1 s) · **↑** **↓** previous or next line · **M** mark · **N** new line · **R** next line to review · **F** capture · **Ctrl+C** / **Ctrl+V** copy and paste lines. The **Hide menu** button in the sidebar gives the whole screen to the video and the table.



Which video should I use?

MP4 with H.264 plays directly (ideal: 720p, **the same frames per second as the original**). For ProRes, MXF or PCM-audio masters, the app offers **Create a viewing copy** (a few minutes): the timing is identical.

Synchronize, on screen

The screenshot shows the Synchron Studio interface. On the left is a sidebar with options like 'Time codes', 'Convert script', 'Translate', 'Synchronize', 'Models & hardware', 'License', 'Settings', 'User guide', and 'Hide menu'. The main area is divided into three sections: a video player at the top, a script editor in the middle, and a timeline at the bottom. The video player shows a scene with two characters, one with purple hair. The script editor displays a list of lines with character names and timestamps. The timeline shows a sequence of lines being synchronized. Various keyboard shortcuts are indicated by letters in yellow circles over the interface elements.

A **Script** loaded (Word, Excel, .srt, .ass). **Change** to pick another.

C **Video** with the current line on top (character in its color).

E **VIDEO T.C.:** must match the burned-in TC.

G **Capture** (F key): the frame as a 1920×1080 PNG, in the Capturas folder next to the video.

I **Line N starts here** (M key): moves the line to the frame you see.

K **Video settings:** frames per second and start TC.

M **Timeline:** drag a line to move it, or its edges to stretch it.

O **What to move:** everything, from a line or the selection.

Q **N to review** !: jumps to the next yellow line (R key).

S Keyboard **shortcuts**, always in view.

U **Export** the synced copy.

B **Video:** duration, frames per second and format.

D **Play**, one frame back or forward, jump to the start or the end.

F **Zoom** on the image (also with the mouse wheel).

H **+ Line here** (N key).

J **Subtitles and colors.**

L **Read burned-in TC (OCR).**

N **Scrub bar** to move through the video (also with the mouse wheel).

P **Filter character:** see and move only their lines.

R **Copy / Paste** lines (Ctrl+C / Ctrl+V).

T **Table:** click the number to go to the line; click the text to correct it.



Filter and move one character's lines

NEW IN 2.4

Between the preliminary and the final version, sometimes only certain characters' lines move (a re-recorded scene, a trimmed dialogue). With the filter you work directly on those lines: the table shows only theirs, the timeline dims the rest and **whatever you move applies only to them** (also combined with "From a line" or "Selection only"). ↑ ↓ and the R key skip the hidden lines.

The interface is divided into several sections:

- Top Left:** Video player showing a scene with two characters. Subtitles are visible: "JUGADORA: ¿Está drogado o qué?" and "Is he high or what?".
- Top Right:** Filter and navigation controls. It shows "12 of 38 lines" and lists characters "THANOS" and "JUGADORA". There are buttons for "Copy", "Paste", "Space play", "frame (Shift: 1 s)", "line", "M mark", "N new line", and "R review".
- Middle Right:** A table of lines with columns for T.C., PERSONAJE, and DIÁLOGO. The table lists lines 11 through 37, with characters alternating between THANOS and JUGADORA.
- Bottom Left:** A timeline view showing the sequence of lines. It includes a "What to move" section with options: "Entire script", "From a line", and "Selection only". Below this, there are buttons for "Move", "Reference point", "Two points (drift)", and "Compare versions".
- Bottom Right:** A section for applying the move, with buttons for "-1 s", "-1 frame", "+1 frame", "+1 s", "Move", "seconds", and "Apply".

- A** Characters in the filter; the X removes one.
- B** + add character (or "(no character)").
- C** Show all: removes the filter.
- D** The line numbers are kept (11, 12, 13, 14, 16...).
- E** Notice: whatever you move applies only to those 12 lines.
- F** Move, Reference point, Two points or Compare versions.
- G** Apply the offset.
- H** Undo or go back to the original T.C.s.



Subtitles, colors, video settings and burned-in TC

The three menus that open below the video. Your choices are remembered for the next episode.

Subtitles and colors

A

Size

B

Font

Segoe UI

C

Position

Top

D

Background

E

Timeline by

character

☒ Show character
 ☐ All text in character color

F

GI-HUN

THANOS

JUGADORA

JUNG-BAE

GEUM-JA

JUGADOR 444

HOMBRE 1

MUJER 1

HOMBRE 2

YONG-SIK

YEONG-SAM

Video settings: 23.976 cps · start 00:00:00:00 · script T.C. based on video time

G

Frames per second

23.976

H

Video start T.C.

00:00:00:00

I

Script T.C. follow

the video time (Whisper, .srt)

Read burned-in TC (OCR)

beta

The app reads the TC from the image to automatically extract the **start TC**, **frames per second**, and whether the TC **jumps** (the master was edited after burning it in). First, mark where the TC is located.

J

Mark the TC box

K

Read TC of this frame

L

Analyze episode

A Subtitle **size**.

C **Position**: bottom or top (top, if the video already has subtitles).

E **Timeline by** moved range or by character.

G **Frames per second**.

I **Script T.C. follow** the video time or the burned-in TC.

K **Read TC of this frame**.

B **Font**.

D **Background** (opacity).

F **Color for each character**: click the little square to change it.

H **Video start T.C.** (01:00:00:00, 00:59:40:00...).

J **Mark the TC box** of the burned-in TC.

L **Analyze episode**: start TC, frames per second and jumps.




Move and stretch with the mouse, copy and paste, capture

NEW IN
2.5

↔ Drag lines on the timeline


Select one or more lines (click and Shift+click in the table, or drag across the timeline background) and **drag them**: they move together, one frame at a time. If the start gets close to the playhead, it **snaps** to it: park the video on the exact frame and drop there.



- A** The selected lines (orange border) are dragged together.
- B** Offset while you drag: seconds and frames. It moves one frame at a time.
- C** Playhead: if the start of the line gets close, it snaps to it.
- D** Scrub bar to move through the video without moving the playhead.

↔ Stretch or shrink a line

Each line has a **left edge** (where it starts) and a **right edge** (where it ends). Drag them to fit what you hear; the other edge stays fixed. The duration is used in the .srt and in the subtitle over the video (Word and Excel only carry the start).



- A** Line edge: drag it to stretch or shrink the line (the other edge stays fixed).
- B** Edge TC and duration while you move it.
- C** With the video stopped where the word ends, the edge snaps to the playhead.



Copy and paste lines, capture and shortcuts

NEW IN 2.5



Copy and paste lines

For a repeated line of dialogue: select the line (or several), **Ctrl+C**, go to the frame where it repeats and **Ctrl+V**. They're pasted with their character, spacing and duration. It also pastes text from another program ("CHARACTER: dialogue" or one line of dialogue per row).



Capture

The **Capture** button (**F** key) saves the frame you're viewing as a **1920×1080 PNG**, taken from the original video, in the **Capturas** folder next to the video. The file name includes the TC.

38 line **A** Filter character.✕ **B** 7 to review ↓ **C**  **Copy** **D** **Paste (2)**

E **space** play ← → frame (Shift: 1 s) ↑ ↓ line **M** mark **N** new line

R review **F** capture **ctrl** + **C** / **V** copy and paste

Click on the number: go to line · Shift+click: select multiple · click on the text: fix

- A** Filter character.
- B** N to review (R key).
- C** Copy the current line or the selected ones (Ctrl+C).
- D** Paste at the frame you're viewing (Ctrl+V); in parentheses, how many lines are copied.
- E** Shortcuts: Space, ← →, ↑ ↓, M, N, R, F, Ctrl+C / V.



Video info and Mac masters

NEW IN 2.6.1

The app includes the **FFmpeg** libraries: it reads MOV (ProRes, H.264, HEVC), MXF, MP4, MKV, AVI, WAV, AIFF and more, with nothing to install. Below the video name you see a summary (*MOV · Apple ProRes HQ · 1920×1080 · 23.976 cps*), and the **Data** button, in Time codes and Synchronize, opens the full details.

prueba_prores.mov ×

MOV · Apple ProRes HQ · 1920×1080 · 23.976 cps

FILE

Format	QuickTime (MOV)
Size	170 MB
Duration	0:10
Total bitrate	142,876 kbps
A Start TC	01:00:00:00

VIDEO

C Codec	Apple ProRes (HQ)
Resolution	1920 × 1080
B Frames per second	23.976 cps
Bitrate	140,567 kbps
Color sampling	4:2:2 · 10 bits

AUDIO

D Codec	PCM 24 bits
Channels	2 (stereo)
Sample rate	48 kHz
Bitrate	2,304 kbps

FILE DATA

Encoded with	Lavf62.12.101
--------------	---------------

E ⓘ The app window can't play this codec directly: Synchronize makes a light copy to view it (T.C.s don't change). Whisper hears it as is.

- A** **Start TC** stored in the file (Mac masters and MXF): Synchronize uses it automatically.
- B** **Exact frames per second:** 23.976, 25, 29.97...
- C** **Codec and profile:** here, Apple ProRes HQ.
- D** **Audio:** codec, channels and sample rate of each track.
- E** **Notice** if the window can't play the codec: Synchronize creates a lightweight copy.



PCM audio: no need to copy the video

Many Mac masters have H.264 video with **PCM** audio, which the window can't play. The app shows the original video and prepares **only the audio** (one episode: under a minute and about 20 MB), which plays in sync. Meanwhile you can already watch the video: the corner says "Preparing audio..."



ProRes, MXF, DNxHD

If the problem is the video, a **lightweight copy** is created just for viewing (the T.C.s don't change). Whisper and the details panel read the original as is.




Compare versions, burned-in TC and lines to review

NEW IN 2.4

Compare versions — Synchronize → “Compare versions” tab

For when the script was made with **one version of the video** and the client sends **another** with different bumpers or cuts. The app compares the **audio** of both (a ProRes master against a CapCut MP4 works) and moves each section on its own.



Read burned-in TC (OCR) — Synchronize → “Read burned-in TC”


- 1. Mark the TC box:** drag over the TC in the video (it's remembered for the next episodes).
- 2. Read TC of this frame:** what the image says next to what the app calculates.
- 3. Analyze episode:** reads ~24 frames in seconds and gives the **start TC**, the **frames per second** and whether the TC **jumps** (the master was edited after the TC was burned in).

In **Reference point** and **Two points**, the **Read from image** button fills in the TC without typing.

When is it useful?

- Masters with a slate: they start at **00:59:40:00** so the program begins at 01:00:00:00.
- Files whose internal TC **doesn't match** the burned-in one (e.g. it says 01:00:29:20 and the burned-in one starts at 00:00:00:00).
- Re-edited masters: it tells you at which second the TC jumps and fixes the script.

Lines to review





Character sheet and autocomplete

NEW IN 2.3


Character sheet (Excel)

The **Character sheet** button in Convert script, Translate and Synchronize. It creates **HOJA DE PERSONAJES - <script>.xlsx** with one character per row, sorted from most to fewest lines:

#	PERSONAJE	COLOR	DIÁLOGOS	PALABRAS	PRIMERA APARICIÓN (T.C.)
1	FRANK		120	711	0000
2	CECILIA		57	345	0008
3	PEQUEÑO DRAGÓN		49	241	0026
TOTAL			...	...	

- **COLOR** is the same one the app uses for that character (the one you pick in Synchronize → Subtitles and colors).
- **PALABRAS** (words) doesn't count parentheticals in parentheses or brackets, such as (REAC) or [risa].
- A line with several characters ("WALLA, KANI") counts for each one.
- Coming soon: a **loops** column.
- The **character filter** in Translate and Synchronize uses these same names.

PERSONAJE autocompletes, like in Excel



- It works in the **Convert script**, **Translate** and **Synchronize** tables.
- In "WALLA, KANI, bi" it completes the last name: **BIANCA**.
- In Translate it also suggests the dubbing names from the profile's glossary.



Translation models (LLMs), explained

What is an LLM?


A **large language model** (LLM) is a program trained on huge amounts of text in many languages. It learned how things are written and how to say the same thing in another language. It's the technology behind ChatGPT, in **open, smaller** versions that fit on a regular computer.

In this app the LLM does **two things**: it translates your script following your profile and, in Time codes (**With AI**), it translates what Whisper hears to place each line of a translated script. It doesn't connect to the internet, doesn't store your texts and doesn't learn from them.

Whisper ≠ LLM

	Whisper	LLM
Works with	Audio	Text
Does	Transcribes and gives timings	Translates with style
Section	Time codes	Translate
Translates into	English only	10 languages

How the app translates a script




Available models

Model	Download (Q4)	Quality	Designed for
Qwen 3.5 0.8B	0.5 GB	★ ★ ★ ★ ★	Very modest computers. Very basic draft.
Qwen 3.5 2B	1.2 GB	★ ½ ★ ★ ★ ★	2 GB cards, laptops with integrated graphics and 8 GB of RAM.
Qwen 3.5 4B	2.6 GB	★ ★ ★ ½ ★ ★	Modest computers or CPU only.
Gemma 4 E4B	4.8 GB	★ ★ ★ ★ ★	6 GB GPU; laptops with integrated graphics and 16 GB of RAM. Good with Spanish.
Qwen 3.5 9B	5.3 GB	★ ★ ★ ★ ½ ★	8 GB GPU. Follows the rules and the glossary very well.
Gemma 4 12B	6.5 GB	★ ★ ★ ★ ★	10–12 GB GPU. Natural translation (460 lines in ~8 min on an RTX 2060).
Gemma 4 26B A4B	13.4 GB	★ ★ ★ ★ ★	The best. GPU with 16 GB or more, or split between GPU and CPU.

Qwen is from Alibaba and Gemma from Google. All are Apache 2.0 licensed: you can use them for commercial work. "B" = billions of parameters: bigger is usually better, but heavier and slower.

What is the "quantization level" (Q3...Q8)?

It's how **compressed** the model is, like the quality of an MP3 or a JPG: the more compressed, the smaller it is and the less memory it uses, but it loses some finesse. **Rule of thumb: a large model at Q4 beats a small one at Q8.** The app suggests the most faithful level that fits entirely on your card.





Where does the model run? · Troubleshooting

LLMs need a lot of memory and computing power. The fastest option is the **graphics card (GPU)**, but the app adapts to what you have. In **Models & hardware** you'll see which one applies to your computer:

FASTEST

Dedicated GPU

NVIDIA, AMD Radeon RX or Intel Arc. The model fits entirely in video memory.

FAST

Split (mixed)

The model doesn't fit entirely: part goes on the GPU and the rest on the CPU. The app does this automatically.

ACCEPTABLE

Integrated graphics

Laptops with Radeon Vega/680M/780M or Intel Iris Xe. Uses up to half the RAM. **Plug in the charger.**

SLOW

CPU only

Works on any computer, but an episode can take a long time. Use small models.

Which model should I choose? (quick guide)

My computer	Translation	Whisper
Laptop with integrated graphics, 8 GB of RAM	Qwen 3.5 2B (Q4)	Small
Laptop with integrated graphics, 16 GB of RAM	Gemma 4 E4B (Q4)	Small or Medium
2–4 GB card (GTX 1050, 1650...)	Qwen 3.5 2B or 4B	Medium (Large v3 Turbo with 4 GB)
6–8 GB card (RTX 2060, 3060...)	Gemma 4 12B or 26B A4B (mixed)	Large v3
12 GB card or more	Gemma 4 26B A4B	Large v3

When in doubt, always use the one with ★: the app calculates it for your computer.

Troubleshooting

Problem	What to do
"Windows protected your PC" when installing	The installer isn't signed: More info → Run anyway .
Whisper takes forever	In Models & hardware, check whether it says "GPU not activated" and use Activate GPU .
Whisper fails or is slow with my card	In Models & hardware, Whisper engine: Automatic uses the fastest GPU (NVIDIA, then Vulkan, then CPU). Pick another engine if a GPU causes problems.
"The GPU failed and Whisper continued on the CPU"	Try a smaller Whisper model: there may not be enough video memory.
Translation is very slow	Close other heavy programs (games, video editors) and choose a smaller model or level.
The model doesn't respect a name	Add it to the profile's glossary (with its variants). The app flags the lines that don't follow it.
The .srt subtitles button is disabled	The script has no TIME CODE: add it first in Time codes.
In Synchronize the green TC doesn't match the burned-in one	Use Read burned-in TC → Analyze episode : it gives you the correct start TC and frames per second.
Lots of yellow lines	If you have the ASREC in the audio language, use it ("I have an ASREC"). If not, review them in Synchronize with the R key.
Certificate error when downloading	Check the computer's date and time, and the antivirus.
"You already used today's free translation"	You'll get another one tomorrow. A coffee ☕ adds 2 Pro translations, or activate Pro in License .
"The key is invalid"	Copy all of it, from EDD- to the end, without cut-off parts or spaces. If it still fails, write to me on Buy Me a Coffee.
Any other error	Copy diagnostics and paste it when asking for help.

Updates: the app lets you know in the sidebar when there's a new version. Download it from **sunkpoet-lang.github.io/estudio-de-doblaje**. Your models, profiles, glossaries and license are kept. This guide opens from the app with **User guide**.