

```
"""
```

财报分析模块使用示例

运行方式: `python -m data_layer.report_analyzer.example`

```
"""
```

```
import logging
from data_layer.report_analyzer import ReportPipeline

logging.basicConfig(
    level=logging.INFO,
    format="%(asctime)s [%(levelname)s] %(message)s",
)
```

```
# — 配置 —
```

```
CONFIG = {
    # Tushare token (https://tushare.pro/register?reg=你的邀请码)
    "tushare_token": "YOUR_TUSHARE_TOKEN",

    # Gemini API Key (https://aistudio.google.com/apikey)
    "gemini_api_key": "YOUR_GEMINI_API_KEY",

    # 模型选择:
    #   gemini-1.5-flash → 便宜快速, 适合批量初筛
    #   gemini-1.5-pro   → 效果更好, 适合重点标的深度分析
    #   gemini-2.0-flash → 最新, 性价比高
    "gemini_model": "gemini-1.5-flash",

    # PDF本地存储目录
    "reports_dir": "./reports",

    # Obsidian vault路径 (填你本地的实际路径)
    "obsidian_vault": "~/obsidian/fintech",

    # PostgreSQL配置 (与fintech_system主配置保持一致)
    "db": {
        "host": "localhost",
        "port": 5432,
        "dbname": "fintech",
        "user": "fintech_user",
        "password": "your_db_password",
    },
}
```

```
# — 示例1: 单只股票单年度 —
```

```
def example_single():
    pipeline = ReportPipeline(CONFIG)
    result = pipeline.run("600893.SH", 2024)
    if result:
        fin = result["核心财务数据"]
        print(f"\n{'='*40}")
        print(f"公司: {result['基本信息']['公司名称']}")
        print(f"净利润: {fin['净利润']['金额亿元']}亿 {fin['净利润']['同比增长率']}")
        print(f"合同负债: {fin['合同负债']['金额亿元']}亿 {fin['合同负债']['同比增长率']}")
        print(f"结论: {result['分析师结论']}")
        print(f"{'='*40}")
```

— 示例2: 批量分析持仓股票

```
def example_batch():
    pipeline = ReportPipeline(CONFIG)
    results = pipeline.batch_run(
        stock_list=["600893.SH", "601021.SH"],
        years=[2023, 2024],
    )
    print(f"\n✅ 批量完成, 共处理 {len(results)} 份报告")
    for key, data in results.items():
        company = data["基本信息"]["公司名称"]
        profit = data["核心财务数据"]["净利润"]["金额亿元"]
        yoy = data["核心财务数据"]["净利润"]["同比增长率"]
        print(f" {key}: {company} 净利润 {profit}亿 {yoy}")
```

— 示例3: 仅重新导出Obsidian (已有DB数据)

```
def example_reexport():
    pipeline = ReportPipeline(CONFIG)
    data = pipeline.query_from_db("600893.SH", 2024)
    if data:
        pipeline.exporter.export("600893.SH", 2024, data)
        print("✅ 重新导出Obsidian完成")
    else:
        print("❌ DB中无数据, 请先运行 pipeline.run()")
```

```
if __name__ == "__main__":
    # 取消注释你想运行的示例
    example_single()
    # example_batch()
    # example_reexport()
```