
 $^{34}\text{S}(\text{d},\text{n})$ [1969Da12](#)

$J^\pi=0^+$ for ^{34}S ground state.

[1969Da12](#): a 4.95-MeV deuteron beam was produced from the 5.5-MeV Van de Graaff accelerator at University of Alberta and impinged on a CdS target enriched to 37% ^{34}S evaporated onto a 0.05-cm gold backing. Neutrons were detected by NE213 scintillators using the time-of-flight (tof) method with FWHM=1.0 ns. Measured $\sigma(E_n, \theta)$. Deduced levels, J, π , and L-transfers from DWUCK-DWBA analysis of the measured $\sigma(\theta)$.

[1993TeZX](#): $^{34}\text{S}(\text{d},\text{n})^{35}\text{Cl}$ at $E(\text{d})=25$ MeV at CYRJC, Tohoku University.

 ^{35}Cl Levels

$E(\text{level})^\dagger$	$L^\ddagger$	Comments
0	2	
1220	0	
1762	2	
2645	(1)	L: weak stripping or possibly two unresolved levels.
2695		
3006	3	
3163	3	L: Discrepancy: L=2 from 0^+ in $(^3\text{He},\text{d})$, $(\text{d},^3\text{He})$, and $(\text{pol d},^3\text{He})$.
4060		
4110		
4170		

[†] From [1969Da12](#).

[‡] From DWBA analysis of the measured $\sigma(\theta)$ in [1969Da12](#).