Branch: master ▾

Find file Copy path

appliedai / SelfDrivingCar / model.py / Jump to ▾

sunneysood Add files via upload

0470b4d 3 minutes ago

1 contributor

Raw Blame History

93 lines (63 sloc) 2.41 KB

● You're using code navigation to jump to definitions or references. Learn more or give us feedback

```
#https://stackoverflow.com/questions/37383812/tensorflow-module-object-has-no-attribute-placeholder
import tensorflow.compat.v1 as tf
tf.disable_v2_behavior()

import scipy

def weight_variable(shape):
  initial = tf.truncated_normal(shape, stddev=0.1)
  return tf.Variable(initial)

def bias_variable(shape):
  initial = tf.constant(0.1, shape=shape)
  return tf.Variable(initial)

def conv2d(x, W, stride):
  return tf.nn.conv2d(x, W, strides=[1, stride, stride, 1], padding='VALID')

x = tf.placeholder(tf.float32, shape=[None, 66, 200, 3])
y_ = tf.placeholder(tf.float32, shape=[None, 1])

x_image = x

#first convolutional layer
W_conv1 = weight_variable([5, 5, 3, 24])
b_conv1 = bias_variable([24])

h_conv1 = tf.nn.relu(conv2d(x_image, W_conv1, 2) + b_conv1)

#second convolutional layer
W_conv2 = weight_variable([5, 5, 24, 36])
b_conv2 = bias_variable([36])

h_conv2 = tf.nn.relu(conv2d(h_conv1, W_conv2, 2) + b_conv2)

#third convolutional layer
W_conv3 = weight_variable([5, 5, 36, 48])
b_conv3 = bias_variable([48])

h_conv3 = tf.nn.relu(conv2d(h_conv2, W_conv3, 2) + b_conv3)

#fourth convolutional layer
W_conv4 = weight_variable([3, 3, 48, 64])
b_conv4 = bias_variable([64])

h_conv4 = tf.nn.relu(conv2d(h_conv3, W_conv4, 1) + b_conv4)

#fifth convolutional layer
W_conv5 = weight_variable([3, 3, 64, 64])
b_conv5 = bias_variable([64])

```

```
h_conv5 = tf.nn.relu(conv2d(h_conv4, W_conv5, 1) + b_conv5)

#FCL 1
W_fc1 = weight_variable([1152, 1164])
b_fc1 = bias_variable([1164])

h_conv5_flat = tf.reshape(h_conv5, [-1, 1152])
h_fc1 = tf.nn.relu(tf.matmul(h_conv5_flat, W_fc1) + b_fc1)

keep_prob = tf.placeholder(tf.float32)
h_fc1_drop = tf.nn.dropout(h_fc1, keep_prob)

#FCL 2
W_fc2 = weight_variable([1164, 100])
b_fc2 = bias_variable([100])

h_fc2 = tf.nn.relu(tf.matmul(h_fc1_drop, W_fc2) + b_fc2)

h_fc2_drop = tf.nn.dropout(h_fc2, keep_prob)

#FCL 3
W_fc3 = weight_variable([100, 50])
b_fc3 = bias_variable([50])

h_fc3 = tf.nn.relu(tf.matmul(h_fc2_drop, W_fc3) + b_fc3)

h_fc3_drop = tf.nn.dropout(h_fc3, keep_prob)

#FCL 3
W_fc4 = weight_variable([50, 10])
b_fc4 = bias_variable([10])

h_fc4 = tf.nn.relu(tf.matmul(h_fc3_drop, W_fc4) + b_fc4)

h_fc4_drop = tf.nn.dropout(h_fc4, keep_prob)

#Output
W_fc5 = weight_variable([10, 1])
b_fc5 = bias_variable([1])

#y = tf.multiply(tf.atan(tf.matmul(h_fc4_drop, W_fc5) + b_fc5), 2) #scale the atan output
#https://www.tensorflow.org/api_docs/python/tf/identity
y = tf.matmul(h_fc4_drop, W_fc5) + b_fc5
```