

```
1 package com.example.assignment2.data.repository
2
3 import com.example.assignment2.data.model.User
4
5 object UserManager {
6     private var currentUser: User? = null
7     fun setUser(user: User) {
8         currentUser = user.copy()
9     }
10
11     fun getUser(): User? {
12         return currentUser
13     }
14
15     fun updateCredits(credits: Int) {
16         currentUser = currentUser?.copy(credits =
17         credits)
18     }
19
20     fun clearUser() {
21         currentUser = null
22     }
23 }
```

```
1 <?xml version="1.0" encoding="utf-8"?>
2 <shape xmlns:android="http://schemas.android.com/apk/
  res/android">
3     <solid android:color="@color/surface" />
4     <stroke android:width="1dp" android:color="@color
  /outline" />
5     <corners android:radius="20dp" />
6     <padding android:left="16dp" android:top="16dp"
  android:right="16dp" android:bottom="16dp" />
7 </shape>
```

```
1 <?xml version="1.0" encoding="utf-8"?>
2 <ScrollView xmlns:android="http://schemas.android.com
  /apk/res/android"
3     android:layout_width="match_parent"
4     android:layout_height="match_parent"
5     android:background="@color/background"
6     android:padding="24dp">
7
8     <LinearLayout
9         android:layout_width="match_parent"
10        android:layout_height="wrap_content"
11        android:orientation="vertical"
12        android:layout_gravity="center_vertical"
13        android:gravity="center_horizontal">
14
15
16        <TextView
17            android:layout_width="wrap_content"
18            android:layout_height="wrap_content"
19            android:layout_marginBottom="48dp"
20            android:gravity="center"
21            android:text="@string/app_name"
22            android:textColor="@color/black"
23            android:textSize="36sp"
24            android:textStyle="bold" />
25
26        <LinearLayout
27            android:layout_width="match_parent"
28            android:layout_height="wrap_content"
29            android:orientation="vertical"
30            style="@style/Card"
31            android:padding="20dp">
32
33            <TextView
34                android:layout_width="match_parent"
35                android:layout_height="wrap_content"
36                android:text="@string/get_started"
37                android:textSize="20sp"
38                android:textStyle="bold"
39                android:textColor="@color/on_surface"
40                android:layout_marginBottom="16dp" />
```

```
41
42         <com.google.android.material.textfield.
TextInputLayout
43             android:layout_width="match_parent"
44             android:layout_height="wrap_content"
45             android:layout_marginBottom="16dp"
46             style="@style/TextInputLayout">
47
48             <com.google.android.material.
textfield.TextInputEditText
49                 android:id="@+id/etName"
50                 android:layout_width="
match_parent"
51                 android:layout_height="
wrap_content"
52                 android:hint="@string/name"
53                 style="@style/EditText" />
54
55         </com.google.android.material.textfield.
TextInputLayout>
56
57         <com.google.android.material.textfield.
TextInputLayout
58             android:layout_width="match_parent"
59             android:layout_height="wrap_content"
60             android:layout_marginBottom="16dp"
61             style="@style/TextInputLayout">
62
63             <com.google.android.material.
textfield.TextInputEditText
64                 android:id="@+id/etPhone"
65                 android:layout_width="
match_parent"
66                 android:layout_height="
wrap_content"
67                 android:hint="@string/phone"
68                 android:inputType="phone"
69                 style="@style/EditText" />
70
71         </com.google.android.material.textfield.
TextInputLayout>
```



```
72
73         <com.google.android.material.textfield.
TextInputLayout
74             android:layout_width="match_parent"
75             android:layout_height="wrap_content"
76             android:layout_marginBottom="24dp"
77             style="@style/TextInputLayout">
78
79             <com.google.android.material.
textfield.TextInputEditText
80                 android:id="@+id/etEmail"
81                 android:layout_width="
match_parent"
82                 android:layout_height="
wrap_content"
83                 android:hint="@string/email"
84                 android:inputType="
textEmailAddress"
85                 style="@style/EditText" />
86
87         </com.google.android.material.textfield.
TextInputLayout>
88
89         <Button
90             android:id="@+id/btnLogin"
91             android:layout_width="match_parent"
92             android:layout_height="wrap_content"
93             android:text="@string/shop_now"
94             style="@style/PrimaryButton" />
95
96     </LinearLayout>
97
98 </LinearLayout>
99 </ScrollView>
```

```
1 package com.example.assignment2.data.repository
2
3 import com.example.assignment2.data.model.
  InstrumentItem
4 import com.example.assignment2.R
5
6 object InstrumentItemData {
7     private val instruments = listOf(
8         InstrumentItem(
9             id = 1,
10            name = "Acoustic Guitar",
11            imageRes = R.drawable.guitar,
12            price = 150,
13            rating = 4.5f,
14            category = "Acoustic",
15            description = "A beautiful classic guitar
              with nylon strings, perfect for beginners and
              intermediate players. Great sound quality and
              comfortable to play.",
16            specs = listOf("Nylon strings", "Spruce
              top", "Rosewood fingerboard")
17        ),
18
19        InstrumentItem(
20            id = 2,
21            name = "Yamaha Piano",
22            imageRes = R.drawable.piano,
23            price = 350,
24            rating = 4.8f,
25            category = "Keyboard",
26            description = "Professional digital piano
              with weighted keys and authentic sound.",
27            specs = listOf("88 keys", "Weighted
              action", "3 pedals")
28        ),
29        InstrumentItem(
30            id = 3,
31            name = "Fender Stratocaster",
32            imageRes = R.drawable.electric_guitar,
33            price = 200,
34            rating = 4.3f,
```

```
35         category = "Electric",
36         description = "Classic electric guitar
with versatile tone options.",
37         specs = listOf("Maple neck", "3 single-
coil pickups", "Tremolo system")
38     )
39 )
40
41     fun getInstruments(): List<InstrumentItem> =
instruments
42 }
```

```
1 package com.example.assignment2.data.repository
2
3 import com.example.assignment2.data.model.Booked
4
5 object BookingHistoryManager {
6     private val bookings = mutableListOf<Booked>()
7
8     fun addBooking(booking: Booked) {
9         bookings.add(booking)
10    }
11
12    fun getBookings(): List<Booked> = bookings.toList
13    ()
14 }
```

```
1 <?xml version="1.0" encoding="utf-8"?>
2 <LinearLayout xmlns:android="http://schemas.android.
  com/apk/res/android"
3     android:layout_width="match_parent"
4     android:layout_height="match_parent"
5     android:orientation="vertical"
6     android:background="@color/background"
7     android:padding="16dp">
8
9     <LinearLayout
10         android:layout_width="match_parent"
11         android:layout_height="wrap_content"
12         android:orientation="horizontal"
13         android:gravity="center_vertical"
14         android:layout_marginBottom="24dp">
15
16         <TextView
17             android:id="@+id/tvUserName"
18             android:layout_width="0dp"
19             android:layout_height="wrap_content"
20             android:layout_weight="1"
21             android:textSize="18sp"
22             android:textStyle="bold"
23             style="@style/BodyText" />
24
25         <Button
26             android:id="@+id/btnProfile"
27             android:layout_width="wrap_content"
28             android:layout_height="wrap_content"
29             android:text="@string/profile"
30             style="@style/SecondaryButton"
31             android:layout_marginEnd="8dp" />
32
33         <Button
34             android:id="@+id/btnChangeUser"
35             android:layout_width="wrap_content"
36             android:layout_height="wrap_content"
37             android:text="@string/log_out"
38             style="@style/SecondaryButton" />
39
40     </LinearLayout>
```

```
41
42     <!-- Instrument Card -->
43     <LinearLayout
44         android:layout_width="match_parent"
45         android:layout_height="wrap_content"
46         android:orientation="vertical"
47         style="@style/Card"
48         android:padding="24dp">
49
50         <!-- Instrument Image -->
51         <ImageView
52             android:id="@+id/ivInstrument"
53             android:layout_width="match_parent"
54             android:layout_height="200dp"
55             android:layout_marginBottom="16dp"
56             android:scaleType="centerCrop"
57             android:background="@drawable/
card_background"
58             android:contentDescription="@string/
instrument_image" />
59
60         <!-- Instrument Details -->
61         <TextView
62             android:id="@+id/tvInstrumentName"
63             android:layout_width="match_parent"
64             android:layout_height="wrap_content"
65             android:textSize="24sp"
66             android:textStyle="bold"
67             android:layout_marginBottom="8dp"
68             style="@style/HeadingText" />
69
70         <TextView
71             android:id="@+id/tvPrice"
72             android:layout_width="match_parent"
73             android:layout_height="wrap_content"
74             android:textSize="20sp"
75             android:layout_marginBottom="12dp"
76             style="@style/BodyText" />
77
78         <RatingBar
79             android:id="@+id/ratingBar"
```

```
80         android:layout_width="wrap_content"
81         android:layout_height="wrap_content"
82         android:layout_marginBottom="16dp"
83         android:numStars="5"
84         android:stepSize="0.5"
85         android:rating="0"
86         android:isIndicator="true" />
87
88     <!-- Categories -->
89     <TextView
90         android:layout_width="match_parent"
91         android:layout_height="wrap_content"
92         android:text="@string/category"
93         android:textSize="16sp"
94         android:textStyle="bold"
95         android:layout_marginBottom="8dp"
96         style="@style/BodyText" />
97
98     <com.google.android.material.chip.ChipGroup
99         android:id="@+id/chipGroupCategory"
100        android:layout_width="match_parent"
101        android:layout_height="wrap_content"
102        android:layout_marginBottom="24dp">
103
104        <com.google.android.material.chip.Chip
105            android:id="@+id/chipAcoustic"
106            android:layout_width="wrap_content"
107            android:layout_height="wrap_content"
108            android:text="Acoustic"
109            style="@style/Chip" />
110
111        <com.google.android.material.chip.Chip
112            android:id="@+id/chipElectric"
113            android:layout_width="wrap_content"
114            android:layout_height="wrap_content"
115            android:text="Electric"
116            style="@style/Chip" />
117
118        <com.google.android.material.chip.Chip
119            android:id="@+id/chipKeyboard"
120            android:layout_width="wrap_content"
```

```

121         android:layout_height="wrap_content"
122         android:text="Keyboard"
123         style="@style/Chip" />
124
125     </com.google.android.material.chip.ChipGroup
126 >
127     <!-- Navigation Buttons -->
128     <LinearLayout
129         android:layout_width="match_parent"
130         android:layout_height="83dp"
131         android:layout_marginBottom="16dp"
132         android:orientation="horizontal">
133
134         <Button
135             android:id="@+id/btnPrevious"
136             style="@style/SecondaryButton"
137             android:layout_width="0dp"
138             android:layout_height="wrap_content"
139             android:layout_weight="1"
140             android:text="@string/previous" />
141
142         <Button
143             android:id="@+id/btnViewDetails"
144             style="@style/PrimaryButton"
145             android:layout_width="0dp"
146             android:layout_height="wrap_content"
147             android:layout_marginStart="8dp"
148             android:layout_marginEnd="8dp"
149             android:layout_weight="1"
150             android:text="@string/view_details"
151         />
152
153         <Button
154             android:id="@+id/btnNext"
155             style="@style/SecondaryButton"
156             android:layout_width="0dp"
157             android:layout_height="wrap_content"
158             android:layout_weight="1"
159             android:padding="0dp"
160             android:text="@string/next" />

```



```
160
161         </LinearLayout>
162
163         <Button
164             android:id="@+id/btnBorrow"
165             android:layout_width="match_parent"
166             android:layout_height="wrap_content"
167             android:text="@string/borrow_now"
168             style="@style/PrimaryButton" />
169
170     </LinearLayout>
171
172 </LinearLayout>
```

```
1 <?xml version="1.0" encoding="utf-8"?>
2 <shape xmlns:android="http://schemas.android.com/apk/
  res/android">
3     <solid android:color="@android:color/transparent"
      />
4     <stroke android:width="1dp" android:color="@color
      /primary" />
5     <corners android:radius="16dp" />
6 </shape>
```

```

1 <?xml version="1.0" encoding="utf-8"?>
2 <ScrollView xmlns:android="http://schemas.android.com
  /apk/res/android"
3     android:layout_width="match_parent"
4     android:layout_height="match_parent"
5     android:padding="16dp">
6
7     <LinearLayout
8         android:layout_width="match_parent"
9         android:layout_height="wrap_content"
10        android:orientation="vertical">
11
12        <TextView
13            android:id="@+id/tvInstrumentName"
14            android:layout_width="match_parent"
15            android:layout_height="wrap_content"
16            android:textSize="24sp"
17            android:textStyle="bold"
18            style="@style/HeadingText" />
19
20        <TextView
21            android:id="@+id/tvPrice"
22            android:layout_width="match_parent"
23            android:layout_height="wrap_content"
24            android:layout_marginBottom="16dp"
25            style="@style/BodyText" />
26
27        <com.google.android.material.textfield.
TextInputLayout
28            android:layout_width="match_parent"
29            android:layout_height="wrap_content"
30            android:layout_marginBottom="16dp"
31            style="@style/TextInputLayout">
32
33            <com.google.android.material.textfield.
TextInputEditText
34                android:id="@+id/etName"
35                android:layout_width="match_parent"
36                android:layout_height="wrap_content"
37                android:hint="@string/name"
38                style="@style/EditText" />

```

```
39
40         </com.google.android.material.textfield.
TextInputLayout>
41
42         <com.google.android.material.textfield.
TextInputLayout
43             android:layout_width="match_parent"
44             android:layout_height="wrap_content"
45             android:layout_marginBottom="16dp"
46             style="@style/TextInputLayout">
47
48             <com.google.android.material.textfield.
TextInputEditText
49                 android:id="@+id/etPhone"
50                 android:layout_width="match_parent"
51                 android:layout_height="wrap_content"
52                 android:hint="@string/phone"
53                 android:inputType="phone"
54                 style="@style/EditText" />
55
56             </com.google.android.material.textfield.
TextInputLayout>
57
58             <com.google.android.material.textfield.
TextInputLayout
59                 android:layout_width="match_parent"
60                 android:layout_height="wrap_content"
61                 android:layout_marginBottom="16dp"
62                 style="@style/TextInputLayout">
63
64                 <com.google.android.material.textfield.
TextInputEditText
65                     android:id="@+id/etEmail"
66                     android:layout_width="match_parent"
67                     android:layout_height="wrap_content"
68                     android:hint="@string/email"
69                     android:inputType="textEmailAddress"
70                     style="@style/EditText" />
71
72                 </com.google.android.material.textfield.
TextInputLayout>
```

```

73
74         <TextView
75             android:layout_width="match_parent"
76             android:layout_height="wrap_content"
77             android:text="@string/rental_duration"
78             android:textSize="18sp"
79             android:textStyle="bold"
80             style="@style/BodyText" />
81
82         <RadioGroup
83             android:id="@+id/radioGroupDuration"
84             android:layout_width="match_parent"
85             android:layout_height="wrap_content"
86             android:layout_marginBottom="16dp"
87             android:orientation="vertical">
88
89             <RadioButton
90                 android:id="@+id/radio1Month"
91                 android:layout_width="match_parent"
92                 android:layout_height="wrap_content"
93                 android:text="@string/one_month" />
94
95             <RadioButton
96                 android:id="@+id/radio3Months"
97                 android:layout_width="match_parent"
98                 android:layout_height="wrap_content"
99                 android:text="@string/three_months"
100             />
101
102             <RadioButton
103                 android:id="@+id/radio6Months"
104                 android:layout_width="match_parent"
105                 android:layout_height="wrap_content"
106                 android:text="@string/six_months" />
107         </RadioGroup>
108
109         <com.google.android.material.switchmaterial.
SwitchMaterial
110             android:id="@+id/switchInsurance"
111             android:layout_width="match_parent"

```

```
112         android:layout_height="wrap_content"
113         android:text="@string/include_insurance"
114         android:layout_marginBottom="16dp" />
115
116         <TextView
117             android:id="@+id/tvTotalCost"
118             android:layout_width="match_parent"
119             android:layout_height="wrap_content"
120             android:textSize="20sp"
121             android:textStyle="bold"
122             style="@style/HeadingText" />
123
124         <LinearLayout
125             android:layout_width="match_parent"
126             android:layout_height="wrap_content"
127             android:orientation="horizontal"
128             android:layout_marginTop="24dp">
129
130             <Button
131                 android:id="@+id/btnCancel"
132                 android:layout_width="0dp"
133                 android:layout_height="wrap_content"
134                 android:layout_weight="1"
135                 android:text="@string/cancel"
136                 style="@style/SecondaryButton" />
137
138             <Button
139                 android:id="@+id/btnSave"
140                 android:layout_width="0dp"
141                 android:layout_height="wrap_content"
142                 android:layout_weight="1"
143                 android:text="@string/save"
144                 style="@style/PrimaryButton" />
145
146         </LinearLayout>
147
148     </LinearLayout>
149 </ScrollView>
```

```
1 <?xml version="1.0" encoding="utf-8"?>
2 <ScrollView xmlns:android="http://schemas.android.com
  /apk/res/android"
3     android:layout_width="match_parent"
4     android:layout_height="match_parent"
5     android:padding="16dp">
6
7     <LinearLayout
8         android:layout_width="match_parent"
9         android:layout_height="wrap_content"
10        android:orientation="vertical">
11
12        <ImageView
13            android:id="@+id/ivInstrument"
14            android:layout_width="match_parent"
15            android:layout_height="371dp"
16            android:layout_marginBottom="16dp"
17            android:scaleType="centerCrop" />
18
19        <TextView
20            android:id="@+id/tvInstrumentName"
21            style="@style/HeadingText"
22            android:layout_width="match_parent"
23            android:layout_height="wrap_content"
24            android:textSize="24sp"
25            android:textStyle="bold" />
26
27        <RatingBar
28            android:id="@+id/ratingBar"
29            android:layout_width="wrap_content"
30            android:layout_height="wrap_content"
31            android:layout_marginVertical="8dp"
32            android:isIndicator="true"
33            android:numStars="5"
34            android:rating="0"
35            android:stepSize="0.5" />
36
37        <TextView
38            android:id="@+id/tvPrice"
39            style="@style/BodyText"
40            android:layout_width="match_parent"
```

```
41         android:layout_height="wrap_content"
42         android:layout_marginBottom="16dp" />
43
44     <TextView
45         style="@style/HeadingText"
46         android:layout_width="match_parent"
47         android:layout_height="wrap_content"
48         android:text="@string/description"
49         android:textSize="18sp"
50         android:textStyle="bold" />
51
52     <TextView
53         android:id="@+id/tvDescription"
54         style="@style/BodyText"
55         android:layout_width="match_parent"
56         android:layout_height="wrap_content"
57         android:layout_marginBottom="16dp" />
58
59     <TextView
60         style="@style/HeadingText"
61         android:layout_width="match_parent"
62         android:layout_height="wrap_content"
63         android:text="@string/specifications"
64         android:textSize="18sp"
65         android:textStyle="bold" />
66
67     <LinearLayout
68         android:id="@+id/llSpecs"
69         android:layout_width="match_parent"
70         android:layout_height="wrap_content"
71         android:layout_marginBottom="24dp"
72         android:orientation="vertical" />
73
74     <Button
75         android:id="@+id/btnBorrow"
76         style="@style/PrimaryButton"
77         android:layout_width="match_parent"
78         android:layout_height="wrap_content"
79         android:text="@string/borrow_now" />
80
81 </LinearLayout>
```


82 </ScrollView>

```
1 <?xml version="1.0" encoding="utf-8"?>
2 <shape xmlns:android="http://schemas.android.com/apk/
  res/android">
3     <solid android:color="@color/primary" />
4     <corners android:radius="16dp" />
5 </shape>
```

```
1 <?xml version="1.0" encoding="utf-8"?>
2 <LinearLayout xmlns:android="http://schemas.android.
  com/apk/res/android"
3     android:layout_width="match_parent"
4     android:layout_height="wrap_content"
5     android:orientation="vertical"
6     android:background="@drawable/card_background"
7     android:padding="16dp"
8     android:layout_margin="8dp">
9
10    <TextView
11        android:id="@+id/tvInstrumentName"
12        android:layout_width="match_parent"
13        android:layout_height="wrap_content"
14        android:textSize="18sp"
15        android:textStyle="bold"
16        style="@style/HeadingText" />
17
18    <TextView
19        android:id="@+id/tvRentalPeriod"
20        android:layout_width="match_parent"
21        android:layout_height="wrap_content"
22        android:layout_marginTop="4dp"
23        style="@style/BodyText" />
24
25    <TextView
26        android:id="@+id/tvCost"
27        android:layout_width="match_parent"
28        android:layout_height="wrap_content"
29        android:layout_marginTop="4dp"
30        android:textSize="16sp"
31        android:textStyle="bold"
32        style="@style/HeadingText" />
33
34 </LinearLayout>
```

```
1 package com.example.assignment2.data.model
2
3 data class Booked(
4     val instrument: InstrumentItem,
5     val duration: Int,
6     val insurance: Boolean,
7     val totalCost: Int
8 )
```

```
1 <?xml version="1.0" encoding="utf-8"?>
2 <shape xmlns:android="http://schemas.android.com/apk/
  res/android"
3     android:shape="oval">
4     <solid android:color="@color/primary_light" />
5     <stroke android:width="2dp" android:color="@color
  /primary" />
6 </shape>
```

```
1 <?xml version="1.0" encoding="utf-8"?>
2 <LinearLayout xmlns:android="http://schemas.android.
  com/apk/res/android"
3     android:layout_width="match_parent"
4     android:layout_height="match_parent"
5     android:orientation="vertical"
6     android:padding="16dp">
7
8     <TextView
9         android:layout_width="match_parent"
10        android:layout_height="wrap_content"
11        android:text="@string/profile"
12        android:textSize="28sp"
13        android:textStyle="bold"
14        android:gravity="center"
15        android:layout_marginBottom="24dp"
16        style="@style/HeadingText" />
17
18    <LinearLayout
19        android:layout_width="match_parent"
20        android:layout_height="wrap_content"
21        android:orientation="vertical"
22        android:background="@drawable/card_background"
23        "
24        android:padding="16dp"
25        android:layout_marginBottom="24dp">
26
27        <TextView
28            android:id="@+id/tvUserName"
29            android:layout_width="match_parent"
30            android:layout_height="wrap_content"
31            android:textSize="20sp"
32            android:textStyle="bold"
33            style="@style/HeadingText" />
34
35        <TextView
36            android:id="@+id/tvUserPhone"
37            android:layout_width="match_parent"
38            android:layout_height="wrap_content"
39            android:layout_marginTop="8dp"
40            style="@style/BodyText" />
```

```
40
41     <TextView
42         android:id="@+id/tvUserEmail"
43         android:layout_width="match_parent"
44         android:layout_height="wrap_content"
45         style="@style/BodyText" />
46
47     <TextView
48         android:id="@+id/tvCredits"
49         android:layout_width="match_parent"
50         android:layout_height="wrap_content"
51         android:layout_marginTop="16dp"
52         android:textSize="18sp"
53         android:textStyle="bold"
54         style="@style/HeadingText" />
55
56 </LinearLayout>
57
58 <TextView
59     android:layout_width="match_parent"
60     android:layout_height="wrap_content"
61     android:text="@string/rental_history"
62     android:textSize="20sp"
63     android:textStyle="bold"
64     android:layout_marginBottom="16dp"
65     style="@style/HeadingText" />
66
67 <ScrollView
68     android:layout_width="match_parent"
69     android:layout_height="0dp"
70     android:layout_weight="1">
71
72     <LinearLayout
73         android:id="@+id/llHistoryContainer"
74         android:layout_width="match_parent"
75         android:layout_height="wrap_content"
76         android:orientation="vertical" />
77
78 </ScrollView>
79
80 <Button
```

```
81         android:id="@+id/btnChangeUser"
82         android:layout_width="match_parent"
83         android:layout_height="wrap_content"
84         android:text="@string/log_out"
85         style="@style/SecondaryButton" />
86
87 </LinearLayout>
```



```
1 package com.example.assignment2.data.model
2
3 data class User(
4     val name: String,
5     val phone: String,
6     val email: String,
7     var credits: Int = 1000
8 )
9
```

```
1 package com.example.assignment2.data.model
2
3 import android.os.Parcelable
4 import kotlinx.parcelize.Parcelize
5
6 @Parcelize
7 data class InstrumentItem(
8     val id: Int,
9     val name: String,
10    val imageRes: Int,
11    val price: Int,
12    val rating: Float,
13    val category: String,
14    val description: String,
15    val specs: List<String>
16 ) : Parcelable
17
```

```
1 package com.example.assignment2.activity
2
3 import android.content.Intent
4 import android.content.res.Resources
5 import android.os.Bundle
6 import android.view.LayoutInflater
7 import android.widget.Button
8 import android.widget.LinearLayout
9 import android.widget.TextView
10 import androidx.appcompat.app.AppCompatActivity
11 import com.example.assignment2.R
12 import com.example.assignment2.data.repository.
    BookingHistoryManager
13 import com.example.assignment2.data.repository.
    UserManager
14 import java.text.SimpleDateFormat
15 import java.util.Date
16 import java.util.Locale
17
18 class ProfileActivity : AppCompatActivity() {
19
20     private lateinit var tvUserName: TextView
21     private lateinit var tvUserPhone: TextView
22     private lateinit var tvUserEmail: TextView
23     private lateinit var tvCredits: TextView
24     private lateinit var llHistoryContainer:
        LinearLayout
25     private lateinit var btnChangeUser: Button
26
27     override fun onCreate(savedInstanceState: Bundle
        ?) {
28         super.onCreate(savedInstanceState)
29         setContentView(R.layout.activity_profile)
30
31         initializeViews()
32         setupUserInfo()
33         setupRentalHistory()
34         setupListeners()
35     }
36
37     private fun initializeViews() {
```

```
38         tvUserName = findViewById(R.id.tvUserName)
39         tvUserPhone = findViewById(R.id.tvUserPhone)
40         tvUserEmail = findViewById(R.id.tvUserEmail)
41         tvCredits = findViewById(R.id.tvCredits)
42         llHistoryContainer = findViewById(R.id.
llHistoryContainer)
43         btnChangeUser = findViewById(R.id.
btnChangeUser)
44     }
45
46     private fun setupUserInfo() {
47         val user = UserManager.getUser()
48         if (user != null) {
49             tvUserName.text = user.name
50             tvUserPhone.text = user.phone
51             tvUserEmail.text = user.email
52             tvCredits.text = "Available Credits: ${
user.credits}"
53         }
54     }
55
56     private fun setupRentalHistory() {
57         val history = BookingHistoryManager.
getBookings()
58
59         if (history.isEmpty()) {
60             val textView = TextView(this).apply {
61                 text = "No rental history"
62                 setTextAppearance(android.R.style.
TextAppearance_Medium)
63                 gravity = android.view.Gravity.CENTER
64                 setPadding(0, 32.dpToPx(), 0, 32.
dpToPx())
65             }
66             llHistoryContainer.addView(textView)
67         } else {
68             history.forEach { booking ->
69                 val historyItem = LayoutInflater.from
(this)
70                     .inflate(R.layout.
item_rental_history, llHistoryContainer, false)
```

```

71
72         val tvInstrumentName = historyItem.
    findViewById<TextView>(R.id.tvInstrumentName)
73         val tvRentalPeriod = historyItem.
    findViewById<TextView>(R.id.tvRentalPeriod)
74         val tvCost = historyItem.
    findViewById<TextView>(R.id.tvCost)
75
76         tvInstrumentName.text = booking.
    instrument.name
77         tvRentalPeriod.text =
78             "From ${getCurrentDate()} • ${
    booking.duration} month(s)" +
79             if (booking.insurance)
    " • With Insurance" else ""
80         tvCost.text = "${booking.totalCost}
    credits"
81
82         llHistoryContainer.addView(
    historyItem)
83     }
84 }
85 }
86
87     private fun setupListeners() {
88         btnChangeUser.setOnClickListener {
89             startActivity(Intent(this, LoginActivity
    ::class.java))
90             finish()
91         }
92     }
93
94     private fun getCurrentDate(): String {
95         val sdf = SimpleDateFormat("yyyy-MM-dd",
    Locale.getDefault())
96         return sdf.format(Date())
97     }
98
99     private fun Int.dpToPx(): Int = (this *
    Resources.getSystem().displayMetrics.density).toInt
    ()

```

```
100 }
```

```
1 package com.example.assignment2.activity
2
3 import androidx.activity.enableEdgeToEdge
4 import android.content.Intent
5 import android.os.Bundle
6 import android.util.Patterns
7 import android.widget.Button
8 import android.widget.EditText
9 import androidx.appcompat.app.AppCompatActivity
10 import com.example.assignment2.R
11 import com.example.assignment2.data.model.User
12 import com.example.assignment2.data.repository.
    UserManager
13
14 class LoginActivity : AppCompatActivity() {
15
16     private lateinit var etName: EditText
17     private lateinit var etPhone: EditText
18     private lateinit var etEmail: EditText
19     private lateinit var btnLogin: Button
20
21     override fun onCreate(savedInstanceState: Bundle
        ?) {
22         super.onCreate(savedInstanceState)
23         enableEdgeToEdge()
24         setContentView(R.layout.activity_login)
25
26
27         etName = findViewById(R.id.etName)
28         etPhone = findViewById(R.id.etPhone)
29         etEmail = findViewById(R.id.etEmail)
30         btnLogin = findViewById(R.id.btnLogin)
31
32         btnLogin.setOnClickListener {
33             if (validateInput()) {
34                 val user = User(
35                     name = etName.text.toString(),
36                     phone = etPhone.text.toString(),
37                     email = etEmail.text.toString()
38                 )
39                 UserManager.setUser(user)
```

```
40         startActivity(Intent(this,
InstrumentItemActivity::class.java))
41         finish()
42     }
43 }
44 }
45
46     private fun validateInput(): Boolean {
47         val name = etName.text.toString()
48         val phone = etPhone.text.toString()
49         val email = etEmail.text.toString()
50
51         if (name.isBlank()) {
52             etName.error = "Name is required"
53             return false
54         }
55
56         if (phone.isBlank()) {
57             etPhone.error = "Phone is required"
58             return false
59         }
60
61         if (email.isBlank() || !Patterns.
EMAIL_ADDRESS.matcher(email).matches()) {
62             etEmail.error = "Valid email is required"
63             return false
64         }
65
66         return true
67     }
68 }
```



```
1 package com.example.assignment2.activity
2
3 import android.content.Intent
4 import android.content.res.Resources
5 import android.os.Build
6 import android.os.Bundle
7 import android.widget.*
8 import androidx.appcompat.app.AppCompatActivity
9 import com.example.assignment2.R
10 import com.example.assignment2.data.model.
    InstrumentItem
11 import com.example.assignment2.data.repository.
    UserManager
12
13 class ItemDetailsActivity : AppCompatActivity() {
14
15     private lateinit var instrument: InstrumentItem
16     private lateinit var ivInstrument: ImageView
17     private lateinit var tvInstrumentName: TextView
18     private lateinit var ratingBar: RatingBar
19     private lateinit var tvPrice: TextView
20     private lateinit var tvDescription: TextView
21     private lateinit var llSpecs: LinearLayout
22     private lateinit var btnBorrow: Button
23
24     override fun onCreate(savedInstanceState: Bundle
25         ?) {
26         super.onCreate(savedInstanceState)
27         setContentView(R.layout.activity_item_details
28         )
29
30         // Get instrument from intent
31         instrument = if (Build.VERSION.SDK_INT >=
32             Build.VERSION_CODES.TIRAMISU) {
33             intent.getParcelableExtra("INSTRUMENT",
34                 InstrumentItem::class.java)!!
35         } else {
36             @Suppress("DEPRECATION")
37             intent.getParcelableExtra("INSTRUMENT")!!
38         }
39     }
40 }
```

```

36         initializeViews()
37         setupUI()
38     }
39
40     private fun initializeViews() {
41         ivInstrument = findViewById(R.id.ivInstrument
42     )
43         tvInstrumentName = findViewById(R.id.
44         tvInstrumentName)
45         ratingBar = findViewById(R.id.ratingBar)
46         tvPrice = findViewById(R.id.tvPrice)
47         tvDescription = findViewById(R.id.
48         tvDescription)
49         llSpecs = findViewById(R.id.llSpecs)
50         btnBorrow = findViewById(R.id.btnBorrow)
51     }
52
53     private fun setupUI() {
54         ivInstrument.setImageResource(instrument.
55         imageRes)
56         tvInstrumentName.text = instrument.name
57         ratingBar.rating = instrument.rating
58         tvPrice.text = "${instrument.price} credits/
59         month"
60         tvDescription.text = instrument.description
61
62         // Add specs
63         instrument.specs.forEach { spec ->
64             val textView = TextView(this).apply {
65                 text = "• $spec"
66                 setTextAppearance(android.R.style.
67                 TextAppearance_Medium)
68                 setPadding(0, 4.dpToPx(), 0, 4.dpToPx
69                 ())
70             }
71             llSpecs.addView(textView)
72         }
73
74         btnBorrow.setOnClickListener {
75             val intent = Intent(this,
76             BookingActivity::class.java).apply {

```

```
69             putExtra("INSTRUMENT",
70                 instrument)
71             }
72             startActivity(intent)
73         }
74     }
75     private fun Int.dpToPx(): Int = (this *
76         Resources.getSystem().displayMetrics.density).toInt
77     ()
78 }
```

```
1 package com.example.assignment2.activity
2
3 import android.content.Intent
4 import android.os.Bundle
5 import android.widget.*
6 import androidx.appcompat.app.AppCompatActivity
7 import com.example.assignment2.R
8 import android.view.View
9 import com.example.assignment2.data.repository.
  InstrumentItemData
10 import com.example.assignment2.data.repository.
  UserManager
11 import com.google.android.material.chip.Chip
12 import com.google.android.material.chip.ChipGroup
13 import com.example.assignment2.data.repository.
  BookingHistoryManager
14 import com.google.android.material.snackbar.Snackbar
15
16 class InstrumentItemActivity : AppCompatActivity() {
17
18     private lateinit var tvUserName: TextView
19     private lateinit var btnProfile: Button
20     private lateinit var btnChangeUser: Button
21     private lateinit var ivInstrument: ImageView
22     private lateinit var tvInstrumentName: TextView
23     private lateinit var tvPrice: TextView
24     private lateinit var ratingBar: RatingBar
25     private lateinit var chipGroupCategory: ChipGroup
26     private lateinit var chipAcoustic: Chip
27     private lateinit var chipElectric: Chip
28     private lateinit var chipKeyboard: Chip
29     private lateinit var btnPrevious: Button
30     private lateinit var btnNext: Button
31     private lateinit var btnViewDetails: Button
32     private lateinit var btnBorrow: Button
33
34     private val instruments = InstrumentItemData.
  getInstruments()
35     private var currentIndex = 0
36
37     override fun onCreate(savedInstanceState: Bundle
```

```

37 ?) {
38     super.onCreate(savedInstanceState)
39     setContentView(R.layout.
activity_instrument_item)
40
41     initializeViews()
42     setupUserInfo()
43     setupNavigation()
44     displayCurrentInstrument()
45 }
46
47 private fun initializeViews() {
48     tvUserName = findViewById(R.id.tvUserName)
49     btnProfile = findViewById(R.id.btnProfile)
50     btnChangeUser = findViewById(R.id.
btnChangeUser)
51     ivInstrument = findViewById(R.id.ivInstrument
)
52     tvInstrumentName = findViewById(R.id.
tvInstrumentName)
53     tvPrice = findViewById(R.id.tvPrice)
54     ratingBar = findViewById(R.id.ratingBar)
55     chipGroupCategory = findViewById(R.id.
chipGroupCategory)
56     chipAcoustic = findViewById(R.id.chipAcoustic
)
57     chipElectric = findViewById(R.id.chipElectric
)
58     chipKeyboard = findViewById(R.id.chipKeyboard
)
59     btnPrevious = findViewById(R.id.btnPrevious)
60     btnNext = findViewById(R.id.btnNext)
61     btnViewDetails = findViewById(R.id.
btnViewDetails)
62     btnBorrow = findViewById(R.id.btnBorrow)
63 }
64
65 private fun setupUserInfo() {
66     val user = UserManager.getUser()
67     tvUserName.text = user?.name ?: "Guest"
68

```

```

69         btnProfile.setOnClickListener {
70             startActivity(Intent(this,
ProfileActivity::class.java))
71         }
72
73         btnChangeUser.setOnClickListener {
74             startActivity(Intent(this, LoginActivity
::class.java))
75             finish()
76         }
77     }
78
79     override fun onResume() {
80         super.onResume()
81         showRecentBookingNotification()
82     }
83
84     private fun showRecentBookingNotification() {
85         val recentBooking = BookingHistoryManager.
getBookings().lastOrNull()
86         if (recentBooking != null) {
87             val rootView = findViewById<View>(
android.R.id.content)
88             Snackbar.make(rootView,
89                 "Booked successfully! Recently
booked: ${recentBooking.instrument.name}",
90                 Snackbar.LENGTH_LONG
91             ).show()
92         }
93     }
94     private fun setupNavigation() {
95         btnPrevious.setOnClickListener {
96             if (currentIndex > 0) {
97                 currentIndex--
98                 displayCurrentInstrument()
99             }
100         }
101
102         btnNext.setOnClickListener {
103             if (currentIndex < instruments.size - 1
) {

```

```
104             currentIndex++
105             displayCurrentInstrument()
106         }
107     }
108
109     btnViewDetails.setOnClickListener {
110         val intent = Intent(this,
111             ItemDetailsActivity::class.java).apply {
112             putExtra("INSTRUMENT", instruments[
113                 currentIndex])
114             startActivity(intent)
115         }
116
117     btnBorrow.setOnClickListener {
118         val intent = Intent(this,
119             BookingActivity::class.java).apply {
120             putExtra("INSTRUMENT",
121                 instruments[currentIndex])
122             startActivity(intent)
123         }
124
125     chipAcoustic.setOnClickListener {
126         jumpToFirstInstrumentOfCategory("
127             Acoustic")
128     }
129
130     chipElectric.setOnClickListener {
131         jumpToFirstInstrumentOfCategory("
132             Electric")
133     }
134
135     chipKeyboard.setOnClickListener {
136         jumpToFirstInstrumentOfCategory("
137             Keyboard")
138     }
139
140     private fun jumpToFirstInstrumentOfCategory(
141         category: String) {
```

```
137         val index = instruments.indexOfFirst { it.  
            category == category }  
138         if (index != -1) {  
139             currentIndex = index  
140             displayCurrentInstrument()  
141             Toast.makeText(this, "Jumped to $  
category", Toast.LENGTH_SHORT).show()  
142         } else {  
143             Toast.makeText(this, "No $category  
instruments", Toast.LENGTH_SHORT).show()  
144         }  
145     }  
146  
147     private fun displayCurrentInstrument() {  
148         val instrument = instruments[currentIndex]  
149  
150         ivInstrument.setImageResource(instrument.  
imageRes)  
151         tvInstrumentName.text = instrument.name  
152         tvPrice.text = "${instrument.price} credits/  
month"  
153         ratingBar.rating = instrument.rating  
154  
155         chipGroupCategory.clearCheck()  
156         when (instrument.category) {  
157             "Acoustic" -> chipAcoustic.isChecked =  
true  
158             "Electric" -> chipElectric.isChecked =  
true  
159             "Keyboard" -> chipKeyboard.isChecked =  
true  
160         }  
161  
162         btnPrevious.isEnabled = currentIndex > 0  
163         btnNext.isEnabled = currentIndex <  
instruments.size - 1  
164     }  
165 }
```



```
1 package com.example.assignment2.activity
2
3 import android.os.Bundle
4 import android.util.Patterns
5 import android.widget.*
6 import androidx.appcompat.app.AppCompatActivity
7 import com.example.assignment2.R
8 import com.example.assignment2.data.model.Booked
9 import com.example.assignment2.data.model.
    InstrumentItem
10 import com.example.assignment2.data.repository.
    BookingHistoryManager
11 import com.example.assignment2.data.repository.
    UserManager
12 import com.google.android.material.switchmaterial.
    SwitchMaterial
13
14 class BookingActivity : AppCompatActivity() {
15
16     private lateinit var instrument: InstrumentItem
17     private lateinit var tvInstrumentName: TextView
18     private lateinit var tvPrice: TextView
19     private lateinit var etName: EditText
20     private lateinit var etPhone: EditText
21     private lateinit var etEmail: EditText
22     private lateinit var radioGroupDuration:
        RadioGroup
23     private lateinit var radio1Month: RadioButton
24     private lateinit var radio3Months: RadioButton
25     private lateinit var radio6Months: RadioButton
26     private lateinit var switchInsurance:
        SwitchMaterial
27     private lateinit var tvTotalCost: TextView
28     private lateinit var btnCancel: Button
29     private lateinit var btnSave: Button
30
31     private var duration = 1
32     private var insurance = false
33
34     override fun onCreate(savedInstanceState: Bundle
        ?) {
```

```

35         super.onCreate(savedInstanceState)
36         setContentView(R.layout.booking_activity)
37
38         instrument = intent.getParcelableExtra("
INSTRUMENT")!!
39
40         initializeViews()
41         setupUI()
42         setupListeners()
43         calculateTotalCost()
44     }
45
46     private fun initializeViews() {
47         tvInstrumentName = findViewById(R.id.
tvInstrumentName)
48         tvPrice = findViewById(R.id.tvPrice)
49         etName = findViewById(R.id.etName)
50         etPhone = findViewById(R.id.etPhone)
51         etEmail = findViewById(R.id.etEmail)
52         radioGroupDuration = findViewById(R.id.
radioGroupDuration)
53         radio1Month = findViewById(R.id.radio1Month)
54         radio3Months = findViewById(R.id.radio3Months
)
55         radio6Months = findViewById(R.id.radio6Months
)
56         switchInsurance = findViewById(R.id.
switchInsurance)
57         tvTotalCost = findViewById(R.id.tvTotalCost)
58         btnCancel = findViewById(R.id.btnCancel)
59         btnSave = findViewById(R.id.btnSave)
60     }
61
62     private fun setupUI() {
63         tvInstrumentName.text = instrument.name
64         tvPrice.text = "${instrument.price} credits/
month"
65
66         // Pre-fill user info
67         val user = UserManager.getUser()
68         etName.setText(user?.name ?: "")

```

```

69         etPhone.setText(user?.phone ?: "")
70         etEmail.setText(user?.email ?: "")
71
72         // Set default duration
73         radio1Month.isChecked = true
74     }
75
76     private fun setupListeners() {
77         radioGroupDuration.
78         setOnCheckedChangeListener { _, checkedId ->
79             duration = when (checkedId) {
80                 R.id.radio1Month -> 1
81                 R.id.radio3Months -> 3
82                 R.id.radio6Months -> 6
83                 else -> 1
84             }
85             calculateTotalCost()
86         }
87
88         switchInsurance.setOnCheckedChangeListener
89         { _, isChecked ->
90             insurance = isChecked
91             calculateTotalCost()
92         }
93
94         btnCancel.setOnClickListener {
95             showCancellationToast()
96             finish()
97         }
98
99         btnSave.setOnClickListener {
100             if (validateInput() && validateCredits
101             ()) {
102                 saveBooking()
103             }
104         }
105
106     private fun calculateTotalCost() {
107         var total = instrument.price * duration
108         if (insurance) {

```

```
107         total += 50 * duration
108     }
109     tvTotalCost.text = "Total Cost: $total
credits"
110 }
111
112     private fun validateInput(): Boolean {
113         val name = etName.text.toString()
114         val phone = etPhone.text.toString()
115         val email = etEmail.text.toString()
116
117         if (name.isBlank()) {
118             etName.error = "Name is required"
119             return false
120         }
121
122         if (phone.isBlank()) {
123             etPhone.error = "Phone is required"
124             return false
125         }
126
127         if (email.isBlank() || !Patterns.
EMAIL_ADDRESS.matcher(email).matches()) {
128             etEmail.error = "Valid email is required
"
129             return false
130         }
131
132         return true
133     }
134
135     private fun validateCredits(): Boolean {
136         val user = UserManager.getUser()
137         val totalCost = calculateTotalCostValue()
138
139         if (user == null) {
140             showError("User not found")
141             return false
142         }
143
144         if (user.credits < totalCost) {
```

```
145         showError("Insufficient credits. You
        have ${user.credits} credits but need $totalCost")
146         return false
147     }
148
149     return true
150 }
151
152 private fun calculateTotalCostValue(): Int {
153     var total = instrument.price * duration
154     if (insurance) {
155         total += 50 * duration
156     }
157     return total
158 }
159
160 private fun saveBooking() {
161     val totalCost = calculateTotalCostValue()
162     val booking = Booked(instrument, duration,
    insurance, totalCost)
163
164     val user = UserManager.getUser()!!
165     UserManager.updateCredits(user.credits -
    totalCost)
166
167     BookingHistoryManager.addBooking(booking)
168
169     setResult(RESULT_OK)
170     finish()
171 }
172
173 private fun showCancellationToast() {
174     Toast.makeText(
175         this,
176         "Booking cancelled",
177         Toast.LENGTH_SHORT
178     ).show()
179 }
180
181 private fun showError(message: String) {
182     Toast.makeText(this, message, Toast.
```

```
182 LENGTH_LONG).show()  
183     }  
184 }
```

```
1 <?xml version="1.0" encoding="utf-8"?>
2 <resources>
3     <string name="app_name">Musical Instrument Rental
    App</string>
4     <string name="get_started">Get Started</string>
5     <string name="shop_now">Shop Now!</string>
6     <string name="name">Name</string>
7     <string name="phone">Phone</string>
8     <string name="email">Email</string>
9     <string name="language">Language</string>
10    <string name="english">English</string>
11    <string name="vietnamese">Vietnamese</string>
12    <string name="profile">Profile</string>
13    <string name="log_out">Log Out</string>
14    <string name="category">Category</string>
15    <string name="previous">Previous</string>
16    <string name="next">Next</string>
17    <string name="view_details">View Details</string>
18    <string name="borrow_now">Borrow Now</string>
19    <string name="rental_duration">Rental Duration</
    string>
20    <string name="one_month">1 Month</string>
21    <string name="three_months">3 Months</string>
22    <string name="six_months">6 Months</string>
23    <string name="include_insurance">Include
    Insurance (+50 credits/month)</string>
24    <string name="cancel">Cancel</string>
25    <string name="save">Save</string>
26    <string name="rental_history">Rental History</
    string>
27    <string name="description">Description</string>
28    <string name="specifications">Specifications</
    string>
29    <string name="instrument_image">Instrument Image
    </string>
30 </resources>
```

```
1 <?xml version="1.0" encoding="utf-8"?>
2 <resources>
3     <string name="app_name">Ứng Dụng Thuê Nhạc Cụ</
string>
4     <string name="get_started">Bắt Đầu Ngay!</string>
5     <string name="shop_now">Mua Sắm Ngay!</string>
6     <string name="name">Tên</string>
7     <string name="phone">Điện Thoại</string>
8     <string name="email">Email</string>
9     <string name="language">Ngôn Ngữ</string>
10    <string name="english">Tiếng Anh</string>
11    <string name="vietnamese">Tiếng Việt</string>
12    <string name="profile">Hồ Sơ</string>
13    <string name="log_out">Đăng Xuất</string>
14    <string name="category">Danh Mục</string>
15    <string name="previous">Trước</string>
16    <string name="next">Tiếp</string>
17    <string name="view_details">Xem Chi Tiết</string>
18    <string name="borrow_now">Thuê Ngay</string>
19    <string name="rental_duration">Thời Gian Thuê</
string>
20    <string name="one_month">1 Tháng</string>
21    <string name="three_months">3 Tháng</string>
22    <string name="six_months">6 Tháng</string>
23    <string name="include_insurance">Bao gồm Bảo hiểm
(+50 tín dụng/tháng)</string>
24    <string name="cancel">Hủy</string>
25    <string name="save">Lưu</string>
26    <string name="rental_history">Lịch Sử Thuê</
string>
27    <string name="description">Mô Tả</string>
28    <string name="specifications">Thông Số Kỹ Thuật</
string>
29    <string name="instrument_image">Hình Ảnh Nhạc Cụ
</string>
30 </resources>
```



```
1 <resources xmlns:tools="http://schemas.android.com/
  tools">
2     <!-- Base application theme. -->
3     <style name="Base.Theme.Assignment2" parent="
  Theme.Material3.DayNight.NoActionBar">
4         <item name="colorPrimary">@color/purple_500</
  item>
5         <item name="colorPrimaryVariant">@color/
  purple_700</item>
6         <item name="colorOnPrimary">@color/white</
  item>
7     </style>
8
9     <style name="Theme.Assignment2" parent="Base.
  Theme.Assignment2" />
10 </resources>
```

```
1 <?xml version="1.0" encoding="utf-8"?>
2 <resources>
3     <color name="purple_500">#FF6200EE</color>
4     <color name="purple_700">#FF3700B3</color>
5     <color name="white">#FFFFFFFF</color>
6     <color name="black">#FF000000</color>
7     <color name="dark_gray">#FF666666</color>
8     <color name="light_gray">#FFEEEEEE</color>
9     <color name="chip_background">#FFEFEFEF</color>
10    <color name="primary">#FF6750A4</color>
11    <color name="primary_dark">#FF4A356A</color>
12    <color name="primary_light">#FFE8DEF8</color>
13    <color name="secondary">#FF7D5260</color>
14    <color name="surface">#FFFFFFBFE</color>
15    <color name="background">#FFDFDF6</color>
16    <color name="on_primary">#FFFFFFFF</color>
17    <color name="on_surface">#FF1C1B1F</color>
18    <color name="outline">#FF79747E</color>
19 </resources>
```

```

1  <?xml version="1.0" encoding="utf-8"?>
2  <resources>
3      <!-- Modern Text Styles -->
4      <style name="HeadingText">
5          <item name="android:textColor">@color/
on_surface</item>
6          <item name="android:textSize">24sp</item>
7          <item name="android:textStyle">bold</item>
8          <item name="android:letterSpacing">0.01</item>
9      </style>
10
11     <style name="BodyText">
12         <item name="android:textColor">@color/
dark_gray</item>
13         <item name="android:textSize">16sp</item>
14         <item name="android:letterSpacing">0.01</item>
15     </style>
16
17     <style name="CaptionText">
18         <item name="android:textColor">@color/outline
</item>
19         <item name="android:textSize">14sp</item>
20         <item name="android:letterSpacing">0.01</item>
21     </style>
22
23     <style name="EditText">
24         <item name="android:textSize">16sp</item>
25         <item name="android:textColor">@color/black</
item>
26         <item name="android:padding">12dp</item>
27     </style>
28
29     <!-- Modern Buttons - Use shape appearance
instead of cornerRadius -->
30     <style name="PrimaryButton" parent="Widget.
Material3.Button">
31         <item name="android:layout_height">56dp</item>
>

```

```

32         <item name="android:layout_margin">8dp</item>
33         <item name="android:textColor">@color/
on_primary</item>
34         <item name="android:backgroundTint">@color/
primary</item>
35         <item name="shapeAppearance">@style/
ShapeAppearanceMedium</item>
36         <item name="android:elevation">2dp</item>
37     </style>
38
39     <style name="SecondaryButton" parent="Widget.
Material3.Button.OutlinedButton">
40         <item name="android:layout_height">56dp</item
>
41         <item name="android:layout_margin">8dp</item>
42         <item name="android:textColor">@color/primary
</item>
43         <item name="strokeColor">@color/primary</item
>
44         <item name="strokeWidth">1dp</item>
45         <item name="shapeAppearance">@style/
ShapeAppearanceMedium</item>
46     </style>
47
48     <!-- Enhanced Chip Style - Use chipCornerRadius
-->
49     <style name="Chip" parent="Widget.Material3.Chip.
Assist.Elevated">
50         <item name="chipBackgroundColor">@color/
primary_light</item>
51         <item name="chipStrokeColor">@color/primary</
item>
52         <item name="chipStrokeWidth">1dp</item>
53         <item name="chipCornerRadius">12dp</item>
54         <item name="android:textColor">@color/primary
</item>
55     </style>
56
57     <style name="TextInputLayout" parent="Widget.
Material3.TextInputLayout.OutlinedBox">
58         <item name="boxBackgroundColor">@color/

```

```
58 surface</item>
59     <item name="boxBackgroundMode">outline</item>
60     <item name="boxStrokeColor">@color/outline</
    item>
61     <item name="shapeAppearance">@style/
    ShapeAppearanceSmall</item>
62     <item name="hintTextColor">@color/outline</
    item>
63 </style>
64
65 <style name="ShapeAppearanceSmall" parent="
    ShapeAppearance.Material3.SmallComponent">
66     <item name="cornerFamily">rounded</item>
67     <item name="cornerSize">12dp</item>
68 </style>
69
70 <!-- Card Style -->
71 <style name="Card">
72     <item name="android:background">@drawable/
    card_background</item>
73     <item name="android:elevation">2dp</item>
74 </style>
75
76 <!-- Shape Appearances -->
77 <style name="ShapeAppearanceMedium" parent="
    ShapeAppearance.Material3.MediumComponent">
78     <item name="cornerFamily">rounded</item>
79     <item name="cornerSize">16dp</item>
80 </style>
81 </resources>
```