SVKM's NMIMS · Mukesh Patel School of Technology Management & Engineering, Mumbai

Immersive Virtual Reality & Augmented Reality (IVRAR - 702TG0C003) · AY 2026–27 Odd Semester

GROUP 16 TECHNICAL DOSSIER

Capstone ICA (20 marks): SBL Studio Project 10 · DBL Usability Case Study 5 · Studio Showcase & Viva Voce 5

Group / Batch	Group 16 · Batch B2 (as allotted in the finalised PBL titles sheet)
Monorepo folder	Template folder: https://github.com/sunny-nanade/NMIMS-MPSTME-IVRAR-2026/tree/main/Group_16_Bhoomi_Kritivya_Tanvi_Jia · Team repository used for this work: https://github.com/bhoomibhandari88/VR-Disaster-Simulator (branch feature/factory-rescue-vr; dossier under Docs/IVRAR_dossier_DRAFT/)
Submit (3 places)	(1) PDF on MS Teams, turned in by EVERY member · (2) this filled Word file AND its PDF committed to Group_16_Bhoomi_Kritivya_Tanvi_Jia/docs/IVRAR_Group_16_Technical_Dossier.docx / .pdf · (3) LinkedIn video URL in Section 5. Due Monday, 26-Oct-2026, 23:59 IST. Studio Showcase, Expo & Viva Voce: Saturday, 31-Oct-2026.
How to fill this file	Use Microsoft Word (desktop recommended). Choose answers from the 'Select ▾' drop-downs and type into the 'type here' fields. Do not delete or retype them, and do not edit this file in Google Docs: the drop-downs are how your answers are read.

Student name	Roll No.	SAP ID	Programme	Batch	Declared studio role
BHOOMI BHANDARI	I004	70122400059	B Tech (Artificial Intelligence)	B2	Triage Clinical Protocol Lead
KRITIVYA MISHRA	I037	70122400043	B Tech (Artificial Intelligence)	B2	XR Systems Architect
TANVI PAITHANKAR	I044	70122400056	B Tech (Artificial Intelligence)	B2	Spatial Telemetry & Confusion Matrix Specialist
JIA JADHAV	I069	70122400084	B Tech (Artificial Intelligence)	B2	Human Factors & Usability Engineer

Batch column = official student list. Tell Dr. Nanade by 20-Oct if any name, ID or role is wrong.

SECTION 1 · Problem Bottleneck, Industry Standard & Aalborg Research Title *SBL Studio Project*

Authorised Aalborg title	How can an AI-driven VR mass-casualty triage simulation improve START protocol categorization accuracy and reduce assessment latency for emergency medical trainees under dynamic industrial hazard conditions?
Original draft title	How can an AI-adaptive VR simulation improve triage decision-making and situational awareness for NDRF trainees responding to simulated industrial explosion scenarios?
Why the title changed	The submitted title was conceptually strong but used generic phrasing ('train to perform accurate triage under chaos'). Needed sharpening into quantitative accuracy and latency metrics.

1.1 Baseline friction & governing standard: claim verification table

Each statement below was carried over from your approved title sheet. Before you use it anywhere (dossier, video, paper), find the primary source yourself and record it, or correct or delete the claim. Standards: cite number, part and year. Statistics: cite the original study, not a blog or an AI answer.

Claim (as in title sheet)	Faculty pre-audit note	Primary source you verified (author, year, venue, DOI/URL)	Source type	Keep / Correct / Delete
START (Simple Triage and Rapid Treatment) algorithm: RPM (Respiration, Perfusion, Mental Status) branches into Red, Yellow, Green, Black.	*Not yet checked: verify*	CHEMM (US HHS) START Adult Triage Algorithm, chemm.hhs.gov/startadult.htm and /startalgotext.htm (read 2026-10-25): walking, breathing, respiratory rate 30/min, perfusion by radial pulse OR capillary refill, obeys commands, tags green/yellow/red/black; original START used capillary refill, Benson, Koenig, Schultz 1996 (Prehosp Disaster Med, DOI 10.1017/S1049023X0004276X) used radial pulse. Build default = capillary refill > 2 s (2 s not on CHEMM text page; confirm), radial pulse selectable and logged separately. Training aid, not clinically validated.	Official report / documentation	Correct
Under-triage leads to preventable mortality; assessment must take < 60s/victim.	*Not yet checked: verify*	Kahn et al., Ann Emerg Med 2009;54(3):424-30, DOI 10.1016/j.annemergmed.2008.12.035 (148 pts: 3 under-, 79 over-triaged; no mortality/time data). Time: ~30 s (max 1 min) per IAVOAD START guide. Corrected.	Peer-reviewed paper (DOI)	Correct

1.2 Baseline friction in your own words (3–4 lines: who struggles, with what, how it is measured today):

Responders must sort many victims quickly with a simple method. In a 148-patient train-crash review, START under-triaged 3 and over-triaged 79 (Kahn 2009, DOI above). A time budget of about 30 s per patient appears in the IAVOAD START guide, a secondary source that has not been checked against a primary one (PENDING — TEAM INPUT REQUIRED). Our trainee baseline is NOT yet measured (Section 4).

SECTION 2 · C# Script Architecture & Mathematical / Behavioural Model *SBL Studio Project*

C# scripts in your monorepo folder today	STARTTriageSimulationManager.cs · TriageTelemetryLogger.cs · STARTEvaluator.cs · TriageSession.cs · TriageMetrics.cs · TriageCsv.cs · TriageScenario.cs · CasualtyProfile.cs · CasualtySelectable.cs · TriageUI.cs · TriageHazardEscalation.cs · TriageDesktopInput.cs · TriageTypes.cs (Assets/_Project/Scripts/Runtime/Triage/)
Telemetry logger named in the title sheet	TriageTelemetryLogger.cs
Core state machine	Casualty selected → Can walk? (Green) → Breathing? If not: reposition airway → breathing returns (Red) / still none (Black) → RR > 30/min? (Red) → Perfusion fails? capillary refill > 2 s [default variant] or radial pulse absent [alternative variant] (Red) → Cannot follow commands? (Red) → otherwise Yellow. Scripted rules in STAREvaluator.Evaluate; no machine learning.
Fundamental equations	Triage accuracy = correct tags / casualties Under-triage rate = (true Red tagged Yellow/Green) / true Red Assessment latency per casualty (s)
Toolchain (title sheet)	Unity 6000.3.21f1 (URP 17.3.0); XR Interaction Toolkit 3.6.1; OpenXR 1.18.0 with Meta OpenXR 2.6.1; Input System 1.20.0. Industrial yard fire with 10 fixed casualties (CasualtyProfile components, colour tags shown on the casualty and chosen with panel buttons; there is no triage belt); TriageTelemetryLogger.cs writes the CSV files. Template entry "Unity 2022.3 LTS" is superseded by the project version.

2.1 Authorship of each script

Several scripts were provided as starter scaffolds. Be honest: mark what you wrote, what you changed, and what you used as given. Viva questions will target the code you claim. DRAFT NOTE: the casualty scenario is scripted (fixed findings, cosmetic hazard escalation); there is no machine-learning or adaptive AI component. The triage code in this repository was drafted with an AI assistant (Claude) in a coding session and reviewed by the team only in part; authorship dropdowns stay unselected until each member states what they actually wrote or changed. Project version: Unity 6000.3.21f1 (see Toolchain); casualties are lying/standing models in an industrial yard fire with colour tags, not a belt. PENDING = PENDING — TEAM INPUT REQUIRED.

Script	Written / Modified / Used as given	Main author (Roll)	What you changed or added (1 line)
STARTTriageSimulationManager.cs	Select ▾	Select ▾	AI-drafted (Claude). PENDING — TEAM INPUT REQUIRED
TriageTelemetryLogger.cs	Select ▾	Select ▾	AI-drafted (Claude). PENDING — TEAM INPUT REQUIRED
STAREvaluator.cs	Select ▾	Select ▾	AI-drafted (Claude). PENDING — TEAM INPUT REQUIRED
TriageSession.cs	Select ▾	Select ▾	AI-drafted (Claude). PENDING — TEAM INPUT REQUIRED

2.2 Key code snippet (≤ 25 lines) that implements your state machine or main equation:

STAREvaluator.cs Evaluate() lines 39-64 (blank lines omitted)

```
 39  if (v.canWalk)
 40      return new StartResult(TriageCategory.Green, TriageBranch.Walking, "Can walk.");
 42  if (!v.isBreathing)
 43  {
 44      if (!airwayRepositioned)
 45          return new StartResult(TriageCategory.Red, TriageBranch.ApneaAirwayNotAttempted, "Not
breathing: reposition the airway first.");
 46      return v.breathingAfterAirwayReposition
 47          ? new StartResult(TriageCategory.Red, TriageBranch.ApneaRespondsToAirway, "Not breathing;
breathing restored after airway repositioning.")
 48          : new StartResult(TriageCategory.Black, TriageBranch.ApneaNoResponseToAirway, "Not
breathing and no breathing after airway repositioning.");
 49  }
 51  if (v.respiratoryRate > RespiratoryRateThreshold)
 52      return new StartResult(TriageCategory.Red, TriageBranch.RespiratoryRateAbove30,
 53          "Respiratory rate " + v.respiratoryRate.ToString(CultureInfo.InvariantCulture) + "/min is
above 30.");
 55  if (PerfusionFails(v, criterion))
 56      return new StartResult(TriageCategory.Red, TriageBranch.PoorPerfusion,
 57          criterion == PerfusionCriterion.CapillaryRefill
 58              ? "Capillary refill " + v.capillaryRefillSeconds.ToString("0.#",
CultureInfo.InvariantCulture) + " s is above 2 s."
 59              : "Radial pulse absent.");
 61  if (!v.followsCommands)
 62      return new StartResult(TriageCategory.Red, TriageBranch.CannotFollowCommands, "Cannot follow
simple commands.");
 64  return new StartResult(TriageCategory.Yellow, TriageBranch.AllChecksPassed, "Breathing, perfused
and obeys commands but cannot walk.");
```

2.3 Equation derivation and one worked example with your own numbers and units:

Derivation. For N classified casualties with ground-truth tag g_i (from STAREvaluator.GroundTruth) and assigned tag a_i: accuracy = (1/N) · Σ [a_i = g_i] = correct / classified. Under-triage rate = U / R, where R = number of casualties with g_i = Red and U = those among them with a_i ∈ {Yellow, Green}. Latency of casualty i: L_i = t_tag,i − t_select,i (s), where t_select is the first time the trainee selects that casualty and t_tag the moment the tag is assigned. Mean = (1/n) Σ L_i and median over the n valid latencies. A zero denominator (N = 0 or R = 0) is written as NA, never 0.
CSV mapping. accuracy, casualties_classified, correct, under_triage_rate, true_red_total, true_red_under_triaged, mean_latency_s, median_latency_s (summary file); assessment_latency_s, ground_truth, assigned, is_correct, true_red_under_triaged (records file).
ILLUSTRATIVE worked example (invented numbers, not measured data). A session tags 5 casualties: 4 are true Red, 1 is true Yellow. The trainee tags two true Reds as Red, one as Yellow, one as Green, and the true Yellow as Red. correct = 2, so accuracy = 2/5 = 0.40. R = 4, U = 2, so under-triage rate = 2/4 = 0.50. Latencies 2, 4, 6, 8, 10 s give mean = 30/5 = 6.0 s and median = 6.0 s. The same case is checked by the unit test Metrics_AccuracyUnderTriageAndLatency_AreCorrect.

2.4 Build configuration, test methodology and results to date; headset test (planned)

Build configuration (from the repository). Unity 6000.3.21f1; Universal Render Pipeline 17.3.0; XR Interaction Toolkit 3.6.1; OpenXR 1.18.0 with the Meta OpenXR feature 2.6.1; Input System 1.20.0. Android player: IL2CPP, ARM64 only, Vulkan graphics API, minimum SDK 29, target SDK automatic, package com.rescuesim.factoryrescue, version 0.1.0. Five scenes in the build: MainMenu, FactoryRescue, EarthquakeRescue, FloodEvacuation, TriageSimulation.

What the software is. A scripted educational START exercise: ten fixed casualties, fixed findings, rule-based tagging in STARTEvaluator, cosmetic smoke/light escalation. It contains no trained model and does no AI classification. It is a training aid built from published START descriptions and is not clinically validated or reviewed by a clinician. Adults only (no JumpSTART).

Protocol variant implemented. START adult, four tags. Perfusion check: capillary refill > 2 s by default (original START formulation); radial pulse absent is a separately selectable variant (Benson et al. 1996). The variant is shown on the start panel and written to every CSV row (protocol_perfusion); the two are never mixed in one session. The 2 s threshold is NOT stated on the CHEMM text page the team could read and must be confirmed in the original source.

Automated test methodology. EditMode tests (pure C#, injected clock) cover every START branch and boundary (respiratory rate 30/31, capillary refill 2.0/2.01 s, both perfusion variants), correct/incorrect and under-triage cases, zero denominators, latency rules, partial sessions, reset and repeat runs, CSV header/escaping/row completeness and file export. PlayMode tests load the real TriageSimulation scene and drive the real manager, UI buttons and logger (full ten-casualty run, partial export on restart, no findings shown before a check, wrong-tag feedback, retag refusal, menu button).

Recorded automated results (Unity Editor on macOS, 2026-10-26). EditMode 109 passed, 0 failed; PlayMode 31 passed, 0 failed (source: Builds/TestSummary.txt; Docs/BUILD_REPORT.md). These are Editor tests, not headset tests.

Recorded build result (2026-10-26). DisasterResponseVR.apk, 242,635,956 bytes, SHA-256 a533c6d08427da2d5268c421d9d6cb5ea64f807248abdce518c7476798ecd6f4, debug-signed, built from the working tree at commit 5f7ac5e (includes fix f054410). Build reported Succeeded with 354 warnings and one NullReferenceException raised in the OpenXR package's Meta Quest validation rules (MetaQuestFeature.CreateValidationRules); the cause is unresolved and it is not proven harmless on a device. The APK has NOT been installed or run on any headset and is NOT validated on a Quest.

Known limitations and safety. Fixed scenario (memorisable); hazards do not change a casualty's findings; single device family; no controller ergonomics, comfort or frame-rate data yet; stop a session at once if a participant feels unwell. Software-test and rehearsal data are labelled SoftwareTest/Pilot and are never human-study data.

Headset test record. [PENDING — COMPLETE AFTER HEADSET TESTING] The headset test is planned for an upcoming class session; nothing below has been done. Fill after the session; do not edit earlier sections to match.

Field	Entry
Headset model and firmware version	[PENDING — COMPLETE AFTER HEADSET TESTING]
Test environment (room, play area, lighting, standing/seated, Wi-Fi/USB)	[PENDING — COMPLETE AFTER HEADSET TESTING]
APK / build tested (file name, bytes, SHA-256, commit)	[PENDING — COMPLETE AFTER HEADSET TESTING] (expected: SHA-256 a533c6d0…ecd6f4 for the APK built 2026-10-26)
Install method and result (adb install -r)	[PENDING — COMPLETE AFTER HEADSET TESTING]
Functions and interactions that worked (menu, select, six checks, tag, results, restart, teleport/turn)	[PENDING — COMPLETE AFTER HEADSET TESTING]
Bugs, crashes, tracking or controller issues (with steps to reproduce)	[PENDING — COMPLETE AFTER HEADSET TESTING]
Frame rate / comfort observations (SSQ or notes)	[PENDING — COMPLETE AFTER HEADSET TESTING]
Fixes applied (commit hashes) and retest results	[PENDING — COMPLETE AFTER HEADSET TESTING]
Tester name(s) and date	[PENDING — COMPLETE AFTER HEADSET TESTING]
Remaining limitations after the test	[PENDING — COMPLETE AFTER HEADSET TESTING]

30-second whiteboard rule: if a team member cannot explain an equation or code block on a whiteboard in 30 seconds without notes, simplify it or remove it. It will be asked in the viva.

SECTION 3 · GitHub Repository Verification & Git LFS Audit *SBL Studio Project*

Repository (monorepo)	https://github.com/bhoomibhandari88/VR-Disaster-Simulator (team repository, branch feature/factory-rescue-vr). Template monorepo: https://github.com/sunny-nanade/NMIMS-MPSTME-IVRAR-2026
Your group folder	Repository root; code in Assets/_Project/, documents in Docs/
Filled dossier location	Docs/IVRAR_dossier_DRAFT/IVRAR_Group_16_Technical_Dossier_FINAL_CANDIDATE.docx and .pdf (final file name to be agreed by the team)
Release tag	group-16-v1.0 · build: Quest .apk · PENDING: release not published; tag not created

Final commit hash (full 40 characters)	f05441073ed9c3fc794deb61c0e17f1da2e487dc (code commit, pushed; repo bhoomibhandari88/VR-Disaster-Simulator, branch feature/factory-rescue-vr; branch head when this table was filled: 74e92797fdf8aec7370969cdef53d34184b7e1f2)
Release build link (.apk / .exe)	PENDING — TEAM INPUT REQUIRED (release not published)
Root .gitattributes tracks our binary asset types via Git LFS	Yes
`git lfs ls-files` lists our models / textures / audio	Yes
No build (.apk / .exe) is committed to Git history	Yes
Release build installs and runs on a clean device	Select ▾
Filled dossier (.docx + .pdf) committed to docs/	Select ▾

3.1 Repository telemetry for your folder (run from the repo root; type the numbers)

Metric	Command	Value
Commits touching your folder	git rev-list --count HEAD	22 at 74e9279: 13 "Claude", 9 Bhoomi Bhandari (+3 Bhoomi on feature/bhoomi-work)
Branches used by your group	git branch -a | wc -l	8 (2 local + 6 remote-tracking refs)
Lines of C# code	find Assets/_Project -name '*.cs' | xargs cat | wc -l	10087 (Assets/_Project)
Total folder size (MB)	du -sm --exclude=Library --exclude=Builds --exclude=.git .	697 (working tree excl. Library/Builds/.git, 2026-10-26)
LFS-tracked files in your folder	git lfs ls-files | wc -l	249
Raw telemetry CSV files (real participants)	ls telemetry/*.csv | wc -l (no telemetry/ folder exists)	0 (no participant data exists)

3.2 Individual contribution (from git history; this table is checked against GitHub)

Member	GitHub username	Commits	% effort (agreed)	Main contribution (files / features)
Bhoomi Bhandari (I004)	PENDING: member supplies own username	12 in git (9 here + 3 on bhoomi-work); confirm	PENDING: agreed by team	Git shows: project setup with Git LFS (22-23 Sep 2026); factory environment import and URP material conversion; early victim/vital-signs data classes (VictimData.cs, VitalSigns.cs, commit ea174c8, branch feature/bhoomi-work). Member to confirm and add work not visible in git. PENDING — TEAM INPUT REQUIRED
Kritivya Mishra (I037)	PENDING: member supplies own username	0 found in git; confirm	PENDING: agreed by team	No commits under this member's name. PENDING — TEAM INPUT REQUIRED: state your real files/features and how they can be evidenced
Tanvi Paithankar (I044)	PENDING: member supplies own username	0 found in git; confirm	PENDING: agreed by team	No commits under this member's name. PENDING — TEAM INPUT REQUIRED: state your real files/features and how they can be evidenced
Jia Jadhav (I069)	PENDING: member supplies own username	0 found in git; confirm	PENDING: agreed by team	No commits under this member's name. PENDING — TEAM INPUT REQUIRED: state your real files/features and how they can be evidenced

3.2 note. Git history cannot show individual effort for most of this work: 13 of the 22 commits on this branch are authored "Claude" (AI-assisted sessions; which member directed each session is not recorded), 9 are Bhoomi Bhandari, and no commit carries Kritivya Mishra's, Tanvi Paithankar's or Jia Jadhav's name. No effort percentages are stated. EACH member must supply: (1) own GitHub username; (2) a list of files/features personally written or changed and how to verify them; (3) hours; (4) agreed effort % (team must sum to 100). PENDING — TEAM INPUT REQUIRED.

SECTION 4 · Human-in-the-Loop Usability Evaluation & Empirical Data Pack *DBL Usability Case Study*

Primary task metric	Accuracy (%), under-triage (%), 4×4 confusion matrix
Participants	Minimum N ≥ 10 real people (your PBL dossier recommends N = 20). Voluntary, adult, written consent; anonymised IDs (P01, P02…).
Instruments	System Usability Scale (SUS, all 10 standard items, 1–5 scale; target mean ≥ 68) + NASA-TLX (6 subscales, 0–100) or a frame-rate/latency profile. Report Simulator Sickness (SSQ) if users wear a headset.
SUS scoring	Odd items: score − 1. Even items: 5 − score. Sum × 2.5 = SUS (0–100) per participant.

Real participants tested (N)	PENDING
Study design	Select ▾
Testing dates (from – to) and place	PENDING — TEAM INPUT REQUIRED
Raw CSV path in repo	PENDING — TEAM INPUT REQUIRED

Measure	N	Mean	SD	Median	Condition / comparison
SUS score	PENDING	PENDING	PENDING	PENDING	PENDING — TEAM INPUT REQUIRED
NASA-TLX (raw)	PENDING	PENDING	PENDING	PENDING	PENDING — TEAM INPUT REQUIRED
Primary task metric	PENDING	PENDING	PENDING	PENDING	PENDING — TEAM INPUT REQUIRED

[SUS box-plot (per condition)]	*[Task-metric / latency plot]*

DATA PROVENANCE DECLARATION (mandatory). Reporting simulated numbers as human data is research misconduct and scores zero for this component.

Every number in Section 4 comes from real people who tested our build	Select ▾
No values come from sample / scaffold / generated files (sample_experiment_data.csv, *_benchmark.csv, generate_paper_figures.py)	Select ▾
Every participant signed a consent form and we hold the forms	Select ▾
Our plots re-generate from the raw CSV in the repo	Select ▾

SECTION 5 · LinkedIn Video Showcase, AI Verification Audit & Peer Review *Studio Showcase & Viva Voce*

LinkedIn post URL	PENDING — TEAM INPUT REQUIRED
Video length (mm:ss)	PENDING
Every member appears and speaks in the video	Select ▾

5.1 AI Interaction Audit Log: three cases where AI was wrong, made something up, or was unverifiable

Examples from this course: a fake 'Verizon 2024 XR' report, a fictional 'NEXORA Corp', a correct paper given the wrong journal. Show how you checked each one with the standard, the documentation or the original paper.

#	AI tool	What we asked & what AI said	How we caught it	What was actually true (with source)	Error type	Verdict
AI-01	Select ▾	(AI-drafted from the session record; member to confirm) We had AI build the triage UI. On selecting a casualty it printed that casualty findings (e.g. "limping but walking") before the trainee ran any START check.	Select ▾	(AI-drafted from the session record; member to confirm) Findings must appear only after the trainee runs that check. Found in QA and fixed in commit f054410; a PlayMode test now asserts the description stays neutral.	Select ▾	Select ▾
AI-02	Select ▾	(AI-drafted from the session record; member to confirm) AI-written README and release notes quoted 107 EditMode / 29 PlayMode tests and an APK SHA-256 for the pre-fix build.	Select ▾	(AI-drafted from the session record; member to confirm) Stale, not invented: after the fix the suites were rerun (109 / 31 pass) and the APK rebuilt (SHA-256 a533c6d0…ecd6f4). Docs corrected; see Docs/BUILD_REPORT.md.	Select ▾	Select ▾
AI-03	Select ▾	(AI-drafted from the session record; member to confirm) AI stated that the original START perfusion rule is capillary refill > 2 s but could not open the CHEMM PDF (blocked) to confirm the 2 s figure.	Select ▾	(AI-drafted from the session record; member to confirm) The 2 s threshold is not on the CHEMM text page the AI could read; it is marked "confirm" in 1.1. The team must check the original source before the viva.	Select ▾	Select ▾

5.2 Peer review: watch both assigned LinkedIn videos and score them (0–2 per criterion)

Group reviewed	Problem	Build	Data	Honesty	Clarity	Best moment (mm:ss)	One question for the viva
Group 17: Samarth, Ishan, Aarush, Sachi	Select ▾	Select ▾	Select ▾	Select ▾	Select ▾	PENDING — TEAM INPUT REQUIRED	PENDING — TEAM INPUT REQUIRED
Group 07: Shirin, Khushi, Pranjal	Select ▾	Select ▾	Select ▾	Select ▾	Select ▾	PENDING — TEAM INPUT REQUIRED	PENDING — TEAM INPUT REQUIRED

SECTION 6 · Individual Learning Record *not marked · one row per member · answer honestly*

These answers do not change your marks. They help us improve the course, and are used in anonymised research only if you consent in the sign-off below.

Member	Hours I spent (total)	My declared role matched my actual work (1 = not at all, 5 = fully)	Before this course I had used…	Before this course I had tested with real users	I learned a skill from a teammate of another programme	Share of my writing first drafted with AI	Wrong AI facts / citations I personally caught
Bhoomi Bhandari (I004)	PENDING — TEAM INPUT REQUIRED	Select ▾	Select ▾	Select ▾	Select ▾	Select ▾	Select ▾
Kritivya Mishra (I037)	PENDING — TEAM INPUT REQUIRED	Select ▾	Select ▾	Select ▾	Select ▾	Select ▾	Select ▾
Tanvi Paithankar (I044)	PENDING — TEAM INPUT REQUIRED	Select ▾	Select ▾	Select ▾	Select ▾	Select ▾	Select ▾
Jia Jadhav (I069)	PENDING — TEAM INPUT REQUIRED	Select ▾	Select ▾	Select ▾	Select ▾	Select ▾	Select ▾

Member	The most valuable thing I learned (one line)	One thing I would change in this course (one line)
Bhoomi Bhandari (I004)	PENDING — TEAM INPUT REQUIRED	PENDING — TEAM INPUT REQUIRED
Kritivya Mishra (I037)	PENDING — TEAM INPUT REQUIRED	PENDING — TEAM INPUT REQUIRED
Tanvi Paithankar (I044)	PENDING — TEAM INPUT REQUIRED	PENDING — TEAM INPUT REQUIRED
Jia Jadhav (I069)	PENDING — TEAM INPUT REQUIRED	PENDING — TEAM INPUT REQUIRED

Track A: how this dossier becomes your 4-page IEEE paper

I. Introduction	Section 1: title, bottleneck, verified standard
II. Related work	Section 1.1: verified sources only (5+ with DOIs)
III. System design	Section 2: architecture, state machine, equations
IV. Evaluation	Section 4: protocol, N, SUS/TLX/metric, plots
V. Discussion & limitations	Sections 3–5: reproducibility (repo, release), AI audit lessons
Target venues (title sheet)	A: IEEE INDICON (IEEE India Council International Conference) · B: iLRN (Immersive Learning Research Network)

Academic Sign-off *every member answers and signs*

Answer each statement for yourself: (1) this work is original and every source and AI use is declared; (2) the code in our folder runs and the Release build installs; (3) I understand our whole project and can explain my own part in the viva voce.

Member (Roll)	(1) Original work	(2) Code runs	(3) Viva-ready	Signature	Optional research consent*
Bhoomi Bhandari (I004)	Select ▾	Select ▾	Select ▾		Select ▾
Kritivya Mishra (I037)	Select ▾	Select ▾	Select ▾		Select ▾
Tanvi Paithankar (I044)	Select ▾	Select ▾	Select ▾		Select ▾
Jia Jadhav (I069)	Select ▾	Select ▾	Select ▾		Select ▾

**Optional: may Dr. Nanade use anonymised data from this dossier and repository in education research publications? Your answer has no effect on your marks, and you can withdraw until results are published.*