ProjectX: modules, tournaments and live scoring

A guide for designing the UI and for understanding the tournament system, as of 2026-10-20. Everything here is taken from the backend code (`backend/src/engine`, `backend/src/modules`, `backend/src/catalog/sports.ts`), so it describes what the app actually does today.

Contents

1. The core idea and our USP
2. Modules at a glance
3. How live scoring works (the shared engine)
4. The 6 sports and how each one is scored
5. What the scoring UI needs to show
6. Tournaments: the model
7. Tournament lifecycle, step by step
8. Draw algorithms
9. Advancement, byes and walkovers
10. Group standings and tiebreakers
11. Ratings, records and the feed
12. Screens to design
13. What is not built yet

---

1. The core idea and our USP

ProjectX lets anyone score a racket-sport match point by point on their phone, and that one tap feeds everything else: the live scoreboard, tournament brackets, standings, player records, ratings and the social feed.

What makes it different:

- **One tap per point.** The scorer only answers one question: *who won the point?* The app works out the rest: game and set scores, deuce and advantage, tiebreaks, who serves next, and from which side of the court. The scorer never types a score.
- **The rules are built in for every sport.** Badminton's 30-point cap, table tennis's serve changes every 2 points, pickleball's "4-7-2" side-out call, tennis and padel's golden point and super tiebreak are all handled by the engine. The organizer just picks a ruleset.
- **Undo is safe.** A score is never stored as a number that can drift. It is rebuilt from the list of points every time. Undo removes the last point, and the score is always right.
- **Tournaments run themselves.** When a match ends, the winner moves into the next round, byes move on automatically, group tables update, and the knockout fills from the group rankings. The organizer doesn't move names around by hand.

- **Results you can trust.** A result typed in afterwards has to be confirmed by the opponent before it changes anyone's rating. Guests and walkovers never move ratings.
- **Every match is shareable.** Each match has a public link, and the result goes to the feed.
- **Guests are welcome.** You can score with friends who don't have the app. When they sign up later, their past matches become theirs.

---

2. Modules at a glance

Module	API base	What it does
Auth	`/api/v1/auth`	Sign-up with SMS code, password login, phone code login, forgot password, Google/Apple sign-in for existing accounts, refresh tokens. See `docs/auth-tables-and-flow.md`.
Sports	`/api/v1/sports`	The sport catalogue: sports, formats (singles, doubles) and rulesets.
Profile	`/api/v1/profile`	My profile, the sports I play, my match history, records and ratings per sport.
Players	`/api/v1/players`	Player identities (registered and guests), search, `/players/me`, claiming guest players after sign-up.
Matches	`/api/v1/matches`	Friendly matches: create, score live, undo, finish, retire, walkover, abandon, add scorers, confirm a manual result.
Tournaments	`/api/v1/tournaments`, `/tournament-events`, `/entries`, `/fixtures`, `/courts`	Tournaments, events, entries, draws, fixtures, courts, staff, standings and brackets.
Public	`/api/v1/public`	Pages anyone can open without logging in: a shared match, a public tournament by slug.
Feed	`/api/v1/feed`	Home feed: match results and posts from people you follow.
Social	`/api/v1/posts`	Posts, likes and comments.
Chat	`/api/v1/conversations`	Direct and group messages, unread counts.

All responses use the same envelope: `{ success: true, data }` or `{ success: false, error: { code, message, details? } }`. Swagger is at `/docs`.

---

3. How live scoring works (the shared engine)

3.1 One event per point

For every racket sport, the only thing the scorer sends is:

```
{ "type": "rally_won", "sideIndex": 0 }
```

`sideIndex` is 0 for the first side and 1 for the second. The scorer doesn't send a score.

3.2 Replay: the score is always recomputed

```
ruleset config ──┐
                 ├─> initial state -> point -> point -> point -> ... -> current state -> ScoreSummary
sides (1v1/2v2) ─┘
```

- The match stores the **list of events**, not the score.
- Every read, every new point and every undo goes through **replay**: start from 0-0 and apply the events in order.
- **Undo** marks the last event as void, and the score is replayed without it.
- Because of this, the score can never be "out of sync" with what happened.

3.3 Plugins: one per way of scoring

A sport points to a **scoring model**, and each model is a plugin:

Plugin	Used by	Idea
`rally`	Badminton, table tennis, pickleball (rally format), volleyball	Every rally gives a point, whoever served.
`side_out`	Pickleball (traditional)	Only the serving side can score.
`tennis`	Tennis, padel	15-30-40-game, sets, tiebreaks.

A plugin decides what is a valid setup, how a point changes the state, when the match is over, and how the score is displayed. Adding a sport that scores like an existing one needs **no code**, just a new entry in the catalogue.

3.4 ScoreSummary: the one shape the UI reads

Every plugin outputs the same `ScoreSummary`, so **one scoreboard component can show any sport**.

Field	What it is	Example
`sides[i].primary`	The big number: games or sets won	`"1"`
`sides[i].current`	Score in the current game, or null when the match is over	`"17"`, `"40"`, `"AD"`
`sides[i].serving`	Is this side serving	`true`
`sides[i].serverPlayerIndex`	Which player of the side serves	`0`
`sides[i].serverNumber`	Pickleball doubles: server 1 or 2	`2`
`sides[i].serveNote`	Serve hint for the scorer	`"Right court"`
`segments[]`	Games or sets, with tennis games and tiebreaks inside each set	`Game 1: 21-17`
`headline`	Score in one line, side 0 first	`"21-17, 18-21, 21-19"` or `"6-4, 7-6(5), [10-7]"`
`callout`	The call of the moment	`"Match point"`, `"Deuce"`, `"Golden point"`, `"4-7-2"`
`totals`	Counts for records and tiebreakers	major = games or sets, minor = points or games
`actions[]`	**The buttons to draw**, each with the exact event to send	`"Point"`, `"Side out"`, `"Second server"`
`complete`, `winnerSideIndex`	Is it over, and who won	

The UI should draw the buttons from `actions`, not hard-code them. That is how pickleball's receiving side gets a "Side out" button instead of "Point" without any sport-specific code in the app.

3.5 Speed and safety

- **Live state lives in Redis** (or memory in development), so a point doesn't wait for Postgres. A background writer saves the points to Postgres in order, and picks up after a restart.
- `version`**:** every point and undo bumps the match version. The app sends the version it saw; if someone else scored in between, the server answers "stale" and the app refreshes.
- `clientEventId`**:** the phone gives each tap an id, so a resend after a weak connection never counts twice.
- **Watchers** (people following the match, not scoring it) refresh every 4 seconds.

3.6 Who can score

- A **friendly match**: its creator, plus anyone they add as a scorer.
- A **tournament match**: the organizers and staff, and the scorer assigned to that court.

3.7 Ways a match can end

Ending	When	Counts in records?	Moves ratings?
Completed	The engine says the match is decided, then the scorer taps Finish	Yes	Yes (if everyone is registered)
Retired	A side stops mid-match; the other side wins with the score so far	Yes	Yes
Walkover / no-show	Before any point is played; one side wins without playing	Yes	No
Double walkover	Neither side turned up	Yes, both lose	No
Abandoned	Friendly only; nobody wins	No	No
Manual result	Score typed in afterwards (`[[21,15],[18,21],[21,19]]`); the engine checks it is a possible score	Yes	Only after the opponent confirms
Disputed	The opponent rejects a manual result	No	No

---

4. The 6 sports and how each one is scored

Five sports are live in the app. Volleyball is fully supported by the engine but hidden for now. Football and box cricket are parked; their old engines are kept but they have no rulesets yet.

#	Sport	Plugin	Formats	Accent colour	Status
1	Badminton	`rally`	Singles, doubles	`#A855F7`	Live
2	Table tennis	`rally`	Singles, doubles	`#EAB308`	Live
3	Pickleball	`side_out` (default) or `rally`	Singles, doubles	`#F97316`	Live
4	Padel	`tennis`	Doubles only	`#06B6D4`	Live
5	Tennis	`tennis`	Singles, doubles	`#84CC16`	Live
6	Volleyball	`rally` (sets)	Team, 2 to 6 a side	`#14B8A6`	Engine ready, hidden
—	Football, box cricket	`timed_goals` , `overs`	Team		Parked

4.1 Badminton (rally)

Rulesets:

Ruleset	Rules
Best of 3 · 21 points (default, BWF)	To 21, win by 2, capped at 30
One game · 21 points	One game to 21, cap 30
Best of 3 · 15 points	To 15, win by 2, cap 21

How it plays:

- Every rally is a point.
- **The winner of the rally serves next.**
- The server stands in the **right court on an even score and the left court on an odd score**. The app shows this as "Right court" or "Left court".
- **Doubles:** when the serving side wins a point, its two players swap courts and the same player keeps serving. When the receiving side wins, it gets the serve, and the player in the court that matches its score serves.
- The winner of a game serves first in the next game.
- At 29-29, the next point wins: the cap is 30.

Callouts: "Game point", "Match point". **Headline:** `21-17, 18-21, 21-19`.

4.2 Table tennis (rally)

Rulesets:

Ruleset	Rules
Best of 5 · 11 points (default, ITTF)	Each game to 11, win by 2
Best of 3 · 11 points	
Best of 7 · 11 points	

There is no cap.

How it plays:

- Every rally is a point.
- **The serve changes every 2 points, whoever wins them.**
- **From 10-10, the serve changes every point.**
- In doubles, the server rotates through the players.
- The first server alternates from game to game.

Callouts: "Game point", "Match point".

4.3 Pickleball (side-out by default, rally optional)

Rulesets:

Ruleset	Plugin	Rules
Side-out · one game to 11 (default)	`side_out`	Win by 2
Side-out · best of 3 to 11	`side_out`	
Side-out · one game to 15	`side_out`	
Side-out · one game to 21	`side_out`	
Rally · one game to 21	`rally`	Every rally scores
Rally · best of 3 to 15	`rally`	Every rally scores

How side-out plays:

- **Only the serving side can score.**
- If the receiving side wins the rally, there is no point. Instead:
  - in **doubles**, the serve passes to the partner, the **second server**;
  - after the second server loses a rally, it's a **side out** and the other side serves.
- A doubles game starts at **0-0-2**: the first serving side gets only one server.
- When the serving side scores, the server switches court with their partner and keeps serving.
- The first server alternates from game to game.

The call: serving score, receiving score, server number, for example **"4-7-2"**. This is the `callout`, shown big on the scorer's screen.

Buttons change with the situation:

- The serving side's button says **"Point"**.
- The receiving side's button says **"Second server"** or **"Side out"**.

4.4 Padel (tennis)

Rulesets:

Ruleset	Rules
Best of 3 · advantage (default)	
Best of 3 · golden point	At 40-40 the next point wins
Best of 3 · golden point · super tiebreak	A tiebreak to 10 replaces the third set

Padel is doubles only.

How it plays:

- Points go 0, 15, 30, 40, game.
- At 40-40 it's either "Deuce", needing two points in a row, or "Golden point", where the next point wins.
- A set is the first to 6 games by 2, with a **tiebreak at 6-6** played to 7 points by 2.

- The side that received in the last game serves the next one. In doubles, the server rotates through the players.
- **In a tiebreak, the serve changes after the first point and then every two points.**

Callouts: "Deuce", "Advantage", "Golden point", "Tiebreak", "Match tiebreak", "Set point", "Match point".
Headline: `6-4, 7-6(5), [10-7]`. The (5) is the loser's points in the tiebreak; the [square brackets] mark a match tiebreak.

4.5 Tennis (tennis)

Rulesets:

Ruleset	Rules
Best of 3 · advantage (default)	
Best of 3 · no-ad	Golden point
Best of 3 · match tiebreak	A tiebreak to 10 replaces the third set
Best of 5 · advantage	
One set · advantage	

It's the same engine as padel, with singles and doubles. The engine also supports a final set with no tiebreak (Wimbledon-style advantage set), but there is no catalogue ruleset for it yet.

The scoreboard needs three levels: sets won (`primary`), games in the current set (`segments`), and points in the current game (`current` : 0, 15, 30, 40 or AD).

4.6 Volleyball (rally, sets; hidden)

Ruleset	Rules
Best of 5 · sets to 25	Win by 2; **the deciding 5th set is to 15**

- Teams can have 2 to 6 players a side.
- It uses the rally plugin with segments called "Set" instead of "Game".
- Everything is ready in the engine. Turning it on is a catalogue switch.

4.7 Rules an organizer can change

A ruleset can be overridden per match or event with `rulesOverride` , and the plugin checks every value. Common ones:

Plugin	Options
`rally`	`pointsToWin`, `winBy`, `cap`, `bestOf` (odd), `decidingGamePoints`, `firstServerSideIndex`
`side_out`	`pointsToWin`, `winBy`, `cap`, `bestOf`, `startAsSecondServer`, `nextGameFirstServer`
`tennis`	`deuce` (advantage or golden point), `setGames`, `tiebreakAt`, `tiebreakPoints`, `bestOf`, `finalSet` (standard, advantage, match tiebreak), `matchTiebreakPoints`

---

5. What the scoring UI needs to show

5.1 The scorer's screen (the most important screen)

Area	Content	Source
Header	Sport, ruleset name, court, LIVE badge	match
Side rows (×2)	Names or initials, serving dot, big number, current score	`sides[]`
Serve hint	"Right court", or server 1 or 2 for pickleball	`serveNote`, `serverNumber`
Callout	"Match point", "Deuce", "4-7-2"	`callout`
Point buttons	One big button per side, with labels from the engine	`actions[]`
Undo	Always visible while live	`POST /matches/:id/undo`
History	Finished games or sets	`segments[]`
Menu	Retire, walkover (only before the first point), abandon (friendly only), add scorer	
Finish	Appears when `complete` is true	`POST /matches/:id/complete`

The design rules for this screen:

- The two point buttons are the whole screen's purpose. Make them **huge and easy to tell apart**, and put them under their side.
- After a tap, show the new score **at once**, then confirm with the server.
- The **callout** should be big and short.
- **Undo** must be one tap.

5.2 Per-sport scoreboard layouts

Sport	Big number	Current score	Extra
Badminton	Games (0-2)	Points (0-30)	Court side of the server
Table tennis	Games (0-4)	Points	Serve indicator; changes every 2 points
Pickleball	Games	Points	Server 1 or 2 and the "4-7-2" call
Tennis / padel	Sets	0 / 15 / 30 / 40 / AD	Games in the current set; tiebreak points as numbers
Volleyball	Sets (0-3)	Points	

5.3 The spectator's view

It is the same scoreboard **without buttons**. It refreshes every 4 seconds, and a share button uses the public link.

5.4 The result card (feed, profile, tournament)

- Winner highlighted.
- The `headline` score line (`21-17, 18-21, 21-19`).
- Sport icon and colour.
- A "Retired", "Walkover" or "Awaiting confirmation" label when it applies.

---

6. Tournaments: the model

```
Tournament  (name, dates, venue, visibility: public / unlisted / private)
 ├── Staff   (organizer, co-organizers, scorers, referees)
 ├── Courts  (each court can have its own scorer)
 └── Events  ("Men's Doubles", "Open Singles")
      │       sport + format + ruleset + draw format + tiebreakers + max entries
      ├── Entries   (one player for singles, two for doubles; optional seed)
      └── Stages    (1 for knockout or round robin, 2 for groups + knockout)
           ├── Groups   (Group A, Group B ... or "Main draw" for a bracket)
           └── Fixtures (a slot in the draw; becomes a match when it starts)
                └── Match (scored live with the same engine as friendlies)
```

- **A tournament holds many events.** Each event is its own competition: its own sport, format, rules and draw. One weekend can have badminton singles, badminton doubles and pickleball doubles.
- **A fixture is not a match.** A fixture is a place in the draw, for example "QF 2: winner of R1-3 vs winner of R1-4". It becomes a real match when staff press Start, once both entries are known.
- **Tournament matches are normal matches**, so they use the same scoring screen, live updates, feed posts, records and ratings.

6.1 Statuses (for badges and filters)

Object	Statuses
Tournament	draft → registration_open → registration_closed → in_progress → completed (or cancelled)
Event	draft → registration_open → registration_closed → **drawn** → in_progress → completed (or cancelled)
Entry	pending → approved, or withdrawn / disqualified
Stage	pending → in_progress → completed
Fixture	pending (waiting for entries) → **ready** (both known) → live → completed; or **bye**, or cancelled
Match	live → completed, retired, walkover, abandoned or disputed

6.2 Who can do what

Role	Can
Organizer (creator)	Everything. Can't be removed.
Co-organizer	Manage events, entries, the draw, courts, staff and results
Scorer / referee	Start and score tournament matches
Court scorer	Start and score matches on their assigned court
Player	Register an entry (they must be one of its players) while registration is open. The entry waits for approval.

---

7. Tournament lifecycle, step by step

1. **Create the tournament** (`POST /tournaments`): name, dates, venue, visibility. Status: draft.
2. **Add events** (`POST /tournaments/:id/events`): sport, format, ruleset, draw format with its settings, tiebreakers and max entries. The server checks the rules and draw settings right away.
3. **Add staff and courts**, and optionally assign a scorer to each court.
4. **Open registration:** set the event to `registration_open`. The tournament opens with it.
5. **Entries come in** (`POST /tournament-events/:id/entries`):
    - When a player registers, the entry is **pending**. When an organizer adds it, it's **approved** straight away.
    - Checks: the right number of players for the format, no player twice, no player in two entries of the same event, not over max entries.
    - The organizer approves entries and sets seeds (`PATCH /entries/:id`). Each seed number can only be used once.
6. **Close registration**, then **make the draw** (`POST /tournament-events/:id/draw`):
    - `preview: true` shows the draw without saving it, so the organizer can look first.

    - `randomSeed` makes the draw reproducible: the same seed and the same entries give the same draw.
    - Saving it creates stages, groups and fixtures. Byes move on immediately. The event becomes **drawn**.
    - **Reset the draw** is allowed until a match has been played.
7. **Schedule** (`PATCH /fixtures/:id`): court and time for each fixture.
8. **Run matches** (`POST /fixtures/:id/start`): only a **ready** fixture can start. It creates the match, and the event and tournament become in_progress.
    - Alternatives: a **walkover or no-show** (`/fixtures/:id/walkover`), or a **manual result** (`/fixtures/:id/result`) if nobody scored it live.
9. **Automatic advancement:** every time a match is decided, in the same database transaction:
    - the winner moves into the next fixture (and the loser into the 3rd-place match, if there is one);
    - fixtures that now have both entries become ready;
    - when a group finishes, its standings are calculated and the knockout slots ("1st Group A") are filled;
    - when all fixtures of a stage, event or tournament are done, it is marked completed.
10. **Finish:** a knockout's podium is champion, runner-up and the 3rd-place winner.

---

8. Draw algorithms

There are three formats today: `knockout` , `round_robin` and `groups_knockout` . The engine is pure code and fully unit-tested. The format list is open, so double elimination or Swiss can be added later.

8.1 Seeding order

1. Seeded entries first, in seed order (1, 2, 3 ...).
2. Then the unseeded entries, **shuffled**. The shuffle is Fisher-Yates driven by a seeded random generator (mulberry32), so it can be reproduced.

8.2 Knockout (single elimination)

Settings: `thirdPlaceMatch` (default false). It needs at least 2 entries.

- **Bracket size** is the next power of two: 6 entries give a draw of 8, 12 give 16.
- **Standard seed placement**, so the top seeds meet as late as possible. For 8 lines the order is `1, 8, 4, 5, 2, 7, 3, 6` , which gives these first-round pairs:

```
R1-1:  Seed 1  v  Seed 8   ─┐
R1-2:  Seed 4  v  Seed 5   ─┴─ SF-1 ─┐
R1-3:  Seed 2  v  Seed 7   ─┐        ├─ Final
R1-4:  Seed 3  v  Seed 6   ─┴─ SF-2 ─┘
```

Seeds 1 and 2 can only meet in the final, and seeds 1 to 4 only from the semi-finals.

- **Byes:** the empty lines go to the **top seeds**. With 6 entries, seeds 7 and 8 are byes, so seeds 1 and 2 go straight to round 2.
- **Round names** come from the rounds left: Final, Semi-final, Quarter-final, then Round of 16, 32 and so on.
- **3rd-place match:** the two semi-final losers play. If a semi was a walkover, its loser doesn't play the 3rd-place match.

8.3 Round robin

Settings: `legs`, 1 or 2 (home and away). It needs at least 3 entries.

- Everyone plays everyone, scheduled with the **circle method**:
  - one entry stays fixed and the others rotate each round;
  - with an odd number of entries, one entry rests each round.
- n entries give n − 1 rounds (n rounds when n is odd), with no entry playing twice in a round.
- With 2 legs, the second leg repeats the rounds with the sides swapped.

8.4 Groups + knockout

Settings: `groupCount`, `qualifiersPerGroup` (default 2), `thirdPlaceMatch`, `legs`.

Minimum entries = groups × max(2, qualifiers + 1). For example, 2 groups with 2 qualifiers each need at least 6 entries.

1. **Snake seeding into groups**, so every group gets a fair mix of strong and weak entries:

```
Row 1 →  A: seed 1   B: seed 2   C: seed 3
Row 2 ←  C: seed 4   B: seed 5   A: seed 6
Row 3 →  A: seed 7   B: seed 8   C: seed 9
```

2. Each group plays a round robin.
3. **The qualifiers are placed in the knockout rank by rank:** all group winners first, then all runners-up. With the standard bracket order this means **group winners don't meet their own runner-up early, and A1 meets B2 while B1 meets A2.**
4. The knockout slots say where their entry comes from ("1st Group A"), and they fill when that group finishes.

8.5 What the draw produces (for the bracket UI)

Each fixture has:

- `round`, `position` and `roundName`;
- its two **slot sources**: an entry, a bye, "winner of X", "loser of X", or "Nth of Group Y";
- where its winner goes (`next`) and where its loser goes (`loserNext`).

This is enough to draw the whole bracket with connecting lines **before any match is played**, with placeholders such as "Winner QF 1" or "1st Group B".

---

9. Advancement, byes and walkovers

The engine keeps a state per fixture and moves entries through the draw:

Situation	What happens
Both entries known	The fixture becomes **ready** and can start
One entry against a bye	The entry moves on at once; the fixture shows **bye**
Two byes	A bye is passed on to the next fixture
Match played or retired	The winner moves to `next`, the loser to `loserNext` (3rd-place match)
Walkover or no-show	The winner moves on; the loser does **not** go to the 3rd-place match
Double walkover	Nobody moves on; the next fixture gets a bye in that slot
Group finished	The ranking fills the knockout's "Nth of Group X" slots; missing ranks become byes

All of this runs **in the same transaction as the match result**, so the bracket is never half updated.

---

10. Group standings and tiebreakers

Each row has: played, won, lost, **major** won and lost (games, or sets in tennis), and **minor** won and lost (points, or games in tennis). These come straight from each match's `ScoreSummary.totals`, so the table works the same for every sport.

Tiebreakers are chosen per event, in order. The default is:

1. `match_wins`: matches won;
2. `head_to_head`: a mini-table of only the matches between the tied entries;
3. `major_diff`: games (or sets) won minus lost;
4. `minor_diff`: points (or games) won minus lost.

`major_won` and `minor_won` are also available.

How ties are resolved, following BWF and ITTF practice:

- Each tiebreaker splits the entries that are still level.
- **When a step leaves a smaller tie, that tie starts again from the first tiebreaker.** For example, if three players are level and a step separates one of them, the remaining two are decided by their own match.
- Anything still level after every tiebreaker is decided by seed, then by a fixed order.

Walkovers in standings: the winner gets the walkover score of the format. For badminton best of 3 that's 2 games and 42 points; for tennis best of 3 it's 2 sets and 12 games.

---

11. Ratings, records and the feed

- **Ratings:** Elo per player per sport.
  - Everyone starts at **1000**, with K = 32.
  - In doubles, a side's rating is the average of its players, and both players get the same change.
  - A rating changes only when **every player is registered** and the match was **actually played** (completed or retired).
  - A manual friendly result changes ratings only **after the opponent confirms** it.
  - The rating history is kept per match, which is what the trend line on the profile shows.
  - Glicko-2 can replace Elo later; the database columns already exist.
- **Records** (played, won, lost, games and points) are **rebuilt from the decided matches** each time, never just incremented, so a disputed or corrected result can't leave them wrong.
- **Feed:** every played or retired match posts a result card to the feed automatically.
- **Guests:** a guest can be given a phone number. When that person signs up, `POST /players/claim` moves the guest's matches to their account.

---

12. Screens to design

Scoring

Screen	Key content
New match: pick a sport	Sport grid with icons and accent colours
New match: rules and players	Ruleset picker, singles/doubles, player search, add a guest, who serves first
Live scoring	See 5.1
Match view (spectator)	Scoreboard without buttons, share link
Enter a result afterwards	A score per game or set; the engine says if it's impossible
Confirm a result	Accept or dispute, with a comment
Match result	Winner, headline, segments, rating change

Tournaments: organizer

Screen	Key content
Create tournament	Name, dates, venue, visibility
Tournament dashboard	Events, status, staff, courts, quick actions
Add event	Sport, format, ruleset, **draw format with its settings**, tiebreakers, max entries
Entries	Pending and approved lists, approve, seed numbers, withdraw
Draw preview	Bracket or groups, Reshuffle (new seed), Confirm, Reset
Schedule	Fixtures by round, court and time
Court board	Each court with its scorer and its live or next match
Fixture	Start, walkover / no-show, enter result

Tournaments: player and spectator

Screen	Key content
Tournament list	Public tournaments that are open or running
Tournament page	Events, dates, venue, Register button
Register	Choose partner (doubles), confirm
Bracket view	Rounds as columns, connecting lines, placeholders, live badges
Group table	Rank, P, W, L, games ±, points ±, qualifier highlight
My matches / my scorer duties	Fixtures where I play or score, ready or live
Public page (no login)	Tournament by slug, live scores, results

---

13. What is not built yet

- **Formats:** double elimination and Swiss. The format interface is ready for them.
- **Scheduling help:** automatic court and time allocation. Today staff schedule each fixture.
- **Real-time push:** watchers refresh every 4 seconds; WebSockets or SSE are planned.
- **Offline scoring queue:** the phone can resend safely (`clientEventId`), but there is no full offline mode yet.
- **Volleyball** is hidden; **football and box cricket** need their plugins rebuilt on the new engine.
- **Push notifications** ("your match is up next on Court 2") need device registration first.