

PERFORMANCE WORK STATEMENT (PWS)

FOR

Serv O25-216

Hazmat Recycling Services

**PREPARED BY
OC-ALC/OBCA
20 November 2025**

Commanders Safety Intent: The safety of everyone on Tinker AFB is our top priority. All Individuals must accept personal responsibility for safety and seek opportunities for improving the safety of our work environment. Everyone working on Tinker AFB is challenged to find, fix (if able) and report all hazards and near-misses. It is our shared duty to take every reasonable step and precaution to prevent accidents and preserve the health/safety of each contractor and government employee.

Section One

1. Description of Services

1.1 Scope The contractor shall provide all labor, equipment, materials, and supervision necessary to perform the hazardous recyclable material removal and Recycling services as described herein. The Contractor is responsible for ensuring all services provided under this contract are in accordance with (IAW) all terms, conditions, specifications, and regulatory requirements outlined in this Performance Work Statement (PWS) and all applicable federal, state, and local regulations. This includes, but is not limited to, Resource Conservation and recovery Act (RCRA), Department of Transportation (DOT), and Environmental protection Agency (EPA) regulations. The contractor's responsibilities encompass all aspects of hazardous recyclable material management, from initial characterization to completed recycling, ensuring compliance and environmental responsibility throughout the entire process. Contractor shall provide removal from Tinker AFB and shall recycle it in a manner that will prevent it from being considered a solid waste or hazardous waste. Contractor shall also be responsible for obtaining all regulatory agency approvals and all regulatory permitting as necessary to legally fulfill requirements in accordance with the Performance Work Statement (PWS).

1.2 Requested Services: As part of the base year, the contractor shall perform a one-time initial removal of approximately Forty four (44) barrels of hazardous recyclable material. This initial removal must be completed within ten (10) days of the contract start date. Following the initial removal, we will require an additional removal of approximately Twenty (20) barrels of hazardous recyclable material. This additional removal may be completed in one or more pickups, to be scheduled as needed throughout the remainder of the contract year.

1.2.1 Transportation:

- Transport recyclable material from Oklahoma City Air Logistics Center (OC-ALC) to a permitted Treatment, Storage, and Disposal Facility (TSDF) in accordance with DOT and EPA regulations.
- Utilize properly permitted and insured vehicles and drivers for hazardous transportation.
- Prepare and maintain all required shipping manifests and documentation.
- Contractor shall provide a Record of Movement (ROM) for Aluminum dust & mix metal powder & debris.
- Contractor shall be responsible for all waste while in transit. If an accident or spill of any amount of material occurs while in transit, the Contractor shall be responsible for cleanup and for any notifications required by federal, state, or local regulation.

1.2.2 Waste recycling and Management:

- Recycle hazardous material at a permitted Treatment, Storage, and Disposal Facility (TSDF) that is authorized to accept the specific streams generated by OC-ALC.
- Contractor shall provide a copy of the recycling certification for the receiving Treatment, Storage, and Disposal Facility (TSDF) to demonstrate proper recycling of the waste.
- The Contractor must provide verifiable documentation demonstrating the recycling process and the final disposition of the recycled materials, ensuring 0% of recycled materials are sent to a landfill. This documentation shall include, but not be limited to, weight tickets, certificates of recycling, and end-market information.

1.2.3 Emergency Response:

- The contractor shall develop and maintain an emergency response plan for spills or releases of hazardous recyclable material during transportation or handling.
- The Contractor shall provide trained personnel and equipment to respond to spills or releases.
- The contractor Shall report any spills or releases to the appropriate regulatory agencies.

- 2. Quality Assurance:** According to the contract's inspection clause, the Government will evaluate the Contractor's performance under this contract. The GPOC will participate in the administration of this contract. Any matter concerning a change to the scope, prices, terms, or conditions of this contract shall be referred to the CO. All services to be performed by the Contractor during the period of this contract will be subject to review by the CO or GPOC.
- 3. Corrective Action Report (CAR)/Complaint Contractor Response Time:** The Contractor shall provide a written response within two (2) business days which addresses the root cause, corrective action, and preventive actions in relation to the submitted CAR or Customer Complaint.
- 4. Continuation of Essential Department of Defense (DoD) Contractor Services During Crisis:** This requirement has been determined not to be essential and does not require continued support during a crisis as defined in DFARS 252.237-7023.
- 5. Hours of Operation:** The Contractor shall perform the work required under this contract during the following days and hours: Monday through Friday, 0700 to 1430. If work hours are required outside the hours stated, the Contractor shall contact the GPOC for approval from the CO. Upon approval from the CO, the Government Subject Matter Expert (SME) or GPOC must be present with the Contractor.

These dates and hours exclude Federal Holidays, base closures due to inclement weather, and furlough days, as applicable.

- 6. Special Qualifications:** The Contractor shall provide personnel with the following special qualifications:

The Contractor shall possess the following minimum qualifications:

- Valid EPA Identification Number for hazardous recyclable material transportation and disposal.
- DOT Hazardous Materials Transportation Certification for all personnel involved in the transportation of hazardous recyclable material.

- A comprehensive emergency response plan to address spills, releases, or other incidents involving hazardous waste that is compliant with all applicable regulations. this plan should be readily available and regularly updated.
- Maintain adequate insurance coverage, including general liability, environmental liability (pollution liability), and worker's compensation

7. Contractor Personnel: The Contractor shall provide the name of the Contract Manager (CM) and any alternates who shall act for the Contractor when the CM is absent. They shall be designated to the CO and GPOC, in writing, within ten (10) business days after the contract award date. The Contractor shall provide telephone numbers and email addresses where the CM and alternates may be contacted at any time. The CM or alternate shall have full authority to act for the Contractor on all matters relating to operation of this contract at the OC-ALC on Tinker Air Force Base (AFB). The CM or alternate shall be available to meet on the installation with Government personnel designated by the CO to discuss problem areas. The Contractor shall provide a CM who can read, write, speak, and understand English fluently.

The Contractor and Contractor personnel shall be required to identify themselves as contractor personnel by introducing themselves or being introduced as Contractor personnel. The Contractor personnel shall also display distinguishing badges or other visible identification for meetings with Government personnel or while performing work for the OC-ALC on Tinker AFB. The Contractor and Contractor personnel shall identify themselves as Contractor employees in telephone conversations and in formal and informal written correspondence.

8. Listing of Contractor Employees: The Contractor shall provide an initial listing of names and position titles of employees who will come to Tinker Air Force Base to the GPOC within five (5) business days after the contract award date. Within ten (10) business days, the Contractor shall also provide an updated listing of personnel to the GPOC when employees affecting the work of this contract change status or position.

The Contractor shall not employ persons on this contract if such employee is identified to the Contractor as a potential threat to the health, safety, security, and/or general well-being, or operational mission of the installation and its population. The Contractor shall not employ any person who is an employee of the United States (US) Government if the employment of the person would create a conflict of interest. The Contractor shall not employ any person who is an employee of the Department of the Air Force (AF), either military or civilian, unless such person seeks and receives approval according to the DoD 5500.7-R Joint Ethics Regulations (JER). In addition, the Contractor shall not employ any person who is an employee of the Department of the AF if such employment would be contrary to the policies contained in Air Force Instruction (AFI) 64-106, *Air Force Industrial Labor Relations Activities*. The Contractor shall be prohibited from employing off-duty GPOCs who are providing surveillance on any contracts/sub-contracts awarded to the Contractor. All contract personnel, depending on particular condition, occasion, or place or job assignment shall be required to wear professional and suitable attire. All Contractor personnel shall conduct themselves in a professional and courteous manner. The selection, assignment, reassignment, transfer, supervision, management, and control of contractor personnel in performance of this PWS shall be the responsibility and prerogative of the Contractor; however, the Contractor shall comply with the requirements set forth in this PWS and Tinker AFB regulations concerning the conduct of employees as referenced herein. The Contractor shall employ and maintain a technically trained and experienced work force.

**9. ENVIRONMENTAL PROTECTION & SAFETY: Brandi Dittrich
76 MXSG/MXDEU.workflow@us.af.mil, PH# 405-582-4813.**

9.1 Environmental Protection & Safety: The Contractor shall be knowledgeable of and comply with all applicable federal, state and local laws, regulations, instructions and requirements regarding environmental protection and occupational safety and health. The Contractor shall comply with any laws, instructions or regulation changes during the term of this contract.

Contractors shall be compliant Tinker Air Force Base (TAFB) Supplement to Air Force Manual (DAFMAN) 32-7002, “*Environmental Compliance and Pollution Prevention*”, Tinker AFB procedures per 'Tinker Air Force Base Hazardous Waste Management Plan (TAFB HWMP), and Complex procedures per Oklahoma City Air Logistics Complex (OC-ALC) Supplement to DAFMAN 32-7002, “*Environmental Compliance and Pollution Prevention*”

and OC-ALCI 32-101 “Air Quality Record Keeping Procedure”. Publications are available digitally on e-Publishing website at www.e-publishing.af.mil for downloading or ordering.”

9.2 Hazardous Material (HAZMAT): If no HAZMAT will be brought on Base or used in performance on this contract, the Contractor shall certify that “No HAZMAT will be brought on Base” or “No HAZMAT Usage” by official correspondence. This Certification shall be provided to the GPOC within ten (10) business days after award. After the GPOC has received the Certification, the requirements of this section no longer apply. Appropriate penalties for the Contractor shall be assessed if found in violation of the above Certification.

The Contractor shall comply with applicable federal and military procurement policies IAW OC-ALC Supplement to DAFMAN 32-7002, “*Environmental Compliance and Pollution Prevention*”. The Contractor shall obtain access to the standardized Air Force HAZMAT tracking system and manage HAZMAT within the system or have a government designated HAZMART comply. The Contractor shall establish and reconcile the inventory, print the standardized Air Force HAZMAT tracking system bar code labels, and apply the labels to containers of HAZMAT so that the Occupational Safety and Health Administration (OSHA) compliant labels are not covered. Any failure to comply with proper HAZMAT management procedures shall be reported to the CO and GPOC who will notify 76 MXSG/MXDEU, OC-ALC *Environmental Compliance*.

9.3 Safety Data Sheet (SDS) and Labeling: Upon GPOC receipt of the “No HAZMAT Usage” certification, the requirements of this section no longer apply.

Contractor shall not transport, ship or use any chemical, material or substance used in the performance of this PWS on Tinker AFB before written approval is provided by 72 ABW/CEIE, *Natural Infrastructure Management (Environmental Compliance)*. The Contractor shall submit to the GPOC, ten (10) calendar days after contract award date all Safety Data Sheets (SDSs). The Contractor shall receive approval from the GPOC prior to shipping any chemical, material or substance to Tinker AFB. A copy of the manufacturer SDS shall accompany the shipment. Contractor shall comply with the effective dates for SDS requirements IAW the Occupational Safety and Health Administrations (OSHA) Hazardous Communication Standard, Title 29, Code of Federal Regulation (CFR) Part 1910.1200. The Contractor shall ensure

containers of hazardous chemicals are labeled with the following information, prior to shipping to Tinker AFB IAW OSHA Hazardous Communication Standard, Title 29, CFR Part 1910.1200 (2012): product identifier; signal word; hazard statement(s); precautionary statement(s); pictogram(s); and name, address and telephone number of the chemical manufacturer, importer, or other responsible party. The GPOC will forward all SDS submittals to 72 ABW/CEIE for approval. A current manufacturer SDS shall be submitted to the GPOC if the Contractor changes manufacturer or vendor for any chemicals that were prior approved. The Contractor shall maintain copies of manufacturer SDSs for all chemicals and SDSs shall be readily accessible at all times by Contractor personnel as well as government employees.

9.4 Air Quality Recordkeeping: Upon GPOC receipt of the “No HAZMAT Usage” certification, the requirements of this section no longer apply.

The Contractor shall be responsible for specific recordkeeping and reporting requirements, when applicable, mandated by Tinker Air Force Base Facility-Wide Operating Permit IAW OC-ALCI 32-101. The GPOC will contact the UEC for environmental requirements. The Contractor shall submit all applicable records on a monthly basis to the GPOC no later than the third (3rd) day of the month following the reporting period. If the third (3rd) day of the month is a weekend or holiday, the logs are required by the last business day 'PRIOR' to the (third) 3rd. The GPOC will forward the records to the UEC no later than the fourth (4th) day of the following month or the first subsequent business day. Contractor shall maintain a signed copy of the form(s) required per OC-ALCI 32-101 on site for one (1) year.

9.5 Hazardous Waste: If no HAZWASTE will be generated during performance of this contract, the Contractor shall certify “NO Hazardous Waste Generation” by official correspondence. This certification shall be provided to the GPOC within ten (10) business days after award. Upon COR receipt of the “No Hazardous Waste Generation” certification, the requirements of this section no longer apply. Appropriate penalties for the contractor shall be assessed if found in violation of above certification.

The Contractor shall dispose of contaminated solid waste, spent or processed chemical solutions, used rags and hazardous waste in government furnished waste containers IAW TAFB HWMP.

The Contractor shall be responsible for the Initial Accumulation Point (IAP) within the Contractor assigned space. The IAP shall be under the direct control of the Contractor who generates the waste. Before accumulation begins, the Contractor shall ensure appropriate hazard labels are affixed to government furnished waste containers as specified in 49 Code of Federal Regulation (CFR) 172.400. Management procedures for IAPs include written weekly inspections and reporting. When the container has been filled, the Contractor shall seal the container, mark the Certified Filled Date on the container label using an indelible pen, place the container at a designated pick-up location, and call the Hazardous Waste Management Facility (HWMF) at 734-3285 for pick-up service. The Contractor shall ensure the HWMF picks up the container within three (3) calendar days after the Certified Filled Date. If container is not picked up within three (3) calendar days, Contractor shall notify the GPOC who will notify 76 MXSG/MXDEU, *OC-ALC Environmental Engineering Section*.

The Contractor shall perform written weekly inspections using Tinker AFB IMT Form 487, *Initial Accumulation Point Management Aid*. Weekly denotes once per working week. The Contractor shall submit Tinker AFB IMT Form 487 on a monthly basis to the GPOC no later than the third (3rd) day of the month following the reporting period. If the third (3rd) day of the month is a weekend or holiday, the logs are required by the last business day 'PRIOR' to the third (3rd). The GPOC will forward the form(s) to the UEC no later than the fourth (4th) day of the following month or the first (1st) subsequent business day. Contractor shall maintain a signed copy of the form(s) on site for one (1) year.

9.6 Discharges: Any discharges into Tinker's industrial waste treatment plant (IWTP) or sanitary sewer shall be approved and done IAW Tinker Industrial Wastewater Discharge Permit as instructed by 72 ABW/CEIE, *Natural Infrastructure Management (Environmental Compliance)*. Notice of intent documentation shall be provided to the GPOC within ten (10) days after award. The COR will submit the required notice of intent documentation to the UEC for 72 ABW/CEIE approval. The Contractor shall not discharge into IWTP and sanitary sewer prior to approval issued by 72 ABW/CEIE. The Contractor shall maintain records of written approval issued by 72 ABW/CEIE for discharges into IWTP and sanitary sewer.

9.7 Spills: Upon occurrence of any spill that could enter the storm system or cause any harmful environment effects, the Contractor shall immediately call 911 to report the incident. When possible, the Contractor shall use a base telephone to receive help from Tinker AFB 911. If using a cell phone, the Contractor shall request Tinker AFB 911. The Contractor shall immediately report all environmental violations to the GPOC and UEC. The Contractor shall provide five (5) copies of a typed or written report about the incident within four (4) clock hours as follows:

One (1) copy to the CO, two (2) copies to the GPOC, a copy for UEC and one (1) copy for record. The format of the report shall be left up to the Contractor, but the report shall contain the following information:

- a.) Name and contact number of person reporting the spill
- b.) Date and time of incident
- c.) Location and source of spill
- d.) Substance or pollutant spilled
- e.) Amount spilled and rate of discharge
- f.) Any damages or injuries involved
- g.) Extent of area impacted
- h.) Potential hazards
- i.) Actions taken
- j.) Organizations contacted
- k.) Remarks Section - that addresses the cause of the spill (e.g. human error, equipment, etc.) and whether 911 was called and which agencies responded.

9.8 Environmental Training: Upon GPOC receipt of the “No Hazardous Waste Generation” certification, the requirements of this section no longer apply.

Contractor personnel performing duties in the service of this PWS shall have training that acquaints the person with the details of Resource Conservation Recovery Act (RCRA) regulations in 40 CFR 260 through 279; applicable State Laws and regulations; DoD, Air Force and local requirements and an annual refresher classes, updates the person on changes to those rules. This training can be obtained through creditable training institutions or companies. All training will be approved by 72 ABW/CEIE, *Natural Infrastructure Management (Environmental Compliance)*. RCRA training is available at

<http://www.natlenvtrainers.com/RCRA-hazardous-waste.htm>,
http://www.skillsoft.com/catalog/detail.asp?CourseCode=esh_sah_a34_sh_enu_s000000,

and <http://www.lion.com/Storing-Hazardous-Waste-for-LQGs> at the Contractor's expense. Prior to obtaining training, the Contractor shall provide the name of the training institution or company and course description to the COR for approval within ten (10) calendar days after contract award date. Once written approval is received from the COR, the Contractor shall provide the environmental training certificates for employees performing duties in the service of this PWS to the COR within thirty (30) calendar days after contract award date. Annual refresher training certificates for the supervisor and employees managing the initial accumulations points (IAPs) shall be provided to the COR, within ten (10) calendar days after each option year renewal. The COR will forward a copy of the certificates to the UEC.

9.9. Off-Site Discharges: For discharges outside of Tinker AFB, the Contractor shall ensure wastewater discharges, that may contain pollutants resulting from any contracted service, go to a state or federal permitted treatment facility such as a municipal Publicly Owned Treatment Works (POTW). The Contractor shall provide official correspondence ten (10) calendar days after contract award date to the GPOC from the POTW that states the POTW is permitted for all pollutants that the Contractor may discharge during the contracted service.

10. Forms, Technical Orders (T.O.), AFI, Air Force Material Command Instructions (AFMCI), and Publications: The Contractor shall obtain the forms and publications expressly required to perform the work in this contract via the internet at www.e-publishing.af.mil. In the event a form or publication is not available online, the GPOC will provide the form, instruction, or publication to the Contractor upon the Contractor's written request (e-mail is acceptable). In the event, laws, regulations, T.O.'s, AFI's, or AFMCI's change during the term of this contract, the Contractor shall be required to comply as the changes come into effect. Contractors delivering or handling official United States Air Force (USAF) records shall comply with the applicable records management regulations in AFI 33-322, Chapter 3, in its entirety.

11. OC-ALC Security and OPSEC briefing: All Contractor personnel working on base in the OC-ALC shall be required to read the OC-ALC Security and OPSEC briefings. The GPOC will ensure the Security and OPSEC briefings are available for review by the Contractor. The Contractor shall provide the GPOC with a

report within five (5) business days after receiving the briefings. The report shall contain the employee's name and the date of review. These requirements are IAW AFI 16-1404, "Information Security", Chapter 6, Paragraph 6.2-6.2.3, 6.4-6.4.4.; DoDI 5220.22 "Industrial Security", Section 9, Paragraph 9.2(6).; AFI 10-701, "Operations Security", Chapter 4, Paragraph 4.4. and OC-ALC 16-1404, "OC-ALC Security", Paragraph 7.

The original contract sponsor will ensure delivery personnel are made aware that any photography or videography are not allowed on Tinker Air Force Base or its associated areas. Additionally, the disclosure (sharing) of any Department of Defense information, obtained from or while on Tinker Air Force Base, is unauthorized. Unauthorized disclosure can lead to severe penalties, including fines, imprisonment, and administrative action.

12.Housekeeping: The Contractor shall keep the work areas clean and neat IAW industry standards, OSHA, fire and safety standards, and this PWS.

13.Foreign Object Damage (FOD) and Dropped Object Prevention: Contractor personnel who work in or travel through areas near operational and production aircraft, engines, munitions, missiles, drones, space systems, support equipment, Aerospace Ground Equipment (AGE), trainers, and the Contractor personnel operating vehicles and equipment on flight lines, runways, taxiways, parking ramps, and in aircraft hangers and maintenance areas are required to receive the FOD/DOP training and to comply with AFI 36-2650, AFMC Supplement 1, paragraph 9.2., and A4.4.4. (Initial)/A4.4.5. (Refresher). The Contractor and Contractor personnel shall acknowledge the FOD/DOP training by viewing the Digital Versatile Disc (DVD) provided by the GPOC.

The Contract Manager shall provide written certification to the GPOC for each employee prior to the employees starting work in the OC-ALC shops. The certification shall have the title of the training, the name of the person who received the training, and the date of the training. The Contractor shall also ensure all new employees view the FOD/DOP training and provide written certification of training to the GPOC prior to the employees starting work in the OC-ALC shops. Every 36 Months, the Contractor and Contractor personnel shall be required to review the FOD/DOP training and to provide written certification to the GPOC.

14. Privately Owned Motor Vehicles (POV): Contractor Contractor's personnel shall comply with the directives pertaining to the operation of POVs on Tinker AFB, per AFMAN 31-116, in its entirety, "Motor Vehicle Traffic Supervision". The Contractor shall comply with Tinker AFBI 24- 302, in its entirety for the operation of POVs within Tinker AFB.

15. Visitors Pass: The Contractor shall contact the GPOC seven (7) business days before arriving on Tinker AFB in order to make arrangements for Visitors Passes. The GPOC will assign a sponsor for the Contractor from within the organization. The Contractor and the sponsor shall arrange to meet at Pass and Registration, Building 6611 at the Tinker Gate which is South of I-40 off of Air Depot. [REDACTED]

16. Foreign Nationals: The Contractor shall notify the GPOC before sending a Foreign National representative to perform services. Special rules apply for foreign nationals visiting a US Government facility.

17. Safety and Health on Government Installations: While performing work under this contract the Contractor shall comply with all applicable federal, state, and local and the specific Air Force regulations (as applicable) regarding occupational safety and health addressed in the PWS. During the execution of the contract the Contractor shall notify the CO, GPOC, and Government Contract Administrator (CA) within one (1) business day of any damage to Government property where the dollar value exceeds \$500,000.00 and within two (2) work days, for any damage to Government property less than \$500,000.00. The Contractor shall notify the (CO) within one (1) business day of any injury to contract personnel which occurs while on a Government installation.

Mishap notifications shall contain, as a minimum, the following information:

- Contract, Contract Number, Name and Title of Person(s) Reporting
- Date, Time and exact location of accident/incident
- Brief Narrative of accident/incident (Events leading to accident/incident)
- Cause of accident/incident, if known
- Estimated cost of accident/incident (material and labor to repair/replace)
- Nomenclature of equipment and personnel involved in accident/incident

- Corrective actions (taken or proposed)
- Other pertinent information

If requested by the designated CO, the Contractor shall immediately secure the mishap scene/damaged property and impound pertinent maintenance and training records, until released by the Procuring Safety Office. Contractors will not dispose of contract data related to a mishap until notified to do so by the CO.

Applicable Regulations and Air Force Instructions:

29 CFR 1910 OSHA Standards for General Industry

AFI 91-203 Air Force Consolidated Occupational Safety Instruction

AFI 91-207 THE US AIR FORCE TRAFFIC SAFETY PROGRAM 12 Sep 2013

AFI 31-218 AIR FORCE MOTOR VEHICLE TRAFFIC SUPERVISION

While on a government installation the Contractor shall be required to follow applicable installation traffic safety regulations and any applicable safety requirements required by the work center supervisor as it pertains to execution of the contract while in the work center; these may include but are not limited to general personal protective equipment such as safety glasses, hearing protection, and hard hats. The Contractor shall comply with base/shop emergency procedures for fire, tornado etc.

18.1 Communicating Hazards Of Workplace (CHOW): Contractor's onsite representative communicates all hazards being introduced to the worksite by the Contractor. This is accomplished prior to commencement of work and refreshed daily during performance, IAW Contractor's Site Safety Plan.

18.2 Safety and Health Plan: The Contractor shall be responsible for compliance with the OSHA Public Law 91-596. The Contractor shall submit a Safety and Health Plan (SHP) and corresponding site safety checklist to the CO and the GPOC (see Appendix C).

18.3 Communicating Hazards Of Workplace (CHOW): Contractor's onsite representative communicates all hazards being introduced to the worksite by the Contractor. This is accomplished prior to commencement of work and refreshed daily during performance, IAW Contractor's Site Safety Plan.

18.4 Safety and Health Plan: The Contractor shall be responsible for compliance with the OSHA Public Law 91-596. The Contractor shall submit a

Safety and Health Plan (SHP) and corresponding site safety checklist to the CO and the GPOC (see Appendix C).

18.5 Safety and Health off Government Installations: While performing work under this contract the Contractor shall comply with all applicable federal, state and local regulations regarding occupational safety and health. During the execution of the contract, the Contractor shall notify the CO, GPOC, and Government Contract Administrator (CA) within one (1) business day of any damage to Government property in which the dollar value exceeds \$500,000.00 and within two (2) work days, for any damage to Government property less than \$500,000.00.

Mishap notifications shall contain, as a minimum, the following information:

- Contract, Contract Number, Name and Title of Person(s) Reporting
- Date, Time and exact location of accident/incident
- Brief Narrative of accident/incident (Events leading to accident/incident)
- Cause of accident/incident, if known
- Estimated cost of accident/incident (material and labor to repair/replace)
- Nomenclature of equipment and personnel involved in accident/incident
- Corrective actions (taken or proposed)
- Other pertinent information

If requested by the designated CO, the Contractor shall immediately secure the mishap scene/damaged property and impound pertinent maintenance and training records, until released by the Procuring Safety Office. Contractors will not dispose of contract data related to a mishap until notified to do so by the CO.

18.6 Combating Trafficking in Persons: IAW DFARS PGI 222.17, the GPOC shall pursue, as appropriate, the following methods of monitoring the Contractor's performance regarding trafficking in persons such that non-compliances with FAR clause 52.222-50 are brought to the immediate attention of the Contracting Officer:

- a. Keep the lines of communication open with the Contractor. At the Post-Award conference, remind the Contractor of his contractual responsibilities to notify the government if the Contractor receives notification of any alleged violations to this policy or if actions have been taken against the Contractor employees, subcontractor's or subcontractor employees pursuant to the clause.

- b. When appropriate, encourage Contractor to complete Human Trafficking Awareness Training.
- c. Encourage the Contractor to take steps to investigate and eliminate slavery and human trafficking in their supply chains and to publish information for consumer awareness.
- d. Periodically access the Department of State's Trafficking in Person (TIP) website for updates and to view the latest reports. <http://www.state.gov/g/tip>

19. Speak Up for Safety: Safety surety is an integral part of our overall goal of establishing a world class safety and health program. Our "Speak Out for Safety" initiative ensures a partnership with contractors and government employees to further enhance safety to ensure we are looking out for all our partners and empowers all employees to actively participate in each other's safety.

A safe workplace is everyone's business. As part of the contract team, military, civilian and contractor personnel are empowered to Speak Out for Safety (S.O.S.) when they observe an unsafe act.

Government personnel are empowered to intercede in events that pose imminent danger to personnel or catastrophic damage to property.

20. Emergency Procedures: The Contractor personnel shall follow the direction of the Government personnel with regard to emergency procedures, such as fire, tornado, active shooter, bomb threats, or other emergency. It is the responsibility of the Contractor to provide guidance and to establish procedures for its employees to respond to an emergency. It is the Contractor's responsibility to account for their employees following an emergency evacuation. The Contractor personnel shall participate with the Government personnel in all fire and tornado drills at no additional cost to the Government.

IAW the SAF/AQ Memorandum dated 13 Nov 2012 and the Office of the Secretary of Defense (OSD) Memorandum dated 28 Nov 2012, our office has been directed to include this requirement in existing service contracts valued greater than or equal to the Simplified Acquisition Threshold (SAT).

21.Training – General (including but not limited to): The Government GPOC will provide training via slides, video, or classroom prior to the Contractor performing work at the OC-ALC. The Government will be responsible for all approved costs associated with the training identified below. The GPOC will document training on and maintain copies of the completed, Training Attendance and Rating, as part of the contract surveillance file. The Government will add or remove training as required per Air Force Regulation.

The Contractor shall contact the GPOC prior to work being performed in order to accomplish the required training or to verify the required training as listed below has been completed:

Contractor Required Courses	Course Number
FOD and DOP Awareness Training Course Initial	CHPMAS0000400SU
AFMC FOD and DOP Awareness Training Refresher	CHPMAS0001301CB
Initial Fire Safety and Prevention Training	CTESAF0000100SU
Refresher Fire Safety and Prevention Training, Computer Based Training (CBT)	CTEMAS0002900CB
OC-ALC Environmental Accountability/Solid Waste Training, CBT	MTEMAS9713800BR
OC-ALC Human Factors Training, CBT	MTEPDV9775100BR
Environmental Management Systems (EMS) - General Awareness Training	MTEENV9733070BR
Controlled Unclassified Information (CUI) Training 2022BG	ZZZ2021CUI
Hazardous Waste Management Practices	MTEENV0000100SU
Hazardous Waste Management Practices - Annual Refresher	MTEENV0000200SU
Hazardous Chemicals, Handling and Storage	MTESAF0008400SU

Section Two: Reserved.

Section Three:

3.1. Security Forces. The Government will provide general on-base security forces' service. The security forces' telephone numbers are 911 for emergencies, 405-734-2000 for crimes in progress and 405-734-3737 for non-emergency calls. **The off-base 911 center receives 911 cell phone calls. Cell phone callers need to advise the 911 off-base center they are on TAFB in order to be connected with the on-base 911 center.**

3.1.2. Fire Emergency and Routine Services. The Government will provide general on-base fire protection services. The Contractor shall comply with fire prevention rules and regulations enforced by the TAFB Fire Prevention Branch. Call 911 for emergencies. For routine fire prevention matters call 405-734-3981 or 405-734-3982 and 405-734-7964 for after hours and weekends. For routine calls to dispatch call 405-734-7964.

3.1.3. Telephone. The Government will provide telephone service consisting of the following Classes of Service. The Contractor shall ensure that the Government provided telephone usage is limited to only official Government business related to the performance of this contract. The Contractor shall furnish their own telephone service provided by local commercial carrier for their use in matters other than official Government business.

CLASS "A"/ CLASS OF SERVICE "1"

- Dial "99" for local off-base and toll free calls (1-800, etc.) -- NOTE: Do not use this option for long distance calls
- Dial "98" for long distance calls
- Dial "94" Defense Switched Network (DSN) calls
- On-base calls

CLASS "D" / CLASS OF SERVICE "2"

- Dial "99" for local off-base and toll free calls (1-800, etc.) -- NOTE: Do not use this option for long distance calls
- Dial "94" Defense Switched Network (DSN) calls
- On-base calls

CLASS "G" / CLASS OF SERVICE "3"

- For on-base calls only

CLASS "H" / CLASS OF SERVICE "4"

- Dial "99" for local off-base and toll free calls (1-800, etc.) -- NOTE: Do not use this option for long distance calls
- Dial "98" for long distance calls
- On-base calls

*CLASS "F"/ CLASS OF SERVICE "5"

- Dial "99" for local off-base and toll free calls (1-800, etc.) -- NOTE: Do not use this option for long distance calls

- On-base calls

3.2. Contractor Acquired Property (CAP), Time & Material (T&M), Labor Hour (LH), Cost, or Travel Contract Line Item Numbers (CLINS). Not Applicable.