

BAR CODE MARKINGS

Bar Code Markings are required in accordance with the latest revision of MIL-STD-129 and ISO/IEC 16388 - Information Technology - Automatic Identification and Data Capture Techniques - Bar Code Symbology Specification - Code 39.

CALIBRATION REQUIREMENTS

The calibration of Test, Measurement and Diagnostic Equipment shall be in accordance with American National Standards Institute/National Conference of Standards Laboratories (ANSI/NCSL) Z540-3-2006 (General Requirements for Calibration Laboratories and Measuring and Test Equipment) or ISO 10012:2003 (Quality Assurance Requirements for Measuring Equipment). Terminology shall be as defined by International Organization for Standardization (ISO) 8402, Quality Management and Quality Assurance - Vocabulary.

ENGINEERING CHG PROPOSAL, VALUE ENG CHG PROPOSAL, REQUEST FOR VARIANCE, ENG RELEASE RECORDS, NOTICE OF REVISION, AND SPECIFICATION CHG NOTICE PREPARATION AND SUBMISSION INSTRUCTIONS

1. Contractor initiated Engineering Change Proposals (ECPs), Value Engineering Change Proposals (VECPs), and Request for Variance (RFVs), collectively referred to as "proposals", shall be prepared, submitted and distributed in accordance with paragraphs 2, 3 and 4 below except as specified in paragraph 5 below

2. Format.

a. Class I ECPs require the "Long Form Procedure" for documenting the change and describing the effects of the change on the suitability and supportability of the Configuration Item (CI). Class I ECPs should be limited to those that are necessary or offer significant benefit to the Government. Class I ECPs are those that affect the performance, reliability, maintainability, survivability, weight, balance, moment of inertia, interface characteristics, electromagnetic characteristics, or other technical requirements in the specifications and drawings. Class I ECPs also include those changes that affect Government Furnished Equipment, safety, compatibility, retrofit, operation and maintenance manuals, interchangeability, substitutability, replaceability, source control specifications and drawings, costs, guarantees or warranties, deliveries, or schedules. Class II ECPs are those that do not affect form, fit and function, cost, or schedule of the system CI and do not meet the other criteria described above for Class I ECPs.

b. Long Form Procedure: Class I changes to the CI require that DD Form 1692, pages 1 through 7 (as applicable), be prepared. Use of this procedure assures that all effects of the change on the CI are properly addressed and documented to the necessary detail to allow proper evaluation of the proposed change.

c. Short Form Procedure: ECPs and VECPs , which meet the requirements of Class II ECPs, shall be prepared using DD Form 1692 (page 1 only). Supplemental pages may be used with the form as necessary. The responsible Defense Contract Management Agency (DCMA) Contract Management Office (CMO) will validate data entries in Block 5 "Class of ECP", Block 6 "Priority", and Block 8 "Justification Codes."

d. The Contractor shall not manufacture items for acceptance by the Government that incorporate a known departure from requirements, unless the Government has approved an RFV. RFVs shall be prepared using DD Form 1694.

e. Each ECP and RFV shall be accompanied by a written and signed evaluation prepared by the responsible Defense Contract Management Agency (DCMA) technical representative. The DCMA written evaluation shall be considered part of the ECP/RFV proposal.

f. Classification of RFVs.

(1) Major RFVs. RFVs written against CIs shall be designated as major when the RFV consists of acceptance of an item having a nonconformance with contract or configuration documentation involving health; performance; interchangeability; reliability; survivability; maintainability; effective use or operation; weight; appearance (when a factor); or when there is a departure from a requirement classified as major in the contractual documentation.

(2) Critical RFVs. RFVs written against CIs shall be designated as critical when the RFV consists of acceptance of an item having a nonconformance with contract or configuration documentation involving safety or when there is a departure from a requirement classified as critical in the contractual documentation.

(3) Minor RFVs. RFVs written against CIs shall be designated as minor when the RFV consists of acceptance of an item having a nonconformance with contract or configuration documentation which does not involve any of the factors listed above in paragraphs f(1) or g(2), or when there is a departure from a requirement classified as minor in the contractual documentation.

g. Proposals shall include sufficient technical data to describe all changes from existing contract requirements.

h. Proposals shall include sufficient justification for making the change, including a statement of contract impact, if the change is not authorized.

i. Proposals for ECPs shall set forth a "not to exceed" price and delivery adjustment acceptable to the Contractor if the Government subsequently approves the proposal. If approved, the equitable increase shall not exceed this amount.

j. Times allowed for technical decisions for ECP and RFV proposals will be worked out via mutual agreement between the Contractor and the Government.

k. Proposals for VECs shall set forth a "not less than" price and delivery adjustment acceptable to the Contractor if the Government subsequently approves the proposal. If approved, the savings shall not be less than this amount.

l. The Contractor shall utilize DD Form 2617, "Engineering Release Record" (ERR) to release new or revised configuration documentation to the Government for approval.

m. The Contractor shall utilize DD Form 1695, "Notice of Revision" (NOR) to describe the exact change(s) to configuration documentation specified as a data requirement in the contract. The Contractor shall describe the change using sub-sections entitled "WAS" to describe the current contractual technical requirement and "IS" to describe the proposed new requirement.

3. Submittal. The preferred method of submittal is digitally as a single file in Adobe Acrobat Portable Document Format (PDF). Unless otherwise specified, alternate methods of submittal shall be proposed to and authorized by the PCO prior to submittal. If the hardcopy method is requested and approved, the Contractor shall submit two (2) copies of each proposal to the responsible Administrative Contracting Officer (ACO). One (1) copy of each proposal shall be returned to the Contractor within (5) working days after receipt by the ACO, stating whether or not the proposal is in compliance with this provision. Any unresolved differences between the ACO and the Contractor concerning ECPs, VECs, or RFVs will be submitted to the PCO for resolution.

4. Distribution.

a. Electronic Distribution. The preferred method of distribution for unclassified is through the email or DOD safe site (<https://safe.apps.mil>) addressed to the PCO. Classified material shall be distributed via SIPERNET or by classified email as determined by the PCO. Microsoft Word is required for use with the transmittal letter (E-mail). Required forms will be attached to the E-mail. All forms may be obtained from the Office of the Secretary of Defense Executive Services Directorate DoD Directives Division website (<http://www.esd.whs.mil/DD/>) via the DoD Forms menu. The forms are provided in fillable Adobe Acrobat Portable Document Format (PDF). In order to access and use the forms, the user must have the "Adobe Acrobat" software installed on their computer. Drawings may be scanned and sent as an attachment. In some cases, because of size, drawings may have to be sent as hard copies or sent under special electronic instructions provided by the PCO. 5. Alternate Format, Submittal or Distribution Process. Proposals may be prepared in a different format, submitted using a different submittal process or distributed in a

different manner than specified in paragraphs 2, 3 and 4 above, so long as the alternate approach is in accordance with a Government approved configuration management plan governed by this contract or the PCO authorizes the alternate format, submittal, or distribution process.

5. Alternate Format, Submittal or Distribution Process. Proposals may be prepared in a different format, submitted using a different submittal process or distributed in a different manner than specified in paragraphs 2, 3 and 4 above, so long as the alternate approach is in accordance with a Government approved configuration management plan governed by this contract or the PCO authorizes the alternate format, submittal, or distribution process.

6. Government Acceptance. Acceptance of a proposal by the Government shall be affected by the issuance of a change order or execution of a supplemental agreement incorporating the proposal into the contract unless the PCO authorizes another method of acceptance. The Government will notify the Contractor in writing if a proposal is determined to be unacceptable.

IDENTIFICATION MARKING REQUIREMENTS

Item shall be marked per MIL-STD-130.

POINT OF PRESERVATION, PACKAGING, PACKING AND MARKING OF SUPPLIES

Preservation, packaging, packing and marking of supplies will be performed at the following location:

REQUEST FOR WAIVER OF REQUIRED FIRST ARTICLE APPROVAL

(a) The requirement for FIRST ARTICLE APPROVAL may be waived, in whole or in part, by the Government, provided that sufficient information is provided to determine whether the request is to be approved. A partial waiver is defined as a waiver of only a specific test(s) of the First Article Test requirement as required by the Technical Data Package (TDP) and/or the solicitation/contract, i.e. vibration test, salt water spray test, or a test on a component or subassembly of the procured item. A full waiver is defined as a waiver of all First Article testing as required by the TDP and/or the solicitation/contract.

(b) All waiver requests require a First Article Waiver Worksheet to be completed and submitted to the Government along with all supporting documentation. The worksheet will be provided by the Buyer upon request. No requests will be considered if the worksheet and supporting documentation are not submitted to the Government. The worksheet must be completed in its entirety. For those sections of the worksheet which do not apply, annotate with N/A (not applicable). To substantiate or clarify information provided, the Government may request additional information.

(c) Submission of the FAT waiver request (and supporting documentation) to the Government does not guarantee that the waiver will be granted.

(d) The First Article Waiver Worksheet and additional supporting documentation must be submitted on Company letterhead and signed by an authorized agent of the Company.

(e) Supporting documentation.

(1) The request for waiver must be accompanied by the First Article Waiver Worksheet, and documentation in support of the request. The documentation may include, but is not limited to:

(i) Copy of the Administrative Contracting Officer's (ACO's) or Procuring Contracting Officer's (PCO's) letter approving a First Article Test report on a recent contract for the same or similar item;

(ii) Copy of a First Article Test report for the same or a similar item as that solicited herein;

(iii) Copy of an ACO or PCO letter approving a prior waiver request; or

(iv) If the waiver request is based on similarity, a copy of the drawing/other appropriate technical requirements of the similar item.

(2) If a copy of a First Article Test report is submitted in support of a request for waiver, the test report must have been approved and signed by an authorized representative of the United States Government.

(3) The First Article Waiver Worksheet and all supporting documentation should be submitted by email. If the First Article Waiver Worksheet and supporting documentation cannot be transmitted by email, the PCO should be contacted for further instruction.

(f) Note: If a waiver is granted, an accelerated delivery schedule will apply.

(g) Note: Cost considerations shall apply for approving a waiver or a portion thereof of a First Article Test.

REVISIONS TO DRAWINGS/PART NUMBERS REQUIREMENT

(a) Sources in receipt of this solicitation are requested, at no cost to the Government, to immediately notify the Contracting Officer if they are aware of any change(s)/revision(s) to the drawing(s) or part number(s) in this solicitation which have been approved by the Government for implementation. Notification of part number changes shall be supported by data which indicates the type of change, approving authority as required by ANSI EIA 649 MIL-STD-973 and date and method of submittal of provisioning documentation and drawings.

If complete data package has not been previously provided, the contractor shall, at no direct cost to the Government, immediately submit applicable drawings, along with a copy of the approval change authority, to the Contracting Officer, at the office symbol and mailing address listed in the "ISSUED BY" block on page one (1) of this document. The minimum acceptable data includes the next higher assembly and the item of Supply Detail Drawings which will allow provisioning, National Stock Number assignment and updating of AMCOM's data records.

(b) The contractor hereby verifies previous contractual submission of technical data:

Contract No.: _____

Contractor: _____

Explanation of Data Rights: _____

(c) The Government is not by this request soliciting, nor is the Government liable for cost incurred by the offeror in preparing or developing modifications, deviations, waivers, or other changes to drawings or part number(s). Furthermore, this request does not authorize changes to the drawing(s) or part number(s) for this acquisition, another contract, or for any other purpose. Offerors performing any contract awarded as a result of this solicitation must comply with the drawing(s) and specifications as set forth herein, unless this solicitation is amended or any resulting contract is modified by the Contracting Officer.

(d) All proposed part number changes shall be submitted pursuant to the requirements of the requirement entitled, "ENGINEERING CHG PROPOSAL, VALUE ENG CHG PROPOSAL, REQUEST FOR VARIANCE, ENG RELEASE RECORDS, NOTICE OF REVISION, AND SPECIFICATION CHG NOTICE PREPARATION AND SUBMISSION INSTRUCTIONS"

SOURCES ELIGIBLE FOR AWARD CONSIDERATION

(a) Competition under this solicitation is restricted to the following sources:

(1) Approved Sources listed in Section B -- sources that have been approved by the prime manufacturer or the Government for supply of item(s) listed in this solicitation, to assure the requisite safe, dependable, effective operation and support of military equipment.

(2) Sources that have been approved prior to award -- other than approved sources listed in Section B.

(3) Non-manufacturers--offers from non-manufacturers (distributors) will only be considered for award if the required item(s) is new material and has been or will be obtained from a source of supply which has been approved prior to award. The source and part number of the item the offeror intends to supply must be stated in the offer.

(b) Only offers submitted by the above sources will be considered for award under this solicitation.

(c) Offerors (prospective manufacturers or non-manufacturers [distributors]) who wish to become an approved source of supply for an item listed in this solicitation should proceed per the instructions set forth in paragraph (d) below. It is noted that offeror requests for source approval in conjunction with this procurement will not be a cause for delay in this solicitation action. However, if it is determined that additional sources will clearly benefit the Government and that any delay incident to their approval would not impact readiness, a reasonable delay may be entertained. Whether or not such delay will occur will be solely at the discretion of the Government, and the time set for opening of the Invitation for Bids or the closing date of the Request for Proposals may or may not be extended. An extension will be witnessed by issuance of an amendment to this solicitation.

(d) Offerors (prospective manufacturers or non-manufacturers [distributors]) seeking to obtain source approval, must submit a Source Approval Request (SAR) package, for review and approval, to the Systems Readiness Directorate (SRD), Aviation and Missile Center, DEVCOM. Source approval must be obtained prior to being considered for contract award. Approvals are made on an individual part number basis for a specific manufacturing location (CAGE). SAR instructions can be found at <https://www/avmc.army.mil/Directorates/SRD/SAR/>. Questions concerning SAR submissions can be directed to the SRD SAR Team at usarmy.redstone.devcom-avmc.mbx.amr-m-sar@army.mil.

(e) The Aviation and Missile Lifecycle Management Command (AMCOM) may require additional data, testing, or plant visits before it is able to completely evaluate a SAR. This may require the offeror (at no expense

to the Government) to supply parts for testing, engine run up, or flight tests. In that event, the requestor will be so advised. AMCOM reserves the right to approve a contractor for award prior to completion of physical testing of the offered item. In such cases, the contractor shall perform any outstanding tests and provide all required documentation at no cost to the Government prior to entering upon full production. Lack of successful performance within the specified timeframe shall be grounds for a no cost termination.

(f) When a SAR is received, it will be processed for evaluation. If the evaluation and approval (including preparation or update of the requisite technical data package (TDP)) occurs before award, the requestor will be considered for award if a proposal was submitted per (d) above. If the evaluation/TDP preparation has not been completed prior to award, AMCOM will continue the process until complete. If the requestor's SAR becomes approved, the requestor will be eligible for consideration on all future solicitations for the item.

(g) All approval or disapproval notices shall be officially provided to the contractor by the appropriate technical official.

(h) Non-manufacturers (distributors) seeking to supply an item from a non-approved source must first ensure that the source becomes approved in accordance with (d) above prior to contract award.

WOOD PACKING MATERIALS REQUIREMENTS

A. Wood packaging material (WPM) means wood pallets, skids, load boards, pallet collars, wooden boxes, reels, dunnage, crates, frame and cleats. The definition excludes materials that have undergone a manufacturing process, such as corrugated fiberboard, plywood, particleboard, veneer, and oriented strand board (OSD).

B. All Wood Packaging Material (WPM)) acquired by DOD must meet requirements of International Standards for Phytosanitary Measures (ISPM) 15, "Guidelines for Regulating Wood Packaging Materials International Trade." DOD shipments inside and outside of the United States must meet ISPM 15 whenever WPM is used to ship DOD cargo.

(1) All WPM shall comply with the official quality control program for heat treatment (HT) or kiln dried heat treatment (KD HT) in accordance with American Lumber Standard Committee, incorporated (ALSC) Wood Packaging Material Program and WPM Enforcement Regulations (see <http://www.alsc.org/>).

(2) All WPM shall include certification/quality markings in accordance with the ALSC standard. Marking shall be placed in an unobstructed area that will be readily visible to inspectors. Pallet markings shall be applied to the stringer or block on diagonally opposite sides of the pallet and be contrasting and clearly visible. All containers shall be marked on a side other than the top or bottom, contrasting and clearly visible. All dunnage used in configuring

and/or securing the load shall also comply with ISPM 15 and be marked with an ALSC approved DUNNAGE stamp.

C. Failure to comply with the requirements of this restriction may result in refusal, destruction, or treatment at entry. The Agency reserves the right to recoup from the Contractor any remediation costs incurred by the Government.

D. Replacement Preservative for Pentachlorophenol If packaging requirements of this contract specify the use of wood products and a preservative is required, Pentachlorophenol, commonly referred to as "Penta" or "PCP" is prohibited. Replacement preservatives are 2 percent copper naphthenate, 3 percent zinc naphthenate or 1.8 percent copper 8 quinolinolate.

(1) Heat Treatment: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment.

(2) Marking: Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens: on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood process verified in accordance with their National Plant Protection Organization's compliance program. In addition, wood used as dunnage for blocking and bracing shall be ordered with ALSC certified marking for dunnage or the markings may be applied locally at two foot intervals.