

TECHNICAL DATA PACKAGE

NIIN: PNTDP0154

VERSION: 001

PAGE 1

ITEM NAME: INNER GLAND BEARING

Aug 18, 2025

1. SCOPE

1.1 The material covered in this contract/purchase order will be used in a crucial shipboard system. The use of incorrect or defective material would create a high probability of failure resulting in serious personnel injury, loss of life, loss of vital shipboard systems, or loss of the ship itself. Therefore, the material has been designated as SPECIAL EMPHASIS material (Level I, Scope of Certification, or Quality Assured) and special control procedures are invoked to ensure receipt of correct material.

1.1.1 DSSP Scope of Certification Material - Material Control Division (B) applies to this material.

2. APP DOCS

2.1 Order of Precedence - In the event of a conflict between the text of this contract/purchase order and the references and/or drawings cited herein, the text of this contract/purchase order must take precedence. Nothing in this contract/purchase order, however, must supersede applicable laws and regulations unless a specific exemption has been obtained.

2.2 Applicable Documents - The document(s) listed below form a part of this contract/purchase order including modifications or exclusions.

2.2.1 "Document References" listed below must be obtained by the Contractor. Ordering information is included as an attachment to this contract/purchase order.

2.2.2 Specification Revisions - The specification revisions listed under "Documents References" below are the preferred revision. Older and/or newer revisions are acceptable when listed within Contract Support Library Reference Number CSD155 in ECDS (Electric Contractor Data Submission) at: <https://register.nslc.navy.mil/>. This is to allow Contractors to use certain acceptable older specification revisions to purge their existing stock of material certified to those older revisions or to use newer specification revisions when material is certified to newly released revisions, without requiring the submittal of waiver/deviation requests for each specification revision on every contract. Revisions of specifications reflecting editorial and/or re-approval (e.g. E2009, R2014, etc.) are considered inconsequential, but are acceptable when their revisions are listed within CSD155 or elsewhere within this contract.

2.3

DRAWING NO.	CAGE	REV	DOC TYPE	DISTR CD	SHEET NR	REV
KJBA15756V	50632	C		D		
167-7384258	53711	XE		D		

DOCUMENT REFERENCES

SPEC NO.	SLASH NO.	PART NO.	REV	DATE	DISTR CD	AMEND	CHD NTC	SUPP
ANSI/ASQ Z1.4	0	0		01/01/2008	A			
MIL-M-24041	0	0	C	08/17/1981	A			
MIL-STD-130	0	0	N	11/16/2012	A		1	
MIL-STD-792	0	0	F	02/23/2023	A		1	

3. REQUIREMENTS

3.1 BEARING, GLAND INNER to be manufactured in accordance with NAVSEA drawing 167-7384258 piece number 10, KAMATICS PN KJBA15756V except as amplified or modified herein.

3.2 Marking - This item must be physically identified in accordance with MIL-STD-130.

3.3 Configuration Control - The Contractor must maintain the total equipment baseline configuration. For items of proprietary design, Contractor drawings showing the latest assembly configuration must be provided to the Government in electronic (C4) format. Definitions are provided elsewhere in the Contract/Purchase Order.

3.3.1 Waivers/Deviations - Waivers and Deviations must be designated as Critical, Major, or minor. All waivers and deviations require review and approval by the Contracting Officer. A copy of approved waivers and deviations with related OQE must be submitted via WAWF as part of the entire OQE package. (SOC MCD C material requires both approved and disapproved waivers and deviations be submitted) Requests must include the information listed below.

TECHNICAL DATA PACKAGE

NIIN: PNTDP0154 VERSION: 001

PAGE 2

ITEM NAME: INNER GLAND BEARING

Aug 18, 2025

- a. A complete description of the contract requirement affected and the nature of the waiver/deviation (non-conformance), including a classification of Critical, Major, or Minor.
- b. Number of units (and serial/lot numbers) to be delivered in this configuration.
- c. Any impacts to logistics support elements (such as software, manuals, spares, tools, and similar) being utilized by Government personnel or impacts to the operational use of the product.
- d. Information about remedial action being taken to prevent reoccurrence of the non-conformance.

3.3.2 All requests for Waivers/Deviations on NAVSUP-WSS Contracts must be submitted using the ECDS (Electronic Contractor Data Submission) system at <https://register.nslc.navy.mil/>

3.3.3 ECPs - The Government will maintain configuration control and change authority for all modifications or changes affecting form, fit, function, or interface parameters of the Equipment and its sub-assemblies. The Contractor must submit an Engineering Change Proposal (ECP) for any Class I or II changes that impact the Equipment covered by this contract. ECPs must be prepared in Contractor format, and must include the following information:

- a. The change priority, change classification (Class I or Class II), and change justification.
- b. A complete description of the change to be made and the need for that change.
- c. A complete listing of other Configuration Items impacted by the proposed change and a description of the impact on those CIs.
- d. Proposed changes to documents controlled by the Government.
- e. Proposed serial/lot number effectivities of units to be produced in, or retrofitted to, the proposed configuration.
- f. Recommendations about the way a retrofit should be accomplished.
- g. Impacts to any logistics support elements (such as software, manuals, spares, tools, and similar) being utilized by Government personnel in support of the product.
- h. Impacts to the operational use of the product.
- i. Complete estimated life-cycle cost impact of the proposed change.
- j. Milestones relating to the processing and implementation of the engineering change.

3.4 Mercury Free - Mercury and mercury containing compounds must not be intentionally added or come in direct contact with hardware or supplies furnished under this contract. Mercury contamination of the material will be cause for rejection.

3.5 Certificate of Compliance - (SPECIAL EMPHASIS MATERIAL) The Contractor must prepare and submit a certificate of compliance certifying that the items/components furnished under this contract comply with the requirements of the procurement document, including any/all invoked specifications and drawings.

* *
* QUALITY ASSURANCE REQUIREMENTS *
* *

3.6 Quality System Requirements - The Contractor furnishing items under this contract/purchase order must provide and maintain a quality system in accordance with ISO-9001 as amplified or modified herein, with the calibration system requirements of ISO-10012 or ANSI-Z540.3 with ISO-17025. A Quality System in accordance with MIL-I-45208, with the calibration system requirements of MIL-STD-45662, is acceptable as an alternate.

3.6.1 The Contractor's quality system and products supplied under the system are subject to evaluation, verification inspection, and acceptance/nonacceptance by the Government representative to determine the system's effectiveness in meeting the quality requirements established in the Contract/Purchase Order.

3.6.2 The Contractor's quality system must be documented and must be available for review by the Contracting Officer or his representative prior to initiation of production and throughout the life of the contract. The Prime Contractor must, upon notification, make his facilities available for audit by the contracting Officer or his authorized representative.

3.6.3 See CDRL DI-QCIC-81110 (Inspection System Procedures) - All suppliers of Deep Submergence Systems Program (DSSP) material are required to submit a copy of their current documented quality system procedures to the Procurement Contracting Officer (PCO) prior to award of any contract/purchase order. Suppliers that have a copy of their current quality system procedures on file at the Procuring Activity may request the PCO waive this requirement.

3.6.4 This contract provides for the performance of Government Quality Assurance at source. The place or places of performance may not be changed without the authorization of the Procurement Contracting Officer. Upon receipt of this order, promptly notify the Government representative who normally services your plant so that appropriate planning for Government inspection can be accomplished. If you do not have an assigned Government representative, notify the nearest Defense Contract Management Agency (DCMA) Office. In the event that a local Government representative or DCMA Office cannot be located, our purchasing agent should be notified immediately.

TECHNICAL DATA PACKAGE

NIIN: PNTDP0154 VERSION: 001

PAGE 3

ITEM NAME: INNER GLAND BEARING

Aug 18, 2025

3.6.5 Any changes made by the Contractor to a qualified quality system will require re-submittal to the PCO and concurrence by the Government Quality Assurance Representative prior to adoption.

3.7 Contractor Inspection Requirements - The Contractor must maintain adequate records of all inspections and tests. The records must indicate the nature and number of observations made, the number and type of deficiencies found, the quantities approved and rejected and the nature of corrective action taken as appropriate. Inspection records must be traceable to the material inspected.

3.7.1 The supplier's gauges, measuring and test equipment must be made available for use by the Government representative when required to determine conformance with Contract requirements. When conditions warrant, the supplier's personnel must be made available for operations of such devices and for verification of their accuracy and condition.

3.7.2 All documents and reference data applicable to this contract must be available for review by the Government representative. Copies of documents required for Government inspection purposes must be furnished in accordance with the instructions provided by the Government Representative.

3.8 Subcontractor Inspection Requirements - The Government has the right to inspect at source, any supplies or services that were not manufactured or performed within the contractor's facility. Such inspection can only be requested by or under authorization of the Government representative. Any purchasing documents to a subcontractor must cite the applicable portions of the contractually invoked quality system (e.g. calibration requirements), plus any product requirements that apply to the supplies being purchased. When the Government elects to perform source inspection at the subcontractor's facility, applicable purchase documents must be annotated with the following statement: "A Government inspection is required prior to shipment from your plant. Upon receipt of this order, promptly notify the Government representative who normally services your plant so that appropriate planning for Government inspection can be accomplished. If you do not have an assigned Government representative, notify the nearest Defense Contract Management Agency (DCMA) Office. In the event that a local Government representative DCMA Office cannot be located, our purchasing agent should be notified immediately."

3.8.1 The prime contractor's program must include procedures to assess the capability of the prospective suppliers to produce the products or supply the services in accordance with the contract, prior to the issuance of any purchase document.

3.8.2 Each sub-tier supplier of material or services for items in Section 3 of this contract must be subjected to a periodic review or audit by the Prime to determine the continued capability of the supplier to control the quality of the products or services specified in the purchase order or contract.

3.8.3 The prime contractor must ensure that the purchased product conforms to specified purchase requirements and this contract. The type and extent of control applied to the supplier and the purchased product must be dependent upon the effect of the purchased product on the end item represented by this contract.

3.8.4 The prime contractor must evaluate the requirements of the contract and select suppliers based on their ability to supply the product in accordance with the prime contractor's requirements and the contract. Criteria for selection and evaluation must be established. Records of this effort must be available for review by the government.

3.8.5 The prime contractor's supplier quality assurance program must provide for a review of purchase documents to assure applicable quality requirements are included or referenced in the documentation for compliance by the supplier.

3.9 Government Furnished Material and/or Equipment (GFM/GFE) - When material or equipment is furnished by the Government, the Contractor must develop documented control procedures that require at least the following:

3.9.1 Visual examination upon receipt to detect damage during transit.

3.9.2 Inspection for completeness and proper type.

3.9.3 Verification of material quality received.

3.9.4 Periodic inspection and precautions to assure adequate storage conditions and to guard against damage from handling and deterioration during storage.

3.9.5 Functional testing, either prior to or after installation, or both, as required by the Contract to determine satisfactory operation.

3.9.6 Identification and protection from improper use or disposition.

TECHNICAL DATA PACKAGE

NIIN: PNTDP0154 VERSION: 001

PAGE 4

ITEM NAME: INNER GLAND BEARING

Aug 18, 2025

3.9.7 Reporting to the Government, any GFM or GFE property found damaged, malfunctioning, or otherwise unsuitable for use. In the event of damage or malfunction during or after installation, the supplier must determine and record probable cause and necessity for withholding the material from use.

3.9.8 For GFE material, and as required by the terms of the bailment agreement, the supplier must establish procedures for adequate storage, maintenance, and inspection of bailed Government material. Records of all inspection and maintenance performed on bailed property must be maintained.

3.9.9 Material returned to the contractor must be handled as GFM.

3.10 See CDRL DI-MISC-80678 (Special Emphasis C of C) - The certificate of compliance must show traceability to the marking applied on each individual item, and must contain the following information:

1. Contractor's name, address, phone number and date.
2. The contract/purchase order number (i.e. N00104-11-P-FA12).
3. The national stock number (NSN). The 18 character National Stock Number for Special Emphasis Material includes the two digit COG, the four digit FSC, the 9 digit NIIN, and the two digit SMIC (i.e. 1H 4820 012345678 D4) ("N/A" when Not Applicable).
4. Lubricants, sealants, anti-seize, and/or thread locking compounds. ("N/A" when Not Applicable).
5. Cure date ("N/A" when Not Applicable).
6. Manufacturer's compound number ("N/A" when Not Applicable).
7. When weld procedure submittal is required by the contract, a statement that the approval date of the qualification data precedes any production or repair welding performed on this Contract. ("N/A" when Not Applicable).
8. A statement for any Hull, Mechanical and Electrical (HM&E) testing required that include the name of the test and that it was performed satisfactorily. If no HM&E testing is required, the statement should read "Hull, Mechanical and Electrical (HM&E) testing - N/A."
9. A statement to the effect that all items furnished on this contract are in full compliance with the specifications and requirements.
10. Contractor's or authorized personnel's signature.

3.10.1 For Connectors, Cables, and Junction Boxes procured to EB Specs S-5343934-1, S-5343934-2, S-5343934-3, or Dry Deck Shelter Specification S-5486639-1, the Certificate Of Compliance must also include the information below:

11. A notation that 32 root mean square (RMS) finishes are in accordance with the specifications and are free of imperfections.
12. Direct reading of O-ring surface diameters with specified standard.

3.10.2 For Self-Locking Hex Nuts procured to NASM 25027, the Certificate Of Compliance must also include the information below:

13. A statement to the effect that qualification testing in accordance with NASM 25027 Paragraph 3.2 is satisfactorily performed.

4. QA PROV

4.1 Notes to the Contractor -

4.1.1 The Contractor for proprietary designs - Departures from Contractor imposed requirements, not specifically covered by the contract, must be judged individually on the basis of the effect, if any, on contractual requirements. The departure must be considered a nonconformance and be submitted to the PCO for disposition.

4.1.2 The Contractor for proprietary designs - All records of departures from Contractor imposed requirements must be maintained and available for review at the Contractor's facility. A record of these departures, traceable to the applicable part number and contract number must be submitted to the PCO.

4.1.3 The Contractor for proprietary designs - For proprietary designs, the contractor's part numbers are acceptable for reference only. The delivered material must conform to all drawings, specifications, and other contractual requirements.

4.1.4 The Contractor - The ECDS (Electronic Contractor Data Submission) system is available for certain data submissions, and to submit questions and clarifications, and waiver requests on Contracts and Solicitations. ECDS can be found at: <https://register.nslc.navy.mil/>

5. PACKAGING

5.1 Preservation, Packaging, Packing and Marking - Preservation, Packaging, Packing and Marking must be in accordance with the Contract/Purchase Order Schedule and as specified below.

6. NOTES

6.1 In accordance with OPNAVINST 5510.1 all documents and drawings provided by the U.S. Navy to

TECHNICAL DATA PACKAGE

NIIN: PNTDP0154 VERSION: 001

PAGE 5

ITEM NAME: INNER GLAND BEARING

Aug 18, 2025

perspective Contractors must include a "Distribution Statement" to inform the contractor of the limits of distribution, and the safeguarding of the information contained on those documents and drawings.

6.1.1 There are 7 (seven) separate distribution statement codes used for non-classified documents and drawings. The definition for each is as follows:

- A... approved for public release; distribution is unlimited.
- B... distribution authorized to US Governments agencies only.
- C... distribution authorized to US Government agencies and their contractors.
- D... distribution authorized to DoD and DoD contractors only.
- E... distribution authorized to DoD Components only.
- F... further distribution only as directed by Commander, Naval Sea Systems Command, code 09T.
- X... distribution is authorized to US Government agencies and private individuals or enterprises eligible to obtain export controlled technical data in accordance with OPNAVINST 5510.161.

6.2 Ordering Information for Document References - The Department of Defense Single Stock Point (DODSSP), Website <http://www.dsp.dla.mil/>, provides product information for the Department Of Defense Index Of Specifications and Standards (DODISS) (i.e. Military/Federal Specifications and Standards), Data Item Descriptions (DIDs), and other DODSSP Products. Most Specifications can obtained directly from <http://quicksearch.dla.mil/>

A. Availability of Cancelled Documents - The DODSSP offers cancelled documents that are required by private industry in fulfillment of contractual obligations in paper format. Documents can be requested by phoning the Subscription Services Desk.

B. Commercial Specifications, Standards, and Descriptions - These specifications, standards and descriptions are not available from Government sources. They may be obtained from the publishers of the applicable societies.

C. Ordnance Standards (OS), Weapons Specifications (WS), and NAVORD OSTD 600 Pages - These type publications may be obtained by submitting a request to:

Commander, Indian Head Division, Naval Surface Warfare Center
Code 8410P, 101 Strauss Avenue
Indian Head, MD 20640-5035

D. On post-award actions, requests for "Official Use Only" and "NOFORN" (Not Releasable To Foreign Nationals) documents must identify the Government Contract Number, and must be submitted via the cognizant Defense Contract Management Command (DCMC) for certification of need for the document. On pre-award actions such requests must be submitted to the PCO for certification of need for the document.

E. NOFORN Military Specifications and Standards (including Amendments, Change Notices and Supplements, but NOT interim Changes) to be ordered from:

Contracting Officer
NAVSUP-WSS
Code 87321
5450 Carlisle Pike
P.O. Box 2020
Mechanicsburg, Pa. 17055-0788

F. Nuclear Reactor Publications Assigned NAVSEA Documents and Identification Numbers (i.e. NAVSEA Welding Standard, NAVSEA 250-1500-1) are to be ordered from:

Commanding Officer
NAVSUP-WSS
Code 009
5450 Carlisle Pike
P.O. Box 2020
Mechanicsburg, Pa. 17055-0788

G. Technical Manuals Assigned NAVSEA Identification Numbers (i.e. NAVSEA Welding And Brazing Procedure, NAVSEA S9074-AQ-GIB-010/248) are to be ordered from:

Commanding Officer
NAVSUP-WSS
Code 1 Support Branch
700 Robbins Avenue
Philadelphia, Pa. 19111-5094

H. Interim Changes and Classified Specifications must be obtained by submitting a request on DD Form 1425 to NAVSUP-WSS.

TECHNICAL DATA PACKAGE

NIIN: PNTDP0154 VERSION: 001

PAGE 6

ITEM NAME: INNER GLAND BEARING

Aug 18, 2025

7. DD FORM 1423 COMMENTS

7.1 VER 01, Initial copy using the NSLC TDP tool. JMF 10/09/25