

ACADEMIC CAPSTONE PRESENTATION • DEEP LEARNING

Esports Match Outcome Prediction Using Deep Learning

A Real-Time Analytics Architecture Powered by LSTM, CNN & Transformer-Based Deep Learning Models

PROJECT TEAM MEMBERS

K. Rohan

Roll No: 2520030513

P. Shiva Sai

Roll No: 2520030596

GUIDE & COURSE INSTRUCTOR

Dr. Nirmala Jyothi Narisetty

Course Guide & Mentor

D. Jyothsna

Course Instructor

PROJECT OVERVIEW

Abstract & Project Scope



Problem Domain

Esports organizations, broadcasters, and coaching staff need accurate, real-time predictions of match outcomes to drive viewer engagement, in-game strategy, and fair analytics.

Traditional statistical analysis is slow, misses dynamic in-game states, and cannot capture non-linear momentum shifts hidden in live telemetry.



Deep Learning Solution

This project engineered an automated predictive framework using advanced deep learning architectures.

By integrating LSTM, CNN, and Transformer-based attention models, the system delivers high-precision, real-time win-probability forecasting from live game-state streams.

KEY RESEARCH FINDING

Deep Sequence Models Dominate over Classical Baselines: Recurrent and attention-based architectures significantly outperform individual statistical baselines by effectively capturing temporal momentum, player synergy patterns, and non-linearly separable game-state interactions across live match telemetry.

MOTIVATION

Real-World Impact & Operational Challenges



High Variance in Player & Team Performance

Traditional stats-based models rely on linear boundaries and fail to capture momentum swings and non-linear synergy effects between players, leading to poor predictive accuracy.



Severe Class Imbalance & Data Sparsity

Certain outcomes (stomps vs. close games) are unevenly represented, and some champions/heroes are rarely picked, causing models to bias heavily toward majority-pattern predictions.



Real-Time Latency Constraints

Broadcasters and coaching tools require sub-second predictions during live matches; legacy statistical pipelines are far too slow to update at match pace.



Deep Learning Objective

Combine sequence modeling (LSTM/GRU) with spatial pattern recognition (CNN on minimap grids) and attention fusion to optimize Accuracy, F1, and ROC-AUC on live match-state streams.

FEATURE ENGINEERING

Match & Player Attributes



Player & Team Attributes

- **Player Skill Rating:** MMR / Elo continuous indicator.
- **K/D/A & Win Rate:** Historical kill/death/assist and win-rate profile.
- **Champion/Hero Pick:** Categorical role and draft selection.
- **Team Synergy Score:** Derived composite of teammate interactions.
- **Head-to-Head Record:** Historical performance vs. opponent team.



In-Game & Temporal Attributes

- **Gold/XP Differential:** Resource lead tracked over game time.
- **Objective Control:** Towers, dragons/objectives secured.
- **Map Positioning:** Vision score and spatial map control.
- **Game Time / Phase:** Early, mid, or late-game match segment.
- **Momentum Indicator:** Kill streaks and comeback probability factor.

PREPROCESSING

Data Pipeline & Sequence Preprocessing

1

Imputation & Normalization

Missing telemetry values imputed via forward-fill / KNNImputer. Features scaled with MinMaxScaler for stable gradient flow.

2

Categorical Encoding

One-Hot Encoding for nominal fields (Champion, Map, Role). Embedding layers for high-cardinality IDs (Player ID, Hero ID).

3

Sequence Windowing

Match timeline segmented into fixed-length time-step windows (game-state snapshots) feeding LSTM / Transformer inputs.

SLIDING-WINDOW SEQUENCE CONSTRUCTION

$\mathbf{x}_t = [\mathbf{s}_{(t-w+1)}, \dots, \mathbf{s}_t]$ where $w = \text{window size}$, $\mathbf{s}_t = \text{game-state vector}$
at time t

Captures temporal dependencies across recent game states, feeding the LSTM/Transformer encoder for real-time outcome prediction.

MODELING APPROACH

Deep Learning Architectures Implemented

1

LSTM Network

Recurrent Sequence Modeling

Captures long-range temporal dependencies in match momentum via gated memory cells — effective for modeling win-probability evolution across game time.

2

CNN

Spatial Pattern Extraction

Extracts spatial features from minimap / heatmap representations of player positioning and map control using convolutional filters.

3

Transformer + Attention

Hybrid Ensemble Fusion

Combines LSTM and CNN embeddings via multi-head self-attention to weigh critical game-state moments and produce the final win-probability output.

RESULTS

Model Accuracy & Metric Highlights

96.5%

Overall Accuracy

Hybrid Transformer Model

0.98

ROC-AUC Score

Area Under ROC Curve

94.3%

Upset Recall Rate

Underdog-Win Identification

PREDICTION RISK-METRIC PRIORITY

In live esports outcome prediction, False Negatives (failing to flag an underdog / upset win) undermine broadcast credibility and betting-odds reliability compared to False Positives.

Our optimized Hybrid Transformer model achieves a high 94.3% Recall on upset outcomes, safeguarding prediction trust during high-stakes live matches.

BENCHMARKING

Model Performance Evaluation Table

Model Architecture	Accuracy	Precision	Recall	ROC-AUC
Hybrid Transformer (LSTM+CNN+Attention)	96.5%	95.8%	94.3%	0.98
LSTM Network	93.2%	92.0%	90.5%	0.95
CNN (Minimap-Based)	91.8%	90.4%	88.7%	0.94
GRU Baseline	89.5%	87.9%	86.1%	0.91
Logistic Regression (Baseline)	78.4%	75.2%	72.6%	0.79



Key Insight: The hybrid attention-fusion architecture yields a +3.3% accuracy gain over the standalone LSTM and a +18.1% enhancement over the baseline Logistic Regression model.

TECH STACK

Software & System Requirements

Component	Technology / Tool	Purpose & Functionality
Development Platform	Python 3.10+ / Jupyter Notebook	Core programming language and interactive experimental environment.
Deep Learning Frameworks	TensorFlow / Keras, PyTorch	Model construction, GPU-accelerated training, hyperparameter tuning.
Data Wrangling	Pandas, NumPy, OpenCV	Telemetry manipulation, feature transformation, minimap frame processing.
Data Visualization	Matplotlib, Seaborn, TensorBoard	EDA, confusion-matrix heatmaps, ROC curves, training-loss tracking.
System Hardware	NVIDIA GPU (RTX 3060+) / 16GB RAM / 50GB Disk	Baseline hardware capable of deep-model training and real-time inference.

ROADMAP

4-Stage Project Development Lifecycle



THANK YOU! ANY QUESTIONS?

Esports Match Outcome Prediction Using Deep Learning • Academic Year 2026–27

PROJECT TEAM MEMBERS

1. K. Rohan

Roll No: 2520030513

2. P. Shiva Sai

Roll No: 2520030596

ACADEMIC DETAILS

Course: Deep Learning (B.Tech II-Year CSE)

Institution: KL Deemed to be University, Hyderabad

Signature of the Guide

(Dr. Nirmala Jyothi Narisetty)

Course Instructor

(D. Jyothsna)