

Name - Sunny Tamang

Course - MCA(3A)

Univ. Roll No. - 2001153

Q(1) ^{Ans}

```
<html>
```

```
<head>
```

```
<title> Angular JS Directive </title>
```

```
</head>
```

```
<body>
```

```
<h1>Sample </h1>
```

```
<div ng-app="" ng-init="countries=[{ locale:
'en-India', name: 'India' }, { locale: 'en-GB',
name: 'United Kingdom' }, { locale: 'en-FR', name:
'France' } ]">
```

```
<p> Enter your name: <input type="text" ng-model
="name" /> </p>
```

```
<p> Hell <span ng-bind="name"> </span>! </p>
```

```
<p> List of Countries with locale : </p>
```

```
<ol>
```

```
<li ng-repeat="country in countries">
```

```
{ 'Country:' + country.name + ', locale:' +
country.locale }
```

```
</li>
```

```
</ol>
```

```
</div>
```

```
<script src="https://ajax.googleapis.com/ajax/libs/
angularjs/1.3.14/angular.min.js">
```

```
</script>
```

</body>

</html>

Sample

Enter your Name:

Hello Sunny Tamang!

List of Countries with locale:

1. Country: India, Locale: en-India
2. Country: United Kingdom, Locale: en-GB
3. Country: France, Locale: en-FR

Q(2) Ans-

```
const http = require("http")
const server = http.createServer((req, res) =>
  {if req.url == "/"
    res.end("You are at home page")
  else if (req.url == "/contact")
    res.end("You are at contacts")
  else res
    res.writeHead(404)
    res.end()
  })
server.listen(4002, "127.0.0.1", () =>
  {console.log("listening to the graphic  
era server.....")})
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

node + ▾ [] [X] ^ X

Try the new cross-platform PowerShell <https://aka.ms/powershell>

```
PS C:\Users\FrostBite\Desktop\practical> node ques2.js  
Listening to the graphic era server....  
█
```

> OUTLINE

0 0

Ln 13, Col 3 Spaces: 4 UTF-8 CRLF { } JavaScript