Parameter	Description
async	Defines the conversion request type: asynchronous or not. Supported values: • true • false When the asynchronous request type is used, the response is form result it is necessary to send requests without parameter change u
codePage	Defines the file encoding when converting from *csv* or *txt* format. Main supported values: • **932** - Japanese (Shift-JIS), • **950** - Chinese Traditional (Big5), • **1250** - Central European (Windows), • **1251** - Cyrillic (Windows), • **65001** - Unicode (UTF-8). You can find all the supported values in this file.
delimiter	Defines the delimiter characters for separating values when conver Supported values: • **0** - no delimiter, • **1** - tab, • **2** - semicolon, • **3** - colon, • **4** - comma, • **5** - space.

Parameter	Description
filetype*	Defines the type of the document file to be converted.
key	Defines the document identifier used to unambiguously identify th
outputtype*	Defines the resulting converted document type.
password	Specifies the password for the document file if it is protected with a
thumbnail	Defines the option is used since version 4.2. Settings for the thumb formats (*bmp*, *gif*, *jpg*, *png*) as **outputtype**. The object has the follo **aspect** - sets the mode to fit the image to the height and v stretch file to fit height and width, 1 - kee **type**: **example**: 1; **first** - specifies if the thumbnails should be generated for the pages. If false, the zip archive containing thumbnails for all t value **type**: **example**: true; **height** - the thumbnail height in **type**: **example**: 100; **width** - the thumbnail width in **type**: **example**: 100.
title	Defines the converted file name.

Parameter	Description
url	Defines the absolute URL to the document to be converted.