

AILIVE PLATFORM

Outbound AI Calling System

API Reference Manual

Comprehensive API specification and developer integration guide for custom voice agents, contact imports, Outbound Vobiz dialer campaigns, and real-time call analytics.

Target Audience:	Frontend & App Developers
Base URL:	https://api.ailive.com/api/v1
Version:	v1.0.0 (Production-Ready)
Author:	AILIVE Engineering Team
Generated Date:	June 15, 2026

1. Authentication Service

Endpoints for merchant and super-admin accounts onboarding, logging in, token refreshment, and passwords management.

POST

/auth/register

PUBLIC

Registers a new Merchant account and attaches a free "Starter" plan subscription. Also triggers a verification email.

Request Body / Query Params:

Field Name	Type	Required	Description
email	String	Yes	Valid email address
password	String	Yes	Strong password (min 6 characters)
businessName	String	Yes	Legal business or merchant name
categoryId	UUID	Yes	Associated business Category ID

Response details: 201 Created on success, returning user object metadata. 400 Bad Request if validation or duplicate check fails.

POST

/auth/admin/register

INTERNAL

Internal endpoint to register a new Super Admin account. Auto-verified in development mode.

Request Body / Query Params:

Field Name	Type	Required	Description
email	String	Yes	Admin email address
password	String	Yes	Strong password
firstName	String	Yes	First name
lastName	String	Yes	Last name

Response details: 201 Created with admin profile details.

POST

/auth/login

PUBLIC

Unified endpoint for Merchants and Admins to authenticate. Verifies credentials, checked role, and returns access & refresh tokens.

Request Body / Query Params:

Field Name	Type	Required	Description
email	String	Yes	Account email
password	String	Yes	Account password
role	String	No	Optionally "merchant" or "super_admin" (defaults to merchant)

Response details: 200 OK with accessToken (JWT), refreshToken, and profile details. 401 Unauthorized if mismatch.

POST

/auth/refresh-token

PUBLIC

Obtains a new pair of short-lived Access Tokens using a valid Refresh Token.

Request Body / Query Params:

Field Name	Type	Required	Description
refreshToken	String	Yes	Valid HTTP-only or request refresh token

Response details: 200 OK with new accessToken and refreshToken. 401 if expired or session revoked.

POST

/auth/verify-email

PUBLIC

Verifies email address using the token received in the verification email.

Request Body / Query Params:

Field Name	Type	Required	Description
token	String	Yes	Token sent to email
role	String	No	"merchant" or "super_admin"

Response details: 200 OK with success confirmation. 400 Bad Request if invalid token.

POST

/auth/forgot-password

PUBLIC

Triggers password reset flow, generating a reset token and sending instructions email.

Request Body / Query Params:

Field Name	Type	Required	Description
email	String	Yes	Account email
role	String	Yes	"merchant" or "super_admin"

Response details: 200 OK confirming email sent (sent regardless of presence to prevent username enumeration).

POST

/auth/reset-password

PUBLIC

Resets the password to a new value using a valid reset token.

Request Body / Query Params:

Field Name	Type	Required	Description
token	String	Yes	Reset token
password	String	Yes	New password
role	String	Yes	"merchant" or "super_admin"

Response details: 200 OK password updated successfully.

2. Business Category Service

APIs to manage industry categories. Used to associate merchant accounts with their fields of operation.

GET

/categories

AUTHENTICATED

Fetches all categories available for merchant onboarding.

Response details: 200 OK returning array of Category objects.

GET

/categories/:id

AUTHENTICATED

Fetches a single business category details by ID.

Response details: 200 OK or 404 Not Found.

POST

/categories

SUPER ADMIN

Creates a new business category.

Request Body / Query Params:

Field Name	Type	Required	Description
name	String	Yes	Category display name (e.g. Healthcare, Real Estate)
description	String	No	Brief summary of industry

Response details: 201 Created. 403 Forbidden for merchants.

PUT

/categories/:id

SUPER ADMIN

Updates an existing category detail.

Request Body / Query Params:

Field Name	Type	Required	Description
name	String	No	Updated name
description	String	No	Updated description

Response details: 200 OK category updated.

DELETE

/categories/:id

SUPER ADMIN

Deletes a category from the platform databases.

Response details: 200 OK on deletion.

3. Subscription Plans Service

Admin endpoints to model SaaS plan structures, pricing, Outbound concurrent call boundaries, and calling limits.

GET /plans

AUTHENTICATED

Lists all subscription tiers available (Starter, Pro, Enterprise).

Response details: 200 OK with array of plans.

GET /plans/:id

AUTHENTICATED

Fetches details of a specific plan by ID.

Response details: 200 OK or 404 Not Found.

POST /plans

SUPER ADMIN

Creates a new Subscription Plan tier.

Request Body / Query Params:

Field Name	Type	Required	Description
name	String	Yes	Plan name (unique)
price	Decimal	Yes	Monthly recurring cost (USD)
callLimit	Integer	Yes	Maximum total voice calls allowed
maxConcurrentCalls	Integer	Yes	Simultaneous dial limits

Response details: 201 Created on success.

PUT /plans/:id

SUPER ADMIN

Updates subscription plan boundaries.

Request Body / Query Params:

Field Name	Type	Required	Description
name	String	No	New name
price	Decimal	No	New price
callLimit	Integer	No	New call limit
maxConcurrentCalls	Integer	No	New concurrency limit

Response details: 200 OK.

DELETE /plans/:id

SUPER ADMIN

Removes a subscription plan tier from database.

Response details: 200 OK.

4. Subscription Management

Handles upgrades, current billing cycles, and utilization counters for active merchant accounts.

GET

/subscriptions/my

MERCHANT

Gets currently logged-in merchant's active plan, start date, expiry date, calls used, and remaining quota.

Response details: 200 OK returning Active Subscription model object.

POST

/subscriptions/upgrade

MERCHANT

Upgrades the merchant account to a new plan tier (simulates payment checkout).

Request Body / Query Params:

Field Name	Type	Required	Description
planId	UUID	Yes	Plan ID to upgrade to

Response details: 200 OK. Reset calling limit counters relative to the new plan.

GET

/subscriptions/merchant/:merchantId

SUPER ADMIN

Administrative route to fetch any merchant's subscription status.

Response details: 200 OK.

5. Vobiz Telecom Gateway

Integrates Vobiz VoIP platform for making and receiving telephone calls. Requires API authentication keys.

POST

/vobiz/connect

MERCHANT

Saves or updates the merchant's Vobiz credentials (encrypted prior to database write).

Request Body / Query Params:

Field Name	Type	Required	Description
vobizApiKey	String	Yes	Vobiz client api key
vobizApiSecret	String	Yes	Vobiz secret key
vobizAccountId	String	Yes	Associated Account UUID/ID

Response details: 200 OK credentials validation result.

GET

/vobiz/account

MERCHANT

Gets credentials connection status for Vobiz integration.

Response details: 200 OK credentials details (censored api keys).

GET

/vobiz/numbers

MERCHANT

Lists available rented phone numbers from Vobiz for making outbound campaign dialings.

Response details: 200 OK returning array of phone numbers.

POST

/vobiz/numbers

MERCHANT

Configures a phone number owned by merchant for outgoing dialing.

Request Body / Query Params:

Field Name	Type	Required	Description
phoneNumber	String	Yes	Phone number in international standard format
displayName	String	No	Friendly name

Response details: 201 Created.

DELETE

/vobiz/numbers/:id

MERCHANT

Removes vobiz number configuration from AI platform database.

Response details: 200 OK.

6. Custom Voice Agents Service

Configure intelligent conversational agents powered by Gemini LLM. Sets prompts, speech tone, and behavior patterns.

GET

/agents

MERCHANT

Lists all AI calling agents created by the merchant.

Response details: 200 OK containing list of Agent configurations.

GET

/agents/:id

MERCHANT

Retrieves detail parameters for a specific agent.

Response details: 200 OK.

POST /agents

MERCHANT

Creates a new customizable AI Voice Agent with Gemini prompt engineering settings.

Request Body / Query Params:

Field Name	Type	Required	Description
name	String	Yes	Agent name/label
systemPrompt	Text	Yes	Instructions guiding Gemini behavior
firstSentence	String	No	Greeting sentence spoken instantly when call picks up
voiceId	String	Yes	Chosen default voice identifier (Cartesia/Sarvam/Elevenlabs)
language	String	No	Target spoken language (e.g. en-US, hi-IN)
allowInterruption	Boolean	No	Allows the user to speak over the AI agent (defaults to true)

Response details: 201 Created.

PUT /agents/:id

MERCHANT

Modifies active prompt or configurations for an existing agent.

Request Body / Query Params:

Field Name	Type	Required	Description
name	String	No	
systemPrompt	Text	No	
voiceId	String	No	
allowInterruption	Boolean	No	

Response details: 200 OK updated agent settings.

DELETE /agents/:id

MERCHANT

Deletes an agent.

Response details: 200 OK.

7. Customer Management & Imports

Create lists of contacts to assign outbound calls. Supports single additions, bulk CSV uploads, and segment categories.

GET /customers

MERCHANT

Lists all customer contact records registered under the merchant.

Response details: 200 OK list array.

POST

/customers

MERCHANT

Creates a single customer contact entry.

Request Body / Query Params:

Field Name	Type	Required	Description
name	String	Yes	Customer name
phone	String	Yes	Customer contact phone number
email	String	No	Customer email
customVariables	Object	No	Metadata payload (e.g. { age: 30, city: "London" })

Response details: 201 Created.

POST

/customers/upload

MERCHANT

Uploads a customer contact database using a standard CSV file. Uses multipart/form-data. Parses columns mapping: name, phone, email, and metadata tags.

Request Body / Query Params:

Field Name	Type	Required	Description
file	Binary/File	Yes	CSV file (max size: 5MB)

Response details: 200 OK with summary numbers of newly created contacts and duplicate skips count.

GET

/customers/lists/all

MERCHANT

Fetches all custom groups or target calling list segments created by the merchant.

Response details: 200 OK lists array.

POST

/customers/lists

MERCHANT

Creates a blank list directory structure.

Request Body / Query Params:

Field Name	Type	Required	Description
name	String	Yes	Segment name (e.g., Lead Followups Q2)

Response details: 201 Created.

8. Campaign & Calling Orchestration

Outbound campaign engine controls. Enforces dialing queues, scheduling, concurrent call limits, and retry tasks.

GET

/campaigns

MERCHANT

Lists dial campaigns created by merchant.

Response details: 200 OK.

POST

/campaigns

MERCHANT

Creates outbound dialer campaign and schedules its task queue.

Request Body / Query Params:

Field Name	Type	Required	Description
name	String	Yes	Campaign campaign name
vobizNumberId	UUID	Yes	The phone number config to dial from
agentId	UUID	Yes	Associated AI Agent
customerListId	UUID	Yes	Contact target list ID
startTime	DateTime	Yes	Scheduled calling start date
intervalBetweenCalls	Integer	No	Delay in seconds between successive calls (default 5)
maxConcurrentCalls	Integer	No	Maximum concurrent active channels (limits default to Subscription tier)

Response details: 201 Created.

POST

/campaigns/:id/start

MERCHANT

Triggers or schedules campaign execution worker tasks in the Redis queue.

Response details: 200 OK campaign status changes to "running".

POST

/campaigns/:id/pause

MERCHANT

Pauses active dials. Current active calls will complete; next ones are held back.

Response details: 200 OK status changed.

POST

/campaigns/:id/resume

MERCHANT

Resumes a paused dialer campaign queue.

Response details: 200 OK status changed.

POST

/campaigns/:id/stop

MERCHANT

Terminates campaign execution completely.

Response details: 200 OK status set to stopped.

POST

/campaigns/:id/retry

MERCHANT

Re-enqueues failed dial attempts (busy/no response/etc.) in a campaign to run again.

Response details: 200 OK retries scheduled.

9. Call Analytics Service

Provides business intelligence metrics regarding dial operations, customer sentiment, call outcomes, and plan quotas.

GET

/analytics/campaign

MERCHANT

Retrieves aggregated statistics for a specific outbound campaign.

Request Body / Query Params:

Field Name	Type	Required	Description
campaignId	UUID Query Param	Yes	Target campaign UUID identifier

Response details: 200 OK returning totals: totalCalls, completed, failed, totalDuration, answeredRate, averageDuration.

GET

/analytics/leads

MERCHANT

Gets lead summary metrics. Aggregates conversion rates, interested status count, and negative call outcome analytics.

Response details: 200 OK lead statistics payload.

GET

/analytics/plan

MERCHANT

Gets current plan API quota utilization (percentage of used minutes, remaining limits).

Response details: 200 OK utilization statistics.

10. Call Reports & Transcripts

Query detailed logs, conversation transcription logs, and audio recordings for individual calls.

GET

/reports

MERCHANT

Lists historical calls reports table. Supports filtering by status or campaign.

Response details: 200 OK list of call reports (includes duraton, cost, and basic outcomes).

GET

/reports/session/:sessionId

MERCHANT

Retrieves the complete report details of a specific calling session. Includes the full conversation text transcript between customer and Gemini, as well as the audio recording download link.

Response details: 200 OK detailing call events, full text conversation script logs, and audio URL.

11. Voice Engine & Synthesis

Enables configuration of AI synthesis voices, supports voice seeding for Bulbul:v3 / Cartesia, and audio generation previews.

GET

/voices

MERCHANT

Retrieves the database list of available provider voices (Elevenlabs, Cartesia, Sarvam bulbul:v3) with support tags (gender, region, accents, languages).

Response details: 200 OK list of voice records.

POST

/voices/preview

MERCHANT

Generates or loads a cached audio voice preview sample using default TTS seeding text.

Request Body / Query Params:

Field Name	Type	Required	Description
voiceId	String	Yes	UUID or name tag of the target voice

Response details: 200 OK binary stream with headers: content-type: audio/wav (cached on file disk to optimize provider costs).

