



ERISO TRADING LTD.

— from parts to excellence. —

PRODUCT CATALOGUE





About Us

Founded in 2018, ERISO TRADING LTD., is one of the privileged leading subcontracted-manufacturing trading companies of Turkey's steel industry with global export records. We offer multiple clientele services to ensure full satisfaction with the capacity to respond to all inquiries within and outside our profile to deliver a wide range of products and services to ensure a one stop experience to our clients.

ERISO TRADING LTD.



OUR VISION

The original vision of Eriso Trading LTD is to largely remain the one stop shop of all iron-steel products from Turkey and global origins.



OUR MISSION

The major mission of Eriso Trading LTD., is to effectively collaborate with local and global manufacturers and shipping companies to offer the very best services on both production and delivery lead time.

Products

PROFILES / BEAMS

- 01 EQUAL ANGLES: 18 - 150mm
- 02 UPN: 50 - 550mm
- 03 IPN: 80 - 550
- 04 HEA/HEB: 100 - 1000mm

MERCHANT BARS

- 01 FLAT BARS
- 02 SQUARE BARS
- 03 PLAIN ROUND BARS
- 04 SQUARE BARS
- 05 COLD DRAWN BARS

HOLLOW SECTIONS

PIPES/TUBES

LONG PRODUCTS


- 01 REBAR: 8 - 50mm
- 02 WIRE ROD: 5.5 - 32mm

COILS & SHEETS


- 01 PLATES/SHEETS (smooth or Checkered)
- 02 HRC (Smooth or Checkered)
- 03 CRC

REINFORCED STEEL BARS – REBAR

Reinforcing steel, being weldable or non-weldable, placed in the concrete to offset the tensile and shear stresses in the reinforced concrete structures, manufactured and delivered as finished products in the form of bars, coils and de-coiled bars.



Diameter Ø : between 8mm and 40mm



Length : cut-to-length between 6m and 18m



Bundle Weight : min 1000 - max 3000kgs





Grade : B500B, ASTMA615, FE500, B500C,
BST500S, S400W




WIRE ROD IN COIL

Semi-finished metallic products in the form of coils, manufactured by the process of hot rolling, used for cold drawing of round sections.

Wire Rod Sizes

-  Diameter Ø : Between 5,5mm and 26mm
-  O. D. (A) : 1150/1250mm
-  I. D. (B) : 850mm
-  Height (C) : 1400 - 1850mm
-  Weight : 1900 - max. 3200kgs
-  Grade : SAE 1006 - 1020



PROFILES



NPU / Channels	
Height	Between 50 mm and 400 mm
Typical Length	6 or 12 mt
Length Tolerance	-0/+100 mm
Quality	S 235 JR or S 275 JR
Production	Between 80 mm and 160 mm
Commercial	Between 180 mm and 400 mm

NPI / Beams	
Height	Between 80 mm and 450 mm
Typical Length	6 or 12 mt
Length Tolerance	-0/+100 mm
Quality	S 235 JR or S 275 JR
Production	Between 100 mm and 160 mm
Commercial	Between 180 mm and 450 mm

PROFILES



IPE / Beams	
Height	Between 100 mm and 600 mm
Typical Length	12 mt
Length Tolerance	-0/+100 mm
Quality	S 275 JR
Production	
Commercial	Between 100 mm and 600 mm

Equal Angles	
Height	Between 18 mm and 120 mm
Typical Length	6 or 12 mt
Length Tolerance	-0/+100 mm
Quality	S 235 JR
Production	Between 90 mm and 120 mm
Commercial	Between 40 mm and 150 mm

PROFILES



HE A/B/ Beams	
Height	Between 100 mm and 1000 mm
Typical Length	12 mt
Length Tolerance	-0/+100 mm
Quality	S 275 JR
Production	
Commercial	Between 100 mm and 1000 mm



H section structural profiles are used especially in the construction of steel buildings, but also in reinforced concrete structures to support the structure. It is used in agricultural machinery, automotive, basic construction and industrial applications along with its use in all areas of the construction that forms the structure in low and high-altitude constructions.

Dimensions : EURONORM 53-62 ASTM A6 /A 6M - 07

Tolerances : EN 10034 ASTM A 6/A 6M - 07



MERCHANT BARS

ROUND BARS

Grade: S235JR, S275JR, S355JR, S355J2

Sizes: (mm): 6 ~120

Length (m): 6 ~ 12

SQUARE BARS

Grade: S235JR, S275JR, S355JR

Sizes(mm): 6x6 ~ 100x100

Length(m): 6 ~ 12

FLAT BARS

Grade: S235JR, S275JR, S355JR, S355J2




Size(mm): 12x2,5 ~ 160x40

Length(m): 6 ~ 12



COILS & SHEETS

(ALL GRADES)



HOT ROLLED COILS

Standard: DIN/EN/ASTM/GB/JIS

Thickness: 1 ~ 25mm

Width: 1000 ~ 2000



HOT DIPPED GALVANIZED COILS

Standard: DIN/EN/ASTM/GB/JIS

Thickness: 0.2-6mm

Width: 650 ~1500 Zinc

Coating: 30 ~ 275g/sm.

COLD ROLLED COILS

Standard: DIN/EN/ASTM/GB/JIS

Thickness 0.3 ~ 3mm

Width: 850 ~ 2500




BLACK AND GALVANIZED TEAR-DROPCOILS

Standard: DIN/EN/ASTM/GB/JIS

Thickness 1,1-18mm

Width: 650-1500

Zinc Coating: 100 ~ 275g/sm.





PREPAINTED COILS


Standard: DIN/EN/ASTM/GB/JIS

Thickness 0.2 ~ 2.5mm

Width: 650 ~ 1500

Zinc Coating: 30 ~ 275g/sm





HOTROLLED PLATES

Standard: DIN/EN/ASTM/GB/JIS

Thickness: 6 ~ 150mm

Width: 1000 ~ 2500





SQUARE & RECTANGULAR HOLLOW SECTIONS

Standard: DIN/EN/ASTM/GB/JIS

Size (mm): 10 ~ 1000

Length (m): 6 ~ 12





GALVANISED, PAINTED & BLACK PIPES

Standard: DIN/EN/ASTM/GB/JIS

Size (mm): 21.3 ~ 323.9

Length (m): 6 ~ 12



ERISO TRADING LTD

PRODUCT CATALOGUE

ERISO TRADING LTD., continue our contributions to the Turkish & world economy with a justified pride of our industrial experience.

- HQ Address: Naci Cakir Mah. Sinan Cd. 94A, Ankara/Turkey
- Web: www.eriso.net
- E-mail: export@eriso.net
- Phone/WhatsApp: +90 534 360 43 58