Meet Pip.

The curious optimist.

A warm fox companion for a precise, dependable food diary.

Original Pip is selected. Orange fur, cream details, expressive ears and a teal scarf.





One character at launch. Ready for future choices.

A companion with a clear job.

Pip supports the task in front of the user. The interface keeps the answers, controls and status text.

Today / 64 pt

A short greeting beside the date and summary. Save and review reactions reuse the same reserved slot.


Coach / 40 pt

A calm status companion above the composer. Quiet while typing; thoughtful only during real processing.

Illustrated placement concepts. Existing Precision Glass remains the baseline until replacement flows are reviewed.



A full-body vocabulary.



01

Greeting

One small wave, then settle.

02

Saved

Nod + open paw. Locally saved.

03

Reviewed

Grounded stretch. No leap.

04

Quiet states

Attentive, thinking, recovery, rest.

Give each body part one purpose.

Keep the silhouette stable and expressions readable at small sizes. All motion fits inside one fixed 512 x 512 artboard.

Eyes + brows

Attention comes first. Tiny gaze changes and clear lids; an open, reassuring face.

Head + ears

A 6-degree nod or 8-degree tilt carries the message. Independent ears add curiosity.

Paws + torso

Small open-paw gestures. Grounded feet; squash or stretch capped at 3%.

Tail + scarf

Secondary motion follows the gesture, then settles. Tail up to 10 degrees; scarf up to 6 degrees.

Composition

Safe bounds: x 40-472, y 32-472. Ground at y 472. No clipping or changing slot size.

Small-size drawing

At 40 pt simplify fur and paw pads. Preserve eyes, scarf, ears and tail; validate at 40 / 64 / 80 pt.


The storyboard illustrates acting. These written amplitude limits govern the production rig.

Brief reactions. Precise timing.

The app responds immediately. Animation never delays a write, a button, navigation or the keyboard.


Greeting

700 ms




Saved

450 ms



Reviewed

650 ms



Interruptible by design

100 ms visible pose blends. Typing or an error cancels a celebration; accessibility and visibility policy stop motion immediately.

Quiet is part of the performance.

Pip can feel alive without moving all the time.

Rest

Still, open-eye pose. One 150 ms blink per 12 eligible seconds; no breathing or bobbing loop.

Attentive

150 ms gaze/lean transition. Then still for the full typing interaction.

Thinking

1400 ms loop while processing is real. Small eye, ear and paw movement; no pretend progress.

Recovery

200 ms calm tilt and open palm, then still. The native error text and retry action explain what to do.

Priority: policy > recovery > typing > fresh success > processing > greeting > rest. Keep only the newest fresh success; never replay a queue of celebrations.

One identity. Both appearances.



Light + dark

Keep orange fur and the teal scarf. Author contrast adjustments; preserve the face and silhouette.

Accessible by default

Static poses for Reduce Motion, Low Power Mode and serious thermal pressure. VoiceOver uses the existing native status text.

Stable layout

No moving composer or scroll anchor. Largest text can grow the status strip; controls stay at least 44 pt.

Pip now. Character choices later.

A small bundled catalog separates character identity from diary behavior. Launch ships exactly one entry: Pip.

Catalog

Stable ID + name
Rig / fallback / preview paths

Local selection

selectedCharacterID
Unknown ID resolves to Pip

One runtime

Shared worker
One playing character

Settings at launch

A static Pip preview and name. Show the selection list once two or more compatible characters are actually bundled.

A safe switch

Cancel the old load, release the old player, clear reactions and show the new rest pose. Ignore stale async completions.

Adding a character requires a validated rig, seven static poses, a preview and one descriptor. All characters share pose values 0-6, darkMode and react. No diary migration or remote asset system.

Rive expression. SwiftUI interaction.

Use the official Swift runtime, with a narrow adapter and explicit lifecycle ownership.

01 / Rig contract

MivuCompanion artboard; Companion state machine; CompanionModel binding. Seven semantic poses, dark appearance and repeatable reaction trigger.

02 / Runtime ownership

Pin RiveRuntime 6.28.1. One shared Worker; retain the bound instance. MainActor API calls and generation-guarded loading.

03 / Native experience

SwiftUI owns screens, controls, keyboard, navigation and text. Publish semantic state changes; never per-frame state into lists.

04 / Lifecycle + fallback

Defer loading until the screen is useful. Stop hidden work. Missing or corrupt assets show the same-size static pose without blocking the app.

Start at 60 fps for brief gestures and 30 fps for thinking. These are candidate settings, not proof of smoothness; validate on the connected iPhone.

A delivery plan with evidence.

1	**Experience audit**	Review all seven journeys; design concrete replacement flows before changing them.
2	**Character catalog**	Pip-only descriptor, local preference and selection/fallback tests.
3	**Motion policy**	Pure priority, expiry, deduplication and accessibility rules with controlled-time tests.
4	**Production Rive**	Editable rig, exact bindings, static poses, asset validation and runtime adapter.
5	**Semantic receipts**	Emit save/review reactions only after successful durable operations.
6	**Native integration**	Today + Coach + Settings; preserve typing, scroll anchors and existing feedback.
7	**Device acceptance**	Native regression checks, recordings, accessibility and Release performance traces.

Ready now: selected art + motion brief + implementation plan. Rig and app integration remain to be built.

Quality is measured on the phone.

Proposed acceptance budgets. No motion-performance results are claimed by this planning package.

Input response	p95 <=100 ms / 30 samples
Hitch time	<5 ms/s; <=1 ms/s baseline increase
Memory	<=20 MiB peak increase; <=5 MiB settled growth after 50 switches
Hidden work	Zero character frames and decorative timers
Rig size	Target <512 KiB; hard limit 1 MiB

Technical references

Rive Apple integration

Rive state-machine playback

Apple motion guidance

Rive 6.28.1 release

See the linked implementation plan and motion bible for sample counts, launch/CPU budgets, failure tests and production export requirements.